

Model No: TC5FB00-08

Product Line: Tymphany

Rev: 2


Last Update: 2016-02-23 18:40:10

Product Description

This TC family 1.5 inch 8 ohm full-range driver, with ferrite magnet, paper cone and PU surround, and steel basket, is designed to be a cost-effective high performance full range driver. The product was designed with portable and other compact applications in mind.




Mechanical Drawing



Specifications

DC Resistance	Revc	Ohms	6.74	5.0%	Energy Bandwidth Product	EBP	(1/Qes)*fs
Minimum Impedance	Zmin	Ohms	7.52	7.5%	Moving Mass	Mms	g
Voice Coil Inductance	Le	mH	0.07		Suspension Compliance	Cms	um/N
Resonant Frequency	Fs	Hz	261.01	15%	Effective Cone diameter	D	cm
Mechanical Q Factor	Qms		3.84		Effective Piston Area	Sd	cm ²
Electrical Q Factor	Qes		2.81		Effective Volume	Vas	L
Total Q Factor	Qts		1.62		Motor Force Factor	BL	Tm
Ratio Fs/Qts	F	Fs/Qts	160.72		Motor Efficiency Factor	β	(T*M ²)/Ohms
Half Space Sensitivity @2.83V	db@2.83V/1M	dB	79.36	+/- 1.0db	Voice coil former Material	VCfm	ASV
Half Space Sensitivity @1W/1M	db@1W/1M	dB	79.1	+/- 1.0db	Voice coil inner diameter	VCd	mm
Gap Height	Gh	mm	2		Rated Noise Power	P	W
Maximum Linear Excursion	Xmax	mm	0.6		Test Spectrum Bandwidth		250Hz-20KHz
Ferrofluid Type	FF				Driver Size	Inch	2 in
Driver Mass	Kg		0.06				

Frequency and Impedance Response



Highcharts.com