



TCFS--***-0**-100CH**

a) Part as supplied.



b) Part after unrestricted recovery.



KITS TO INCLUDE CLEANING TISSUE, 1 PIECE 100 GRIT EMERY CLOTH & 1 PIECE OF ATUM.
KIT TO BE USED IN CONJUNCTION WITH TCFS INSTALLATION PROCEDURE.

Dimensions (in millimetres)

	A	J	M	A/F	L	P	J0
PART No.	min	min	max	THREAD	Nut	NOM	Ref
		a	b			b	b
TCFS-12	7.4	7	5.0	M12 x 1.5	17	24	15
TCFS-16	10.1	9	6.0	M16 x 1.5	22	29	17
TCFS-20	14.1	11	7.2	M20 x 1.5	27	34	20
TCFS-24	19.1	17	8.5	M24 x 1.5	30	38	25
TCFS-30	24.1	21	10.0	M30 x 1.5	36	47	30
TCFS-36	30.1	29	15.8	M36 x 1.5	41	52	30

Copyright (!)
Urheberrechte

The copyright in this drawing is the property of Raychem Ltd. The drawing is issued on condition that it is not copied, reproduced or disclosed to a third party, either in whole or in part without the prior written consent of Raychem Ltd.

Drawn A.LILLEY. Checked

Issue 5

Date November 1992


Conforms to ISO Recommendations

Approval

Design

MKTG.

G.C.

3rd Angle Projection
Not to Scale



Iss.	Date	E.C.R. No.	Details of Change
2	February 1987	H0044	ADHESIVE CHANGED
3	January 1989	H0125	Ja CHANGED
4	October 1991	H0044	L was %
5	November 1992	H0125	S/S 30 L WAS 48

Material

(-100) ZERO HALOGEN

Part Numbering System.

TCFS-**-***-0**-100CH



Raychem

Thermofit Division, Europe,
 Swindon, Wiltshire, England.

Telephone: (0793) 528171 Fax: 697923

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[TCFS-12-62C-020-100CH](#)