TELS-27

Article Number: 111-32110

Extended Length Tie, POM, Black, 10-27" straps and 10 heads/pkg

✓ **RoHS**

📄 Download drawing   📄 Download spec sheet

Base Data

Local Order Number	TELS-27
Type	TELS-27
Color	Black (BK)
Features and Benefits	• Continuous strap and separate heads allow for any bundle diameter, eliminating waste. • Smooth strap prevents cable damage. • UV resistant materials contain an inhibitor which prolongs the life of the tie in outdoor environments.
Product Description	HellermannTyton's Extended Length Tie is a high tensile strength strapping system consisting of a continuous strap and separate locking head making it suitable for any bundle diameter, eliminating waste. The smooth strap and specially designed heads with stainless steel pawls, provides a strong hold on cables and wires without damage during vibration or in extreme environments. Spacers are available for dual bundle applications.
Fixation Method (FF)	None
Releasable Closure (Yes/No)	No
Tie Closure	steel pawl
Variant	Extended Length
Short Description	Extended Length Tie, POM, Black, 10-27" straps and 10 heads/pkg

Product Dimensions

Minimum Tensile Strength (imperial)	250.0 lbs
Minimum Tensile Strength (N)	1112.0 N
Length L (imperial)	27.0 "
Length L (metric)	686.0 mm
Width W (imperial)	0.5 "
Width W (metric)	12.7 mm
Width W2 (imperial)	0.8 "
Width W2 (metric)	20.3 mm
Height H (imperial)	0.49 "
Height H (metric)	12.4 mm
Thickness T (imperial)	0.06 "
Thickness T (Metric)	1.52 mm

Logistics and Packaging

Quantity per	pack
Package Quantity	1
Carton Quantity	25

Material and Specifications

Material	Polyacetal (POM)
Material Shortcut	POM
Material Cable Tie	Polyacetal (POM)
Flammability	UL94 HB
Material Head	Polyacetal (POM)
Material Spacer	Polypropylene, UV-resistant (PPW)
Operating Temperature	-40°F to +185°F (-40°C to +85°C)
ROHS Conformity	Yes