

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0432028818

Status:


Active

Overview:

Magnetic and Modular Jacks and Plugs

Description:

Modular Jack, Right Angle, Low Profile, Shielded, Offset Panel Grounding Tabs, without Bottom Grounding Tab, Front Position PCB Ground Tab, 8/8



Documents:

3D Model

Drawing (PDF)

Product Specification PS-43202-001-001 (PDF)

Packaging Specification PK-43202-004 (PDF)

RoHS Certificate of Compliance (PDF)

Agency Certification		
CSA		LR19980
UL		E107635
General		
Product Family		Modular Jacks/Plugs
Series		43202
Component Type		PCB Jack
Magnetic		No
Overview		Magnetic and Modular Jacks and Plugs
Performance Category		3
Power over Ethernet (PoE)		N/A
Product Name		Modular Jack 8/8
UPC		800756072722
Physical		
Color - Resin		Black
Durability (mating cycles max)		500
Flammability		94V-0
Inverted / Top Latch		No
Jack Height		11.81mm
Lightpipes/LEDs		None
Material - Metal		Brass, Phosphor Bronze
Material - Plating Mating		Gold
Material - Plating Termination		Tin
Material - Resin		High Temperature Thermoplastic
Net Weight		4.271/g
Orientation		Right Angle (Side Entry)
PCB Retention		Yes
PCB Thickness - Recommended		1.60mm
Packaging Type		Tray
Panel Mount		With Flange
Pitch - Mating Interface		1.02mm
Pitch - Termination Interface		1.27mm
Plating min - Mating		1.270µm
Plating min - Termination		2.540µm
Ports		1
Positions / Loaded Contacts		8/8
Surface Mount Compatible (SMC)		Yes
Temperature Range - Operating		-40°C to +85°C
Termination Interface: Style		Through Hole
Wire/Cable Type		N/A
Electrical		
Current - Maximum per Contact		1.5A
Grounding to PCB		Yes

EU ELV

Not Relevant

EU RoHS

Compliant

China RoHS

REACH SVHC

Not Contained Per

-ED/01/2017 (12

January 2017)

Halogen-Free

Status

Not Low-Halogen

Need more information on product

environmental compliance?

Email productcompliance@molex.com

Please visit the [Contact Us](#) section for any

non-product compliance questions.

China ROHS

Green Image

ELV

Not Relevant

RoHS Phthalates

Not Contained

Search Parts in this Series

43202 Series

Mates With

FCC 68 Plugs

Grounding to Panel Shielded Voltage - Maximum	Offset Panel Ground Tabs Yes 125V
Solder Process Data Lead-freeProcess Capability	WAVE
Material Info	
Reference - Drawing Numbers Packaging Specification Product Specification	PK-43202-004 PS-43202-001-001

This document was generated on 07/03/2017

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[43202-8818](#)