






NO. OF CKTS.	DM. A	DM. B
2	.100/2.54	.200/5.08
3	.200/5.08	.300/7.62
4	.300/7.62	.400/10.16
5	.400/10.16	.500/12.70
6	.500/10.16	.600/15.24
7	.600/15.24	.700/17.78
8	.700/17.78	.800/20.32
9	.800/20.32	.900/22.86
10	.900/22.86	1.000/25.40
11	1.000/25.40	1.100/27.94
12	1.100/27.94	1.200/30.48
13	1.200/30.48	1.300/33.02
14	1.300/33.02	1.400/35.56
15	1.400/35.56	1.500/38.10
16	1.500/38.10	1.600/40.64
17	1.600/40.64	1.700/43.18
18	1.700/43.18	1.800/45.72
19	1.800/45.72	1.900/48.26
20	1.900/48.26	2.000/50.80
21	2.000/50.80	2.100/53.34
22	2.100/53.34	2.200/55.88
23	2.200/55.88	2.300/58.42
24	2.300/58.42	2.400/60.96
25	2.400/60.96	2.500/63.50
26	2.500/63.50	2.600/66.04
27	2.600/66.04	2.700/68.58
28	2.700/68.58	2.800/71.12
29	2.800/71.12	2.900/73.66
30	2.900/73.66	3.000/76.20
31	3.000/76.20	3.100/78.74
32	3.100/78.74	3.200/81.28
33	3.200/81.28	3.300/83.82
34	3.300/83.82	3.400/86.36
35	3.400/86.36	3.500/88.90
36	3.500/88.90	3.600/91.44



ADD DETAIL VIEWS EC NO: UCP2005-0488 DRWN: JLOME 2005/08/01 CHKD: ADERR 2005/08/04 APPR: FSWITH 2005/08/05	DESCRIPTION	QUALITY SYMBOLS ▽=0 ◻=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 1:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION	TITLE .100 POLARIZING BREAKAWAY HEADER ASSY	
			mm	INCH	DRAWN BY JSCHAFER	DATE 2004/03/20	MOLEX MOLEX INCORPORATED				
			4 PLACES ± ---	± ---	CHECKED BY KSAMIEC	DATE 2004/03/20					
			3 PLACES ± ---	± .010	APPROVED BY MARGULIS	DATE 2004/03/20					
			2 PLACES ± 0.25	± .014	MATERIAL NO. SEE CHART						DOCUMENT NO. SD-42225-001
K3	REV		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE B	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

- NOTES:
1. MATERIAL: GLASS FILLED NYLON, 94V-0, COLOR: BLACK
 2. FINISH:
 - (154) *OVERALL TIN: .000100/0.00254 MIN. OVER .000050/0.00127 MIN NICKEL.
 - (208) SELECT GOLD: .000015/0.00038 MIN.
 - *SELECT TIN: .000100/0.00254 MIN. OVERALL NICKEL UNDERPLATE: .000050/0.00127 MIN.
 - (228) SELECT GOLD: .000030/0.00076 MIN.
 - *SELECT TIN: .000100/0.00254 MIN. OVERALL NICKEL UNDERPLATE: .000050/0.00127 MIN.
 - *THE PRIMARY SHIPPING CARTON WILL BE LABELED "COMPLIANT TO RoHS DIRECTIVE 2002/95/EC AND ELV ANNEX II OF DIRECTIVE 2000/53/EC". CARTONS WITHOUT THIS LABEL MAY CONTAIN PRODUCT WITH TIN-LEAD PLATING
 3. PRODUCT SPECIFICATION PS 10-07.
 4. PACKAGING INFORMATION: SEE TABLES
 5. KINK PIN SPECIFICATION: SEE SMES-42003
 6. HEADERS ARE NOT STACKABLE ON .100/2.54 CENTERS.
 7. SOLDERABILITY PER SMES-152.
 8. PIN PUSH OUT FORCE: 3 LBS. MIN.

2-x	K
1	K3
SHEET	REV

A-42225-0002/0036															
HEADER NUMBER:		41410													
PIN NUMBER:		42663-AXA154													
PIN LENGTH: L		.540/13.72													
MATING LENGTH: M		.295/7.49													
GOLD POINT: G		N/A													
PC TAIL LENGTH: P		.120/3.05													
TIN: T		OVERALL													
CKTS:		2-36													
KINKS:		NO													
REMOVED BACKWALLS:		NO													
VOIDED CKTS:		NONE													
PACKAGING:		BULK 40873-0056													
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER										
02	22-28-3020	A-42225-0002	20	22-28-3200	A-42225-0020										
03	22-28-3030	A-42225-0003	21	22-28-3210	A-42225-0021										
04	22-28-3040	A-42225-0004	22	22-28-3220	A-42225-0022										
05	22-28-3050	A-42225-0005	23	22-28-3230	A-42225-0023										
06	22-28-3060	A-42225-0006	24	22-28-3240	A-42225-0024										
07	22-28-3070	A-42225-0007	25	22-28-3250	A-42225-0025										
08	22-28-3080	A-42225-0008	26	22-28-3260	A-42225-0026										
09	22-28-3090	A-42225-0009	27	22-28-3270	A-42225-0027										
10	22-28-3100	A-42225-0010	28	22-28-3280	A-42225-0028										
11	22-28-3110	A-42225-0011	29	22-28-3290	A-42225-0029										
12	22-28-3120	A-42225-0012	30	22-28-3300	A-42225-0030										
13	22-28-3130	A-42225-0013	31	22-28-3310	A-42225-0031										
14	22-28-3140	A-42225-0014	32	22-28-3320	A-42225-0032										
15	22-28-3150	A-42225-0015	33	22-28-3330	A-42225-0033										
16	22-28-3160	A-42225-0016	34	22-28-3340	A-42225-0034										
17	22-28-3170	A-42225-0017	35	22-28-3350	A-42225-0035										
18	22-28-3180	A-42225-0018	36	22-28-3360	A-42225-0036										
19	22-28-3190	A-42225-0019													
REV:						TITLE:				SHEET No.					
K						.100 POLARIZING BREAKAWAY HEADER ASSY.				- 2 -					
DOCUMENT NUMBER:				CREATED / REVISED BY:				CHECKED BY:				APPROVED BY:			
SD- 42225 -001				S. LINEHAN 03/04/2004				K.SAMIEC 03/04/2004				Y. MARGULIS 03/04/2004			
TEMPLATE FILENAME: PRODUCT_SPEC[SIZE_A](V.1).DOC															

A-42225-0037/0071					
HEADER NUMBER:		41410			
PIN NUMBER:		42663-AXB208			
PIN LENGTH: L		.540/13.72			
MATING LENGTH: M		.295/7.49			
GOLD POINT: G		.140/3.56			
PC TAIL LENGTH: P		.120/3.05			
TIN: T		.100/2.54			
CKTS:		2-36			
KINKS:		NO			
REMOVED BACKWALLS:		NO			
VOIDED CKTS:		NONE			
PACKAGING:		BULK 40873-0056			
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
02	22-28-3021	A-42225-0037	20	22-28-3201	A-42225-0055
03	22-28-3031	A-42225-0038	21	22-28-3211	A-42225-0056
04	22-28-3041	A-42225-0039	22	22-28-3221	A-42225-0057
05	22-28-3051	A-42225-0040	23	22-28-3231	A-42225-0058
06	22-28-3061	A-42225-0041	24	22-28-3241	A-42225-0059
07	22-28-3071	A-42225-0042	25	22-28-3251	A-42225-0060
08	22-28-3081	A-42225-0043	26	22-28-3261	A-42225-0061
09	22-28-3091	A-42225-0044	27	22-28-3271	A-42225-0062
10	22-28-3101	A-42225-0045	28	22-28-3281	A-42225-0063
11	22-28-3111	A-42225-0046	29	22-28-3291	A-42225-0064
12	22-28-3121	A-42225-0047	30	22-28-3301	A-42225-0065
13	22-28-3131	A-42225-0048	31	22-28-3311	A-42225-0066
14	22-28-3141	A-42225-0049	32	22-28-3321	A-42225-0067
15	22-28-3151	A-42225-0050	33	22-28-3331	A-42225-0068
16	22-28-3161	A-42225-0051	34	22-28-3341	A-42225-0069
17	22-28-3171	A-42225-0052	35	22-28-3351	A-42225-0070
18	22-28-3181	A-42225-0053	36	22-28-3361	A-42225-0071
19	22-28-3191	A-42225-0054			

A-42225-0072/0106						A-42225-0107/0141								
HEADER NUMBER:			41410			HEADER NUMBER:			41410					
PIN NUMBER:			42663-AXB228			PIN NUMBER:			42663-BAA154					
PIN LENGTH: L			.540/13.72			PIN LENGTH: L			.555/14.10					
MATING LENGTH: M			.295/7.49			MATING LENGTH: M			.295/7.49					
GOLD POINT: G			.140/3.56			GOLD POINT: G			N/A					
PC TAIL LENGTH: P			.120/3.05			PC TAIL LENGTH: P			.135/3.43					
TIN: T			.100/2.54			TIN: T			OVERALL					
CKTS:			2-36			CKTS:			2-36					
KINKS:			NO			KINKS:			YES					
REMOVED BACKWALLS:			NO			REMOVED BACKWALLS:			NO					
VOIDED CKTS:			NONE			VOIDED CKTS:			NONE					
PACKAGING:			BULK 40873-0056			PACKAGING:			BULK 40873-0056					
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER			
02	22-28-3022	A-42225-0072	20	22-28-3202	A-42225-0090	02	22-28-3023	A-42225-0107	20	22-28-3203	A-42225-0125			
03	22-28-3032	A-42225-0073	21	22-28-3212	A-42225-0091	03	22-28-3033	A-42225-0108	21	22-28-3213	A-42225-0126			
04	22-28-3042	A-42225-0074	22	22-28-3222	A-42225-0092	04	22-28-3043	A-42225-0109	22	22-28-3223	A-42225-0127			
05	22-28-3052	A-42225-0075	23	22-28-3232	A-42225-0093	05	22-28-3053	A-42225-0110	23	22-28-3233	A-42225-0128			
06	22-28-3062	A-42225-0076	24	22-28-3242	A-42225-0094	06	22-28-3063	A-42225-0111	24	22-28-3243	A-42225-0129			
07	22-28-3072	A-42225-0077	25	22-28-3252	A-42225-0095	07	22-28-3073	A-42225-0112	25	22-28-3253	A-42225-0130			
08	22-28-3082	A-42225-0078	26	22-28-3262	A-42225-0096	08	22-28-3083	A-42225-0113	26	22-28-3263	A-42225-0131			
09	22-28-3092	A-42225-0079	27	22-28-3272	A-42225-0097	09	22-28-3093	A-42225-0114	27	22-28-3273	A-42225-0132			
10	22-28-3102	A-42225-0080	28	22-28-3282	A-42225-0098	10	22-28-3103	A-42225-0115	28	22-28-3283	A-42225-0133			
11	22-28-3112	A-42225-0081	29	22-28-3292	A-42225-0099	11	22-28-3113	A-42225-0116	29	22-28-3293	A-42225-0134			
12	22-28-3122	A-42225-0082	30	22-28-3302	A-42225-0100	12	22-28-3123	A-42225-0117	30	22-28-3303	A-42225-0135			
13	22-28-3132	A-42225-0083	31	22-28-3312	A-42225-0101	13	22-28-3133	A-42225-0118	31	22-28-3313	A-42225-0136			
14	22-28-3142	A-42225-0084	32	22-28-3322	A-42225-0102	14	22-28-3143	A-42225-0119	32	22-28-3323	A-42225-0137			
15	22-28-3152	A-42225-0085	33	22-28-3332	A-42225-0103	15	22-28-3153	A-42225-0120	33	22-28-3333	A-42225-0138			
16	22-28-3162	A-42225-0086	34	22-28-3342	A-42225-0104	16	22-28-3163	A-42225-0121	34	22-28-3343	A-42225-0139			
17	22-28-3172	A-42225-0087	35	22-28-3352	A-42225-0105	17	22-28-3173	A-42225-0122	35	22-28-3353	A-42225-0140			
18	22-28-3182	A-42225-0088	36	22-28-3362	A-42225-0106	18	22-28-3183	A-42225-0123	36	22-28-3363	A-42225-0141			
19	22-28-3192	A-42225-0089				19	22-28-3193	A-42225-0124						
REV:						TITLE:				SHEET No.				
K						.100 POLARIZING BREAKAWAY HEADER ASSY.				- 3 -				
DOCUMENT NUMBER:					CREATED / REVISED BY:			CHECKED BY:			APPROVED BY:			
SD- 42225 -001					S. LINEHAN 03/04/2004			K.SAMIEC 03/04/2004			Y. MARGULIS 03/04/2004			
TEMPLATE FILENAME: PRODUCT_SPEC[SIZE_A](V.1).DOC														

A-42225-0142/0176						A-42225-0177/0211											
HEADER NUMBER:		41410				HEADER NUMBER:		41410									
PIN NUMBER:		42663-BAB208				PIN NUMBER:		42663-BAB228									
PIN LENGTH: L		.555/14.10				PIN LENGTH: L		.555/14.10									
MATING LENGTH: M		.295/7.49				MATING LENGTH: M		.295/7.49									
GOLD POINT: G		.140/3.56				GOLD POINT: G		.140/3.56									
PC TAIL LENGTH: P		.135/3.43				PC TAIL LENGTH: P		.135/3.43									
TIN: T		.100/2.54				TIN: T		.100/2.54									
CKTS:		2-36				CKTS:		2-36									
KINKS:		YES				KINKS:		YES									
REMOVED BACKWALLS:		NO				REMOVED BACKWALLS:		NO									
VOIDED CKTS:		NONE				VOIDED CKTS:		NONE									
PACKAGING:		BULK 40873-0056				PACKAGING:		BULK 40873-0056									
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER						
02	22-28-3024	A-42225-0142	20	22-28-3204	A-42225-0160	02	22-28-3025	A-42225-0177	20	22-28-3205	A-42225-0195						
03	22-28-3034	A-42225-0143	21	22-28-3214	A-42225-0161	03	22-28-3035	A-42225-0178	21	22-28-3215	A-42225-0196						
04	22-28-3044	A-42225-0144	22	22-28-3224	A-42225-0162	04	22-28-3045	A-42225-0179	22	22-28-3225	A-42225-0197						
05	22-28-3054	A-42225-0145	23	22-28-3234	A-42225-0163	05	22-28-3055	A-42225-0180	23	22-28-3235	A-42225-0198						
06	22-28-3064	A-42225-0146	24	22-28-3244	A-42225-0164	06	22-28-3065	A-42225-0181	24	22-28-3245	A-42225-0199						
07	22-28-3074	A-42225-0147	25	22-28-3254	A-42225-0165	07	22-28-3075	A-42225-0182	25	22-28-3255	A-42225-0200						
08	22-28-3084	A-42225-0148	26	22-28-3264	A-42225-0166	08	22-28-3085	A-42225-0183	26	22-28-3265	A-42225-0201						
09	22-28-3094	A-42225-0149	27	22-28-3274	A-42225-0167	09	22-28-3095	A-42225-0184	27	22-28-3275	A-42225-0202						
10	22-28-3104	A-42225-0150	28	22-28-3284	A-42225-0168	10	22-28-3105	A-42225-0185	28	22-28-3285	A-42225-0203						
11	22-28-3114	A-42225-0151	29	22-28-3294	A-42225-0169	11	22-28-3115	A-42225-0186	29	22-28-3295	A-42225-0204						
12	22-28-3124	A-42225-0152	30	22-28-3304	A-42225-0170	12	22-28-3125	A-42225-0187	30	22-28-3305	A-42225-0205						
13	22-28-3134	A-42225-0153	31	22-28-3314	A-42225-0171	13	22-28-3135	A-42225-0188	31	22-28-3315	A-42225-0206						
14	22-28-3144	A-42225-0154	32	22-28-3324	A-42225-0172	14	22-28-3145	A-42225-0189	32	22-28-3325	A-42225-0207						
15	22-28-3154	A-42225-0155	33	22-28-3334	A-42225-0173	15	22-28-3155	A-42225-0190	33	22-28-3335	A-42225-0208						
16	22-28-3164	A-42225-0156	34	22-28-3344	A-42225-0174	16	22-28-3165	A-42225-0191	34	22-28-3345	A-42225-0209						
17	22-28-3174	A-42225-0157	35	22-28-3354	A-42225-0175	17	22-28-3175	A-42225-0192	35	22-28-3355	A-42225-0210						
18	22-28-3184	A-42225-0158	36	22-28-3364	A-42225-0176	18	22-28-3185	A-42225-0193	36	22-28-3365	A-42225-0211						
19	22-28-3194	A-42225-0159				19	22-28-3195	A-42225-0194									
REV:						TITLE:		.100 POLARIZING BREAKAWAY HEADER ASSY.				SHEET No. - 4 -					
DOCUMENT NUMBER:		SD- 42225 -001				CREATED / REVISED BY:		S. LINEHAN 03/04/2004		CHECKED BY:		K.SAMIEC 03/04/2004		APPROVED BY:		Y. MARGULIS 03/04/2004	
TEMPLATE FILENAME: PRODUCT_SPEC[SIZE_A](V.1).DOC																	

A-42225-0213/0246						A-42225-0248/0281											
HEADER NUMBER:		41410				HEADER NUMBER:		41410									
PIN NUMBER:		42663-AXA154				PIN NUMBER:		42663-AXB208									
PIN LENGTH: L		.540/13.72				PIN LENGTH: L		.540/13.72									
MATING LENGTH: M		.295/7.49				MATING LENGTH: M		.295/7.49									
GOLD POINT: G		N/A				GOLD POINT: G		.140/3.56									
PC TAIL LENGTH: P		.120/3.05				PC TAIL LENGTH: P		.120/3.05									
TIN: T		OVERALL				TIN: T		.135/3.43									
CKTS:		3-36				CKTS:		3-36									
KINKS:		NO				KINKS:		NO									
REMOVED BACKWALLS:		YES				REMOVED BACKWALLS:		YES									
VOIDED CKTS:		NONE				VOIDED CKTS:		NONE									
PACKAGING:		BULK 40873-0056				PACKAGING:		BULK 40873-0056									
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER						
02			20	22-28-3206	A-42225-0230	02			20	22-28-3207	A-42225-0265						
03	22-28-3036	A-42225-0213	21	22-28-3216	A-42225-0231	03	22-28-3037	A-42225-0248	21	22-28-3217	A-42225-0266						
04	22-28-3046	A-42225-0214	22	22-28-3226	A-42225-0232	04	22-28-3047	A-42225-0249	22	22-28-3227	A-42225-0267						
05	22-28-3056	A-42225-0215	23	22-28-3236	A-42225-0233	05	22-28-3057	A-42225-0250	23	22-28-3237	A-42225-0268						
06	22-28-3066	A-42225-0216	24	22-28-3246	A-42225-0234	06	22-28-3067	A-42225-0251	24	22-28-3247	A-42225-0269						
07	22-28-3076	A-42225-0217	25	22-28-3256	A-42225-0235	07	22-28-3077	A-42225-0252	25	22-28-3257	A-42225-0270						
08	22-28-3086	A-42225-0218	26	22-28-3266	A-42225-0236	08	22-28-3087	A-42225-0253	26	22-28-3267	A-42225-0271						
09	22-28-3096	A-42225-0219	27	22-28-3276	A-42225-0237	09	22-28-3097	A-42225-0254	27	22-28-3277	A-42225-0272						
10	22-28-3106	A-42225-0220	28	22-28-3286	A-42225-0238	10	22-28-3107	A-42225-0255	28	22-28-3287	A-42225-0273						
11	22-28-3116	A-42225-0221	29	22-28-3296	A-42225-0239	11	22-28-3117	A-42225-0256	29	22-28-3297	A-42225-0274						
12	22-28-3126	A-42225-0222	30	22-28-3306	A-42225-0240	12	22-28-3127	A-42225-0257	30	22-28-3307	A-42225-0275						
13	22-28-3136	A-42225-0223	31	22-28-3316	A-42225-0241	13	22-28-3137	A-42225-0258	31	22-28-3317	A-42225-0276						
14	22-28-3146	A-42225-0224	32	22-28-3326	A-42225-0242	14	22-28-3147	A-42225-0259	32	22-28-3327	A-42225-0277						
15	22-28-3156	A-42225-0225	33	22-28-3336	A-42225-0243	15	22-28-3157	A-42225-0260	33	22-28-3337	A-42225-0278						
16	22-28-3166	A-42225-0226	34	22-28-3346	A-42225-0244	16	22-28-3167	A-42225-0261	34	22-28-3347	A-42225-0279						
17	22-28-3176	A-42225-0227	35	22-28-3356	A-42225-0245	17	22-28-3177	A-42225-0262	35	22-28-3357	A-42225-0280						
18	22-28-3186	A-42225-0228	36	22-28-3366	A-42225-0246	18	22-28-3187	A-42225-0263	36	22-28-3367	A-42225-0281						
19	22-28-3196	A-42225-0229				19	22-28-3197	A-42225-0264									
REV:						TITLE:		.100 POLARIZING BREAKAWAY HEADER ASSY.				SHEET No. - 5 -					
DOCUMENT NUMBER:		SD- 42225 -001				CREATED / REVISED BY:		S. LINEHAN 03/04/2004		CHECKED BY:		K.SAMIEC 03/04/2004		APPROVED BY:		Y. MARGULIS 03/04/2004	
TEMPLATE FILENAME: PRODUCT_SPEC[SIZE_A](V.1).DOC																	

A-42225-0282/0316						A-42225-0488/0518											
HEADER NUMBER:		41410				HEADER NUMBER:		41410									
PIN NUMBER:		42663-AXB228				PIN NUMBER:		42663-AXA154									
PIN LENGTH: L		.540/13.72				PIN LENGTH: L		.540/13.72									
MATING LENGTH: M		.295/7.49				MATING LENGTH: M		.295/7.49									
GOLD POINT: G		.140/3.56				GOLD POINT: G		N/A									
PC TAIL LENGTH: P		.120/3.05				PC TAIL LENGTH: P		.120/3.05									
TIN: T		.135/3.43				TIN: T		OVERALL									
CKTS:		3-36				CKTS:		6-36									
KINKS:		NO				KINKS:		NO									
REMOVED BACKWALLS:		YES				REMOVED BACKWALLS:		NO									
VOIDED CKTS:		NONE				VOIDED CKTS:		6									
PACKAGING:		BULK 40873-0056				PACKAGING:		BULK 40873-0056									
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER						
02			20	22-28-3208	A-42225-0300	02			20	42225-0502	A-42225-0502						
03	22-28-3038	A-42225-0283	21	22-28-3218	A-42225-0301	03			21	42225-0503	A-42225-0503						
04	22-28-3048	A-42225-0284	22	22-28-3228	A-42225-0302	04			22	42225-0504	A-42225-0504						
05	22-28-3058	A-42225-0285	23	22-28-3238	A-42225-0303	05			23	42225-0505	A-42225-0505						
06	22-28-3068	A-42225-0286	24	22-28-3248	A-42225-0304	06	42225-0488	A-42225-0488	24	42225-0506	A-42225-0506						
07	22-28-3078	A-42225-0287	25	22-28-3258	A-42225-0305	07	42225-0489	A-42225-0489	25	42225-0507	A-42225-0507						
08	22-28-3088	A-42225-0288	26	22-28-3268	A-42225-0306	08	42225-0490	A-42225-0490	26	42225-0508	A-42225-0508						
09	22-28-3098	A-42225-0289	27	22-28-3278	A-42225-0307	09	42225-0491	A-42225-0491	27	42225-0509	A-42225-0509						
10	22-28-3108	A-42225-0290	28	22-28-3288	A-42225-0308	10	42225-0492	A-42225-0492	28	42225-0510	A-42225-0510						
11	22-28-3118	A-42225-0291	29	22-28-3298	A-42225-0309	11	42225-0493	A-42225-0493	29	42225-0511	A-42225-0511						
12	22-28-3128	A-42225-0292	30	22-28-3308	A-42225-0310	12	42225-0494	A-42225-0494	30	42225-0512	A-42225-0512						
13	22-28-3138	A-42225-0293	31	22-28-3318	A-42225-0311	13	42225-0495	A-42225-0495	31	42225-0513	A-42225-0513						
14	22-28-3148	A-42225-0294	32	22-28-3328	A-42225-0312	14	42225-0496	A-42225-0496	32	42225-0514	A-42225-0514						
15	22-28-3158	A-42225-0295	33	22-28-3338	A-42225-0313	15	42225-0497	A-42225-0497	33	42225-0515	A-42225-0515						
16	22-28-3168	A-42225-0296	34	22-28-3348	A-42225-0314	16	42225-0498	A-42225-0498	34	42225-0516	A-42225-0516						
17	22-28-3178	A-42225-0297	35	22-28-3358	A-42225-0315	17	42225-0499	A-42225-0499	35	42225-0517	A-42225-0517						
18	22-28-3188	A-42225-0298	36	22-28-3368	A-42225-0316	18	42225-0500	A-42225-0500	36	42225-0518	A-42225-0518						
19	22-28-3198	A-42225-0299				19	42225-0501	A-42225-0501									
REV:						TITLE:		.100 POLARIZING BREAKAWAY HEADER ASSY.				SHEET No. - 6 -					
DOCUMENT NUMBER:		SD- 42225 -001				CREATED / REVISED BY:		S. LINEHAN 03/04/2004		CHECKED BY:		K.SAMIEC 03/04/2004		APPROVED BY:		Y. MARGULIS 03/04/2004	
TEMPLATE FILENAME: PRODUCT_SPEC[SIZE_A](V.1).DOC																	