







OPTION "A"



### RECOMMENDED P.C. BOARD HOLE LAYOUT



SECTION Z-Z

- NOTES:
1. MATERIAL: SHROUDED WAFER; GLASS FILLED, LIQUID CRYSTAL POLYMER. COLOR: BLACK, 94V-0.  
PINS: PHOSPHOR BRONZE ALLOY.
  2. PLATING:
    - TIN 0.00381/0.000150 MINIMUM TIN. OVER 0.00127/0.00050 MINIMUM NICKEL.
    - 15 GOLD 0.00038/0.00015 MINIMUM GOLD PLATE IN SELECTED AREA, 0.00191/0.00075 MINIMUM TIN IN SELECTED AREA, OVER 0.00127/0.00050 MINIMUM NICKEL OVER-ALL.
    - 30 GOLD 0.00076/0.00030 MINIMUM GOLD PLATE IN SELECTED AREA, 0.00191/0.00075 MINIMUM TIN IN SELECTED AREA, OVER 0.00127/0.00050 MINIMUM NICKEL OVER-ALL.
- \*THE PRIMARY SHIPPING CARTON WILL BE LABELED "COMPLIANT TO RoHS DIRECTIVE 2002/95/EC  
\*SEE ANNEX 1 OF DIRECTIVE 2000/53/EC". CARTONS WITHOUT THIS LABEL MAY CONTAIN PRODUCT WITH LEAD.
3. PRODUCT SPECIFICATION: PS-70567.
  4. PACKAGING: SEE CHARTS
  5. MEASURE POINT FOR PLATING THICKNESS.
  6. PN PUSHOUT FORCE: 4 LBS. MINIMUM.
  7. FOR ILLUSTRATION PURPOSES, 20 (IDUAL 10) CIRCUIT SIZE HEADER SHOWN.
  8. PN SOLDERABILITY PER MOLEX SPEC. SMES-152.
  9. WINDOW NOT AVAILABLE ON 6 OR 8 CIRCUIT SIZE.
  10. THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.

| CKT. | DM, "A"          | DM, "B"          | DM, "L"        | DM, "M"        | DM, "N"          |  |  |  |  |
|------|------------------|------------------|----------------|----------------|------------------|--|--|--|--|
| 06   | (6.43)<br>.352   | (5.08)<br>.200   | (1.68)<br>.066 | (1.68)<br>.066 |                  |  |  |  |  |
| 08   | (10.87)<br>.432  | (7.62)<br>.300   | (1.68)<br>.066 | (1.68)<br>.066 |                  |  |  |  |  |
| 10   | (13.5)<br>.532   | (10.16)<br>.400  | (1.68)<br>.066 | (4.22)<br>.166 |                  |  |  |  |  |
| 12   | (16.05)<br>.632  | (12.70)<br>.500  | (1.68)<br>.066 | (4.22)<br>.166 |                  |  |  |  |  |
| 14   | (18.59)<br>.732  | (15.24)<br>.600  | (1.68)<br>.066 | (6.76)<br>.266 |                  |  |  |  |  |
| 16   | (21.13)<br>.832  | (17.78)<br>.700  | (1.68)<br>.066 | (6.76)<br>.266 |                  |  |  |  |  |
| 18   | (23.67)<br>.932  | (20.32)<br>.800  | (1.68)<br>.066 | (9.30)<br>.366 |                  |  |  |  |  |
| 20   | (26.21)<br>1.032 | (22.86)<br>.900  | (1.68)<br>.066 | (1.68)<br>.066 | (19.46)<br>.766  |  |  |  |  |
| 22   | (28.75)<br>1.132 | (25.40)<br>1.000 | (1.68)<br>.066 | (1.68)<br>.066 | (22.00)<br>.866  |  |  |  |  |
| 24   | (31.29)<br>1.232 | (27.94)<br>1.100 | (1.68)<br>.066 | (1.68)<br>.066 | (24.54)<br>.966  |  |  |  |  |
| 26   | (33.83)<br>1.332 | (30.48)<br>1.200 | (1.68)<br>.066 | (1.68)<br>.066 | (27.08)<br>1.066 |  |  |  |  |
| 28   | (36.37)<br>1.432 | (33.02)<br>1.300 | (1.68)<br>.066 | (1.68)<br>.066 | (29.62)<br>1.166 |  |  |  |  |
| 30   | (38.91)<br>1.532 | (35.56)<br>1.400 | (1.68)<br>.066 | (1.68)<br>.066 | (32.16)<br>1.266 |  |  |  |  |
| 32   | (41.45)<br>1.632 | (38.10)<br>1.500 | (1.68)<br>.066 | (1.68)<br>.066 | (34.70)<br>1.366 |  |  |  |  |
| 34   | (43.99)<br>1.732 | (40.64)<br>1.600 | (1.68)<br>.066 | (1.68)<br>.066 | (37.24)<br>1.466 |  |  |  |  |
| 36   | (46.53)<br>1.832 | (43.18)<br>1.700 | (1.68)<br>.066 | (1.68)<br>.066 | (39.78)<br>1.566 |  |  |  |  |
| 38   | (49.07)<br>1.932 | (45.72)<br>1.800 | (1.68)<br>.066 | (1.68)<br>.066 | (42.32)<br>1.666 |  |  |  |  |
| 40   | (51.61)<br>2.032 | (48.26)<br>1.900 | (1.68)<br>.066 | (1.68)<br>.066 | (44.86)<br>1.766 |  |  |  |  |
| 42   | (54.15)<br>2.132 | (50.80)<br>2.000 | (1.68)<br>.066 | (1.68)<br>.066 | (47.40)<br>1.866 |  |  |  |  |
| 44   | (56.69)<br>2.232 | (53.34)<br>2.100 | (1.68)<br>.066 | (1.68)<br>.066 | (49.94)<br>1.966 |  |  |  |  |
| 46   | (59.23)<br>2.332 | (55.88)<br>2.200 | (1.68)<br>.066 | (1.68)<br>.066 | (52.48)<br>2.066 |  |  |  |  |
| 48   | (61.77)<br>2.432 | (58.42)<br>2.300 | (1.68)<br>.066 | (1.68)<br>.066 | (55.02)<br>2.166 |  |  |  |  |
| 50   | (64.31)<br>2.532 | (60.96)<br>2.400 | (1.68)<br>.066 | (1.68)<br>.066 | (57.56)<br>2.266 |  |  |  |  |
| 52   | (66.85)<br>2.632 | (63.50)<br>2.500 | (1.68)<br>.066 | (1.68)<br>.066 | (60.10)<br>2.366 |  |  |  |  |
| 54   | (69.39)<br>2.732 | (66.04)<br>2.600 | (1.68)<br>.066 | (1.68)<br>.066 | (62.64)<br>2.466 |  |  |  |  |
| 56   | (71.93)<br>2.832 | (68.58)<br>2.700 | (1.68)<br>.066 | (1.68)<br>.066 | (65.18)<br>2.566 |  |  |  |  |
| 58   | (74.47)<br>2.932 | (71.12)<br>2.800 | (1.68)<br>.066 | (1.68)<br>.066 | (67.72)<br>2.666 |  |  |  |  |
| 60   | (77.01)<br>3.032 | (73.66)<br>2.900 | (1.68)<br>.066 | (1.68)<br>.066 | (70.26)<br>2.766 |  |  |  |  |
| 62   | (79.55)<br>3.132 | (76.20)<br>3.000 | (1.68)<br>.066 | (1.68)<br>.066 | (72.80)<br>2.866 |  |  |  |  |
| 64   | (82.09)<br>3.232 | (78.74)<br>3.100 | (1.68)<br>.066 | (1.68)<br>.066 | (75.34)<br>2.966 |  |  |  |  |
| 66   | (84.63)<br>3.332 | (81.28)<br>3.200 | (1.68)<br>.066 | (1.68)<br>.066 | (77.88)<br>3.066 |  |  |  |  |
| 68   | (87.17)<br>3.432 | (83.82)<br>3.300 | (1.68)<br>.066 | (1.68)<br>.066 | (80.42)<br>3.166 |  |  |  |  |
| 70   | (89.71)<br>3.532 | (86.36)<br>3.400 | (1.68)<br>.066 | (1.68)<br>.066 | (82.96)<br>3.266 |  |  |  |  |
| 72   | (92.25)<br>3.632 | (88.90)<br>3.500 | (1.68)<br>.066 | (1.68)<br>.066 | (85.50)<br>3.366 |  |  |  |  |

|      |      |
|------|------|
| 7    | F2   |
| 6    | F2   |
| 5    | F2   |
| 4    | F2   |
| 3    | F2   |
| 2    | F2   |
| 1    | F2   |
| SHT. | REV. |

|                                                                                                                                |                               |                                                                                                                                                 |                                                                                                                               |              |                                                                       |              |                        |
|--------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|--------------|-----------------------------------------------------------------------|--------------|------------------------|
| <b>UPDATE DIMENSIONS</b><br>EC NO: LCP-2007-2433<br>EC NUMBER: 2007/07/31<br>CHICK-BELL: 2007/08/02<br>APPROV: JMH: 2007/08/02 | QUALITY SYMBOLS<br>▼=0<br>▼=0 | GENERAL TOLERANCES (UNLESS SPECIFIED)<br>mm INCH<br>4 PLACES ± ±<br>3 PLACES ± ±.005<br>2 PLACES ±.013 ±.01<br>1 PLACE ±.025 ±<br>ANGULAR ±1/2° | DIMENSION STYLE                                                                                                               |              | SCALE                                                                 | DESIGN UNITS | THIRD ANGLE PROJECTION |
|                                                                                                                                |                               |                                                                                                                                                 | MM/IN                                                                                                                         |              | 4:1                                                                   | INCH         |                        |
|                                                                                                                                |                               |                                                                                                                                                 | DRAWN BY                                                                                                                      | DATE         | TITLE                                                                 |              |                        |
|                                                                                                                                |                               |                                                                                                                                                 | 1 EIK                                                                                                                         | 1988/03/10   | 4 SIDES SHROUDED WAFER HIGH TEMP. (2.54)/.100 GRID W/ (.064).025 PINS |              |                        |
|                                                                                                                                |                               | CHECKED BY                                                                                                                                      | DATE                                                                                                                          |              |                                                                       |              |                        |
|                                                                                                                                |                               | 1 EIK                                                                                                                                           | 1988/03/10                                                                                                                    |              |                                                                       |              |                        |
|                                                                                                                                |                               | APPROVED BY                                                                                                                                     | DATE                                                                                                                          |              |                                                                       |              |                        |
|                                                                                                                                |                               | WAZ                                                                                                                                             | 1988/03/10                                                                                                                    | MOLEX        | MOLEX INCORPORATED                                                    |              |                        |
|                                                                                                                                |                               | MATERIAL NO.                                                                                                                                    |                                                                                                                               | DOCUMENT NO. | SDA-70567-****                                                        | SHEET NO.    |                        |
|                                                                                                                                |                               | SEE CHART                                                                                                                                       |                                                                                                                               |              |                                                                       | 1 OF 7       |                        |
|                                                                                                                                |                               | SIZE D                                                                                                                                          | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |              |                                                                       |              |                        |
|                                                                                                                                |                               | DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS                                                                                            |                                                                                                                               |              |                                                                       |              |                        |



|   | 20                               | 19                               | 18 | 17 | 16 | 15 | 14             | 13                   | 12 | 11 | 10                    | 9              | 8                      | 7              | 6                                     | 5 | 4 | 3 | 2 | 1 |  |
|---|----------------------------------|----------------------------------|----|----|----|----|----------------|----------------------|----|----|-----------------------|----------------|------------------------|----------------|---------------------------------------|---|---|---|---|---|--|
| H | ENGINEERING<br>NUMBER<br>A-70567 | MANUFACTURE<br>RELEASE<br>STATUS |    |    |    |    | E<br>REF.      | C<br>±.015<br>(0.38) |    |    | CONNECTOR END PLATING |                | P.C. BOARD END PLATING |                | PACKAGING<br>INFORMATION<br>PK-70873- |   |   |   |   |   |  |
|   |                                  |                                  |    |    |    |    |                |                      |    |    | TYPE                  | D<br>MEAS.     | TYPE                   | F<br>MEAS.     |                                       |   |   |   |   |   |  |
|   |                                  |                                  |    |    |    |    |                |                      |    |    |                       |                |                        |                |                                       |   |   |   |   |   |  |
| L | -0409/-0442                      | R,F,M                            |    |    |    |    | .130<br>(3.30) | .315<br>(8.00)       |    |    | TIN                   | .100<br>(2.54) | TIN                    | .050<br>(.127) | 0018                                  |   |   |   |   |   |  |
|   | -0443/-0476                      |                                  |    |    |    |    |                |                      |    |    |                       |                |                        |                |                                       |   |   |   |   |   |  |
|   | -0477/-0510                      | R,F,M                            |    |    |    |    | .130<br>(3.30) | .315<br>(8.00)       |    |    | 15 GOLD               | .100<br>(2.54) | TIN                    | .050<br>(.127) | 0018                                  |   |   |   |   |   |  |
| K | -0511/-0544                      |                                  |    |    |    |    |                |                      |    |    |                       |                |                        |                |                                       |   |   |   |   |   |  |
|   | -0545/-0578                      | R,F,M                            |    |    |    |    | .130<br>(3.30) | .315<br>(8.00)       |    |    | 30 GOLD               | .100<br>(2.54) | TIN                    | .050<br>(.127) | 0018                                  |   |   |   |   |   |  |
|   | -0579/-0612                      |                                  |    |    |    |    |                |                      |    |    |                       |                |                        |                |                                       |   |   |   |   |   |  |
| J |                                  |                                  |    |    |    |    |                |                      |    |    |                       |                |                        |                |                                       |   |   |   |   |   |  |
|   |                                  |                                  |    |    |    |    |                |                      |    |    |                       |                |                        |                |                                       |   |   |   |   |   |  |
|   |                                  |                                  |    |    |    |    |                |                      |    |    |                       |                |                        |                |                                       |   |   |   |   |   |  |
| I |                                  |                                  |    |    |    |    |                |                      |    |    |                       |                |                        |                |                                       |   |   |   |   |   |  |
|   |                                  |                                  |    |    |    |    |                |                      |    |    |                       |                |                        |                |                                       |   |   |   |   |   |  |
|   |                                  |                                  |    |    |    |    |                |                      |    |    |                       |                |                        |                |                                       |   |   |   |   |   |  |

| NO. OF<br>CKTS | OPTION "C" |              |  | OPTION "C"    |            |              | OPTION "C" |               |            | OPTION "C"   |            |               | OPTION "C" |            |  | OPTION "C" |            |  | OPTION "C" |            |  | NO. OF<br>CKTS |
|----------------|------------|--------------|--|---------------|------------|--------------|------------|---------------|------------|--------------|------------|---------------|------------|------------|--|------------|------------|--|------------|------------|--|----------------|
|                | EDP NUMBER | ENG NUMBER   |  | EDP NUMBER    | ENG NUMBER |              | EDP NUMBER | ENG NUMBER    |            | EDP NUMBER   | ENG NUMBER |               | EDP NUMBER | ENG NUMBER |  | EDP NUMBER | ENG NUMBER |  | EDP NUMBER | ENG NUMBER |  |                |
| 06             | IS-80-1062 | A-70567-0409 |  | AX-70567-0443 | IS-80-1063 | A-70567-0477 |            | AX-70567-0511 | IS-80-1064 | A-70567-0545 |            | AX-70567-0579 |            |            |  |            |            |  |            |            |  | 06             |
| 08             | IS-80-1082 | A-70567-0410 |  | AX-70567-0444 | IS-80-1083 | A-70567-0478 |            | AX-70567-0512 | IS-80-1084 | A-70567-0546 |            | AX-70567-0580 |            |            |  |            |            |  |            |            |  | 08             |
| 10             | IS-80-1102 | A-70567-0411 |  | AX-70567-0445 | IS-80-1103 | A-70567-0479 |            | AX-70567-0513 | IS-80-1104 | A-70567-0547 |            | AX-70567-0581 |            |            |  |            |            |  |            |            |  | 10             |
| 12             | IS-80-1122 | A-70567-0412 |  | AX-70567-0446 | IS-80-1123 | A-70567-0480 |            | AX-70567-0514 | IS-80-1124 | A-70567-0548 |            | AX-70567-0582 |            |            |  |            |            |  |            |            |  | 12             |
| 14             | IS-80-1142 | A-70567-0413 |  | AX-70567-0447 | IS-80-1143 | A-70567-0481 |            | AX-70567-0515 | IS-80-1144 | A-70567-0549 |            | AX-70567-0583 |            |            |  |            |            |  |            |            |  | 14             |
| 16             | IS-80-1162 | A-70567-0414 |  | AX-70567-0448 | IS-80-1163 | A-70567-0482 |            | AX-70567-0516 | IS-80-1164 | A-70567-0550 |            | AX-70567-0584 |            |            |  |            |            |  |            |            |  | 16             |
| 18             | IS-80-1182 | A-70567-0415 |  | AX-70567-0449 | IS-80-1183 | A-70567-0483 |            | AX-70567-0517 | IS-80-1184 | A-70567-0551 |            | AX-70567-0585 |            |            |  |            |            |  |            |            |  | 18             |
| 20             | IS-80-1202 | A-70567-0416 |  | AX-70567-0450 | IS-80-1203 | A-70567-0484 |            | AX-70567-0518 | IS-80-1204 | A-70567-0552 |            | AX-70567-0586 |            |            |  |            |            |  |            |            |  | 20             |
| 22             | IS-80-1222 | A-70567-0417 |  | AX-70567-0451 | IS-80-1223 | A-70567-0485 |            | AX-70567-0519 | IS-80-1224 | A-70567-0553 |            | AX-70567-0587 |            |            |  |            |            |  |            |            |  | 22             |
| 24             | IS-80-1242 | A-70567-0418 |  | AX-70567-0452 | IS-80-1243 | A-70567-0486 |            | AX-70567-0520 | IS-80-1244 | A-70567-0554 |            | AX-70567-0588 |            |            |  |            |            |  |            |            |  | 24             |
| 26             | IS-80-1262 | A-70567-0419 |  | AX-70567-0453 | IS-80-1263 | A-70567-0487 |            | AX-70567-0521 | IS-80-1264 | A-70567-0555 |            | AX-70567-0589 |            |            |  |            |            |  |            |            |  | 26             |
| 28             | IS-80-1282 | A-70567-0420 |  | AX-70567-0454 | IS-80-1283 | A-70567-0488 |            | AX-70567-0522 | IS-80-1284 | A-70567-0556 |            | AX-70567-0590 |            |            |  |            |            |  |            |            |  | 28             |
| 30             | IS-80-1302 | A-70567-0421 |  | AX-70567-0455 | IS-80-1303 | A-70567-0489 |            | AX-70567-0523 | IS-80-1304 | A-70567-0557 |            | AX-70567-0591 |            |            |  |            |            |  |            |            |  | 30             |
| 32             | IS-80-1322 | A-70567-0422 |  | AX-70567-0456 | IS-80-1323 | A-70567-0490 |            | AX-70567-0524 | IS-80-1324 | A-70567-0558 |            | AX-70567-0592 |            |            |  |            |            |  |            |            |  | 32             |
| 34             | IS-80-1342 | A-70567-0423 |  | AX-70567-0457 | IS-80-1343 | A-70567-0491 |            | AX-70567-0525 | IS-80-1344 | A-70567-0559 |            | AX-70567-0593 |            |            |  |            |            |  |            |            |  | 34             |
| 36             | IS-80-1362 | A-70567-0424 |  | AX-70567-0458 | IS-80-1363 | A-70567-0492 |            | AX-70567-0526 | IS-80-1364 | A-70567-0560 |            | AX-70567-0594 |            |            |  |            |            |  |            |            |  | 36             |
| 38             | IS-80-1382 | A-70567-0425 |  | AX-70567-0459 | IS-80-1383 | A-70567-0493 |            | AX-70567-0527 | IS-80-1384 | A-70567-0561 |            | AX-70567-0595 |            |            |  |            |            |  |            |            |  | 38             |
| 40             | IS-80-1402 | A-70567-0426 |  | AX-70567-0460 | IS-80-1403 | A-70567-0494 |            | AX-70567-0528 | IS-80-1404 | A-70567-0562 |            | AX-70567-0596 |            |            |  |            |            |  |            |            |  | 40             |
| 42             | IS-80-1422 | A-70567-0427 |  | AX-70567-0461 | IS-80-1423 | A-70567-0495 |            | AX-70567-0529 | IS-80-1424 | A-70567-0563 |            | AX-70567-0597 |            |            |  |            |            |  |            |            |  | 42             |
| 44             | IS-80-1442 | A-70567-0428 |  | AX-70567-0462 | IS-80-1443 | A-70567-0496 |            | AX-70567-0530 | IS-80-1444 | A-70567-0564 |            | AX-70567-0598 |            |            |  |            |            |  |            |            |  | 44             |
| 46             | IS-80-1462 | A-70567-0429 |  | AX-70567-0463 | IS-80-1463 | A-70567-0497 |            | AX-70567-0531 | IS-80-1464 | A-70567-0565 |            | AX-70567-0599 |            |            |  |            |            |  |            |            |  | 46             |
| 48             | IS-80-1482 | A-70567-0430 |  | AX-70567-0464 | IS-80-1483 | A-70567-0498 |            | AX-70567-0532 | IS-80-1484 | A-70567-0566 |            | AX-70567-0600 |            |            |  |            |            |  |            |            |  | 48             |
| 50             | IS-80-1502 | A-70567-0431 |  | AX-70567-0465 | IS-80-1503 | A-70567-0499 |            | AX-70567-0533 | IS-80-1504 | A-70567-0567 |            | AX-70567-0601 |            |            |  |            |            |  |            |            |  | 50             |
| 52             | IS-80-1522 | A-70567-0432 |  | AX-70567-0466 | IS-80-1523 | A-70567-0500 |            | AX-70567-0534 | IS-80-1524 | A-70567-0568 |            | AX-70567-0602 |            |            |  |            |            |  |            |            |  | 52             |
| 54             | IS-80-1542 | A-70567-0433 |  | AX-70567-0467 | IS-80-1543 | A-70567-0501 |            | AX-70567-0535 | IS-80-1544 | A-70567-0569 |            | AX-70567-0603 |            |            |  |            |            |  |            |            |  | 54             |
| 56             | IS-80-1562 | A-70567-0434 |  | AX-70567-0468 | IS-80-1563 | A-70567-0502 |            | AX-70567-0536 | IS-80-1564 | A-70567-0570 |            | AX-70567-0604 |            |            |  |            |            |  |            |            |  | 56             |
| 58             | IS-80-1582 | A-70567-0435 |  | AX-70567-0469 | IS-80-1583 | A-70567-0503 |            | AX-70567-0537 | IS-80-1584 | A-70567-0571 |            | AX-70567-0605 |            |            |  |            |            |  |            |            |  | 58             |
| 60             | IS-80-1602 | A-70567-0436 |  | AX-70567-0470 | IS-80-1603 | A-70567-0504 |            | AX-70567-0538 | IS-80-1604 | A-70567-0572 |            | AX-70567-0606 |            |            |  |            |            |  |            |            |  | 60             |
| 62             | IS-80-1622 | A-70567-0437 |  | AX-70567-0471 | IS-80-1623 | A-70567-0505 |            | AX-70567-0539 | IS-80-1624 | A-70567-0573 |            | AX-70567-0607 |            |            |  |            |            |  |            |            |  | 62             |
| 64             | IS-80-1642 | A-70567-0438 |  | AX-70567-0472 | IS-80-1643 | A-70567-0506 |            | AX-70567-0540 | IS-80-1644 | A-70567-0574 |            | AX-70567-0608 |            |            |  |            |            |  |            |            |  | 64             |
| 66             | IS-80-1662 | A-70567-0439 |  | AX-70567-0473 | IS-80-1663 | A-70567-0507 |            | AX-70567-0541 | IS-80-1664 | A-70567-0575 |            | AX-70567-0609 |            |            |  |            |            |  |            |            |  | 66             |
| 68             | IS-80-1682 | A-70567-0440 |  | AX-70567-0474 | IS-80-1683 | A-70567-0508 |            | AX-70567-0542 | IS-80-1684 | A-70567-0576 |            | AX-70567-0610 |            |            |  |            |            |  |            |            |  | 68             |
| 70             | IS-80-1702 | A-70567-0441 |  | AX-70567-0475 | IS-80-1703 | A-70567-0509 |            | AX-70567-0543 | IS-80-1704 | A-70567-0577 |            | AX-70567-0611 |            |            |  |            |            |  |            |            |  | 70             |
| 72             | IS-80-1722 | A-70567-0442 |  | AX-70567-0476 | IS-80-1723 | A-70567-0510 |            | AX-70567-0544 | IS-80-1724 | A-70567-0578 |            | AX-70567-0612 |            |            |  |            |            |  |            |            |  | 72             |

|                                                                                                                               |   |                                                                                    |                               |                                                                                                                                                       |                                                         |                          |              |                      |                        |                                                                                                    |                                |              |                     |
|-------------------------------------------------------------------------------------------------------------------------------|---|------------------------------------------------------------------------------------|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|--------------------------|--------------|----------------------|------------------------|----------------------------------------------------------------------------------------------------|--------------------------------|--------------|---------------------|
| B                                                                                                                             | A | UPDATE DIMENSIONS<br>EC NO: UCP2007-2433<br>DRAWN BY: CHKD-BELL<br>APPROVED BY: T2 | QUALITY SYMBOLS<br>▽=0<br>▽=0 | GENERAL TOLERANCES (UNLESS SPECIFIED)<br>4 PLACES ± --- ± ---<br>3 PLACES ± --- ± ---<br>2 PLACES ± --- ± ---<br>1 PLACE ± --- ± ---<br>ANGULAR ±1/2° | DRAFT WHERE APPLICABLE<br>MUST REMAIN WITHIN DIMENSIONS | DIMENSION STYLE<br>IN/MM | SCALE<br>--- | DESIGN UNITS<br>INCH | THIRD ANGLE PROJECTION | 4 SIDES SHROUDED WAFER<br>HIGH TEMP. .100/(2.54)<br>GRID W/ .025/(0.64) PINS<br>MOLEX INCORPORATED | MATERIAL NO.<br>SDA-70567-**** | DOCUMENT NO. | SHEET NO.<br>7 OF 7 |
|                                                                                                                               |   |                                                                                    |                               |                                                                                                                                                       |                                                         |                          |              |                      |                        |                                                                                                    |                                |              |                     |
|                                                                                                                               |   |                                                                                    |                               |                                                                                                                                                       |                                                         |                          |              |                      |                        |                                                                                                    |                                |              |                     |
|                                                                                                                               |   |                                                                                    |                               |                                                                                                                                                       |                                                         |                          |              |                      |                        |                                                                                                    |                                |              |                     |
| THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |   |                                                                                    |                               |                                                                                                                                                       |                                                         |                          |              |                      |                        |                                                                                                    |                                |              |                     |

|                   |    |    |    |    |    |    |    |    |    |    |   |   |   |   |   |   |   |   |   |
|-------------------|----|----|----|----|----|----|----|----|----|----|---|---|---|---|---|---|---|---|---|
| tb_frame_D_P_ME_T | 19 | 18 | 17 | 16 | 15 | 14 | 13 | 12 | 11 | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | 1 |
| Rev. E 2006/04/15 |    |    |    |    |    |    |    |    |    |    |   |   |   |   |   |   |   |   |   |

|    |   |   |   |   |   |   |   |   |   |
|----|---|---|---|---|---|---|---|---|---|
| 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | 1 |
|----|---|---|---|---|---|---|---|---|---|