

6-ft. Null Modem Gold Cable, DB25F to DB25F

MODEL NUMBER: P452-006



Description

Null modem cables and adapters connect two serial devices that require a null modem (cross-wired)

configuration. This 6ft cable has a DB25 female connector on each end. Superior molded cables with foil-shielding offer maximum EMI/RFI protection.

Gold-plated connectors and contacts provide superior conductivity. Tripp Lite warrants this product to be free from defects in materials and workmanship for life.

Features

- DB25 female to DB25 female
- Superior molded cables with foil-shielding for maximum EMI/RFI protection
- Gold-plated connectors provide superior conductivity
- Tripp Lite warrants this product to be free from defects in materials and workmanship for life

Specifications

INPUT		
Cable Length (ft.)	6	
Cable Length (m)	1.83	
CONNECTIONS		
Connector A	DB25 (FEMALE)	
Connector B	DB25 (FEMALE)	
WARRANTY		

Highlights

- Superior molded cables with foil-shielding for maximum EMI/RFI protection
- Gold-plated connectors provide superior conductivity
- Null modem cables connect two serial devices that require a null modem configuration

System Requirements

 Two serial devices with DB25M connectors requiring a null modem (cross-wired) configuration

Package Includes

 6-ft. Null Modem Gold Cable DB25F to DB25F



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

Product Warranty Period (Worldwide)

Lifetime limited warranty

© 2016 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: http://www.tripplite.com/products/product-certification-agencies