




# OAC-24 Product Details

[Share](#) | [Print](#) | [Email](#)


**OAC-24**  
(2-1393028-4)

TE Internal Number: 2-1393028-4

Active

View 3D PDF

## Solid State Relays

Converted to EU RoHS/ELV Compliant (Statement of Compliance)

### Product Highlights:

- Relay
- Relay Type = Solid State - Input/Output Module
- OAC Series
- Switch Arrangement = 1 Form A (SPST-NO)
- Current Rating = 3 A

[View all Features](#)

## Quick Links

- ▶ [Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

[Add to My Part List](#) | [Request Sample](#) | [Find Similar Products](#) | [Buy Product](#)

## Documentation & Additional Information

**Product Drawings:**

- None Available

**Catalog Pages/Data Sheets:**

- [IAC/OAC IDC/ODC Input/Output Modules](#) (PDF, English)

**Product Specifications:**

- None Available

**Application Specifications:**

- None Available

**Instruction Sheets:**

- None Available

**CAD Files:** ([CAD Format & Compression Information](#))

- [2D Drawing](#) (DXF, Version 0304)
- [3D Model](#) (IGES, Version 0304)
- [3D Model](#) (STEP, Version 0304)

[List all Documents](#)

**Additional Information:**

- [Product Line Information](#)

**Additional Product Images:**

- [Schematic](#)
- [Wiring Diagram](#)

**Related Products:**

- [Tooling](#)

Feedback

## Product Features (Please use the Product Drawing for all design activity)

**Product Type Features:**

- Product Type = Relay
- Relay Type = Solid State - Input/Output Module

**Mechanical Attachment:**

- Mounting Options = Board Mount

**Electrical Characteristics:**

- Current Rating (A) = 3
- Input Voltage (VDC) = 24
- Output Type = AC
- Output Voltage, Max. (V) = 280
- Output Current, Min. (A) = 0.05

**Termination Features:**

- Termination Type = Printed Circuit Terminals

**Dimensions:**

- Approx. Dimensions (L x W x H) (mm [in]) = 43.20 x 15.20 x 31.80 [1.702 x .598 x 1.252]

**Body Features:**

- Case Color = Black

**Contact Features:**

- Switch Arrangement = 1 Form A (SPST-NO)
- Output Switching = Zero
- Coupling = Optical

**Housing Features:**

- Housing Style = Industry Standard

**Industry Standards:**

- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Not relevant for lead free process
- RoHS/ELV Compliance History = Converted to comply with RoHS directive
- Approved Standards = UL Recognized, CSA Certified

**Other:**

- Series = OAC
- Brand = Potter & Brumfield

## Corporate Information

[About TE](#)  
[Investors](#)  
[News Room](#)

## Quick Links

[Distributor Inventory](#)  
[Product Cross Reference](#)  
[Documents & Drawings](#)

## Customer Support

[Email or Chat With Us](#)  
[Find a Phone Number](#)  
[Knowledge Base](#)

## Keep Me Informed



[Supplier Portal](#)

[Product Compliance Support Center](#)

[Manage Your Account](#)



[Careers](#)

[Site Map](#)

[Terms & Conditions](#)

[Privacy Policy](#)

[AODA Accessibility Policy](#)

[AODA Multi-Year Accessibility  
Plan](#)