

# DS9105 iButton Number Set

#### www.maxim-ic.com

#### **FEATURES**

- DS1982-based <u>i</u>Buttons branded with their respective character for optimum legibility
- 128 bytes of user-programmable EPROM in each iButton for maximum flexibility
- Available as set of 12 (as shown in the graphic) or as individual iButtons

### **ORDERING INFORMATION**


PART	TYPE	
DS9105-SET#	COMPLETE SET OF 12	
DS9105-000#	NUMBER ZERO	
DS9105-001#	NUMBER ONE	
DS9105-002#	NUMBER TWO	
DS9105-003#	NUMBER THREE	
DS9105-004#	NUMBER FOUR	
DS9105-005#	NUMBER FIVE	
DS9105-006#	NUMBER SIX	
DS9105-007#	NUMBER SEVEN	
DS9105-008#	NUMBER EIGHT	
DS9105-009#	NUMBER NINE	
DS9105-00C#	CLEAR	
DS9105-00E#	ENTER	

#Denotes a RoHS-compliant device that may include lead(Pb) that is exempt under the RoHS requirements.

#### **EXAMPLES OF ACCESSORIES**

DS9096P Self-Stick Adhesive Pad
DS9092GT <u>i</u>Button Wand
DS9097U COM-Port Adapter
DS9106 <u>i</u>Button Halos
DS9093RA <u>i</u>Button Lock Ring

DS9093RB <u>i</u>Button Flange Enlargement



#### DESCRIPTION

Unlike conventional keypads, where data is entered by pressing a mechanical key, the solid buttons of an <u>i</u>Button keypad allow users to enter data by simply touching each button with an <u>i</u>Button probe or handheld computer. Each of these buttons comes from the factory with blank memory, allowing the user to program each button with whatever data the user would like entered when touched. The <u>i</u>Button keypad is a simple, robust alternative for data entry in harsh environments such as outdoors, industrial workplaces and other locations, where a normal keypad is impractical to operate. Since <u>i</u>Buttons are made from stainless steel, this keypad is easily cleaned with hot water and detergent.

The individual <u>i</u>Buttons that comprise the keypad can be arranged as desired to maximize ease of use. They can be stuck on a smooth surface using adhesive pads or mounted through 16.5mm holes in a rigid material and fastened by lock rings. The material thickness should not exceed 3.0mm. For a detailed description of the communication protocol and the electrical characteristics of the <u>i</u>Button used in this keypad, refer to the DS1982 data sheet.

## **REVISION HISTORY**

REVISION DATE	DESCRIPTION	PAGES CHANGED
8/09	Added RoHS-compliance indicators to the <i>Ordering Information</i> table.	1

# **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

# Maxim Integrated:

<u>DS9105-000</u> <u>DS9105-001</u> <u>DS9105-002</u> <u>DS9105-002</u> <u>DS9105-003</u> <u>DS9105-004</u> <u>DS9105-005</u> <u>DS9105-006</u> <u>DS9105-007</u> <u>DS9105-008</u> <u>DS9105-009</u> <u>DS9105-00C</u> <u>DS9105-00E</u> <u>DS9105-00E</u> <u>DS9105-000+</u> <u>DS9105-000+</u> <u>DS9105-009+</u> <u>DS9105-009+</u> <u>DS9105-009+</u> <u>DS9105-009+</u> <u>DS9105-009+</u> <u>DS9105-009+</u> <u>DS9105-008+</u> <u>DS9105-009+</u> <u>DS9105-009+</u> <u>DS9105-008+</u> <u>DS9105-009+</u> <u>DS9105-008+</u> <u>DS9105-009+</u> <u>DS9105-008+</u> <u>DS9105-008+</u> <u>DS9105-009+</u> <u>DS9105-008+</u> <u>DS9105-009+</u> <u>DS9105-008+</u> <u>DS9105-008+</u> <u>DS9105-009+</u> <u>DS9105-008+</u> <u>DS9105-008+</u> <u>DS9105-009+</u> <u>DS9105-008+</u> <u>DS9105-008+</u>