

**EG-Series
EGT4 EG2/EN****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 16


D-32758 Detmold

Germany

Fon: +49 5231 1429-0

Fax: +49 5231 14292083

www.weidmueller.com



The profiles of the switch and button components match those of the electronic components.

Switches and buttons facilitate commissioning, servicing, monitoring and repair of industrial installations.

General ordering data

Type	EGT4 EG2/EN
Order No.	0104360000
Version	EG-Series, Function component CO contact, off position in the middle, sensing on one side, switching on one side, Screw connection
GTIN (EAN)	4008190094553
Qty.	10 pc(s).

**EG-Series
EGT4 EG2/EN****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 16

D-32758 Detmold

Germany

Fon: +49 5231 1429-0

Fax: +49 5231 14292083

www.weidmueller.com

Technical data**Dimensions and weights**

Length	58 mm	Length (inches)	2.283 inch
Width	18 mm	Width (inches)	0.709 inch
Height	50 mm	Height (inches)	1.969 inch
Net weight	43.2 g		

Temperatures

Operating temperature	-25 °C...85 °C	Ambient temperature	-25 °C...+85 °C
Storage temperature	-40 °C...100 °C		

Output

Rated switching voltage	250 V AC	AC switching capacity (resistive), max.	1500 VA @ 250 V
DC switching capacity (resistive), max.	180 W @ 30 V		

Contact data

Contact type	CO contact, off position in the middle, sensing on one side, switching on one side
--------------	--

General data

Mounting rail	TS 32, TS 35
---------------	--------------

Connection data

Wire connection method	Screw connection	Clamping range, rated connection	6 mm ²
Clamping range, rated connection, min.	0.5 mm ²	Clamping range, rated connection, max.	6 mm ²
Wire connection cross section, finely stranded, max.	4 mm ²		

Classifications

ETIM 3.0	EC001437	ETIM 4.0	EC001437
ETIM 5.0	EC001437	ETIM 6.0	EC002498
UNSPSC	30-21-19-17	eClass 5.1	27-37-16-01
eClass 6.2	27-07-02-01	eClass 7.1	27-37-16-01
eClass 8.1	27-37-16-01	eClass 9.0	27-37-16-01
eClass 9.1	27-37-92-01		

Approvals

Approvals



ROHS	Conform
------	---------

Downloads

Approval/Certificate/Document of Conformity	DE_PA5600_160419_001.pdf
Engineering Data	EPLAN_WSCAD

Creation date October 26, 2017 4:43:26 PM CEST

EG-Series
EGT4 EG2/EN

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 1429-0
 Fax: +49 5231 14292083
 www.weidmueller.com

Accessories
End bracket

Klippon® Connect with clamping yoke Technology

The high reliability and variety of designs of the terminal blocks with clamping yoke connections make planning easier and optimises operational safety. Klippon® Connect provides a proven response to a range of different requirements.

General ordering data

Type	Order No.	Version	GTIN (EAN)	Qty.
EWK 2	0199360000	Accessories, End bracket	4008190023546	50 pc(s).
EW 35	0383560000	Accessories, End bracket	4008190181314	50 pc(s).

TS 35

Building installation wiring

For building installations, we offer a complete system that revolves around the 10×3 copper rail and comprises perfectly coordinated components: from installation terminal blocks, neutral conductor terminal blocks and distribution terminal blocks to comprehensive accessories such as busbars and busbar holders.

General ordering data

Type	Order No.	Version	GTIN (EAN)	Qty.
TS 35X7.5 2M/ST/ZN	0383400000	Mounting rail, TS 35, TS 35 x 7.5, without slot, Steel, galvanized, chromium- plated, 2000 mm	4008190088026	2 m
TS 35X15/2.3 2M/ST/ZN	0498000000	Mounting rail, TS 35, TS 35 x 15, without slot, Steel, galvanized, chromium- plated, 2000 mm	4008190042493	2 m

**EG-Series
EGT4 EG2/EN****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 16

D-32758 Detmold

Germany

Fon: +49 5231 1429-0

Fax: +49 5231 14292083

www.weidmueller.com

Accessories**TS 32****Building installation wiring**

For building installations, we offer a complete system that revolves around the 10×3 copper rail and comprises perfectly coordinated components: from installation terminal blocks, neutral conductor terminal blocks and distribution terminal blocks to comprehensive accessories such as busbars and busbar holders.

General ordering data

Type	Order No.	Version	GTIN (EAN)	Qty.
TS 32X15 2M/ST/ZN	0122800000	Mounting rail, TS 32, without slot, Steel, galvanized, chromium- plated, 2000 mm	4008190066307 2 m	