

F




E

D


C

B

A



参考パターンレイアウト
RECOMMENDED PATTERN DIM.(REF)
SCALE:5-1



NOTES
~~~~~

1. かん相手 : 501330-\*\*\*\*  
MATE WITH : 501330-\*\*\*\*
2. ソルダーピン及びネールの平坦度は0.1MAX.  
SOLDER PIN AND NAIL COPLANARITY TO BE 0.1MAX.
3. 極数 = 偶数に適用  
APPLY FOR CKT SIZE=EVEN
4. 2~5極は、SD-501568-001を参照下さい。  
REFER TO SD-501568-001 ABOUT 2-5CKT.
- 5.ELV AND RoHS COMPLIANT.

| 番号<br>NO. | 部品<br>PART           | 材質<br>MATERIAL                                                                                                                         |
|-----------|----------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| ①         | ウェハー<br>WAFER        | 耐熱ナイロン、UL94V-0<br>HEAT RESISTANCE NYLON, UL94V-0                                                                                       |
| ②         | ソルダーピン<br>SOLDER PIN | りん青銅<br>PHOSPHOR BRONZE<br>すずメッキ : 1 MICRO METER MINIMUM.<br>TIN PLATING<br>ニッケル下地メッキ : 1 MICRO METER MINIMUM.<br>NICKEL UNDER PLATING |
| ③         | ネイル<br>NAIL          | 黄銅<br>BRASS<br>すずメッキ : 1 MICRO METER MINIMUM.<br>TIN PLATING<br>ニッケル下地メッキ : 1 MICRO METER MINIMUM.<br>NICKEL UNDER PLATING             |

|      |      |                |
|------|------|----------------|
| 14.0 | 17.0 | 15             |
| 13.0 | 16.0 | 14             |
| 12.0 | 15.0 | 13             |
| 11.0 | 14.0 | 12             |
| 10.0 | 13.0 | 11             |
| 9.0  | 12.0 | 10             |
| 8.0  | 11.0 | 9              |
| 7.0  | 10.0 | 8              |
| 6.0  | 9.0  | 7              |
| 5.0  | 8.0  | 6              |
| B    | A    | 極数<br>CIRCUITS |



CONNECTOR SERIES No. 501568-\*\*\*9

|                                                                                                                              |                                                            |                                          |            |                                                                                                                                  |                    |                                                                     |                        |                           |  |  |
|------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|------------------------------------------|------------|----------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------------------------------------|------------------------|---------------------------|--|--|
| REVISED<br>EC NO: J2010-0339<br>DRWN: INAKAGAWA01 2009/09/01<br>CHKD: MATSUMOTO 2009/09/01<br>APPR: HIRATA 2009/09/01<br>REV | DESCRIPTION                                                | GENERAL TOLERANCES<br>(UNLESS SPECIFIED) |            | DIMENSION STYLE<br>MM ONLY                                                                                                       |                    | SCALE<br>10:1                                                       | DESIGN UNITS<br>METRIC | THIRD ANGLE<br>PROJECTION |  |  |
|                                                                                                                              |                                                            | 10 UNDER                                 | ± 0.2      | DRAWN BY<br>AMIZUMURA                                                                                                            | DATE<br>2005/01/19 | TITLE<br>1.0 WIRE TO BOARD CONN.<br>1-ROW R/A WAFER ASSY<br>6-15CKT |                        |                           |  |  |
|                                                                                                                              |                                                            | 10 OVER 30 UNDER                         | ± 0.25     | CHECKED BY<br>MYAGI                                                                                                              | DATE<br>2005/01/19 |                                                                     |                        |                           |  |  |
|                                                                                                                              |                                                            | 30 OVER                                  | ± 0.3      | APPROVED BY<br>ANODA                                                                                                             | DATE<br>2005/01/19 |                                                                     |                        |                           |  |  |
|                                                                                                                              |                                                            | ANGULAR ±3 °                             |            | MATERIAL NO.<br>SEE SHEET 2                                                                                                      |                    | DOCUMENT NO.<br>SD-501568-002                                       |                        | SHEET NO.<br>1 OF 2       |  |  |
|                                                                                                                              | DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS |                                          | SIZE<br>A3 | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                    |                                                                     |                        |                           |  |  |

|   |    |   |   |   |   |   |   |   |   |   |   |
|---|----|---|---|---|---|---|---|---|---|---|---|
|   | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | 1 |   |
| F |    |   |   |   |   |   |   |   |   |   | F |
| E |    |   |   |   |   |   |   |   |   |   | E |
| D |    |   |   |   |   |   |   |   |   |   | D |
| C |    |   |   |   |   |   |   |   |   |   | C |
| B |    |   |   |   |   |   |   |   |   |   | B |
| A |    |   |   |   |   |   |   |   |   |   | A |

|  |  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |  |  |  |

10 9 8 7 6 5 4 3 2 1



## NOTES

- 製品詳細寸法は製品単体図面を参照して下さい。  
FOR DETAIL OF CONNECTOR DIMENSIONS, PLEASE SEE THE DRAWING OF CONNECTOR ITSELF (NOT PACKAGED).
- 梱包数量: 1300 個/リール  
NUMBER OF CONNECTORS: 1300PIECES/REEL
- リードテープ長さ  
LEAD TAPE LENGTH  

引き出し方向  
PULL OUT DIRECTION


トップテープ接着部(空エンボス)  
20 PIECES. MIN.  
TOP TAPE BONDED PART (EMPTY)

部品挿入部  
COMPONENT SUPPLIER

末端部(空部)  
TAIL PART (EMPTY)  
160MIN.

400MIN.
- 材料  
MATERIAL  
キャリアテープ: ポリプロピレン  
CARRIER TAPE: POLYPROPYLENE  
トップテープ: PET, PE, REF  
TOP TAPE  
リール: ポリスチレン <リサイクル材を含む>  
REEL: POLYSTYRENE <RECYCLE MATERIAL CONTAINED>
- ELV AND RoHS COMPLIANT.
- ハイバリア梱包(シリカゲル入り)対応品である。(501568-\*\*-07除く)  
THIS PRODUCT IS HIGH BARRIER PACKAGE.(WITH SILICAGEL)  
(BESIDES 501568-\*\*-07)
- 開梱後の保管条件に注意のこと。(ハイバリア品対象: PS-501568-001参照)  
REFER TO PS-501568-001(HIGH BARRIER PRODUCT)  
FOR CONDITIONS AFTER OPEN.

|                                                                                                                     |                                                            |                                                                                                                                  |             |                            |                   |                                                                          |                        |                           |  |  |
|---------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|-------------|----------------------------|-------------------|--------------------------------------------------------------------------|------------------------|---------------------------|--|--|
| REVISED<br>EC NO: J2010-0339<br>DRWN: TNAKAWA01 2009/09/01<br>CHKD: MATSUMOTO 2009/09/01<br>APPR: HIRATA 2009/09/01 | DESCRIPTION                                                | GENERAL TOLERANCES<br>(UNLESS SPECIFIED)                                                                                         |             | DIMENSION STYLE<br>MM ONLY |                   | SCALE<br>---                                                             | DESIGN UNITS<br>METRIC | THIRD ANGLE<br>PROJECTION |  |  |
|                                                                                                                     |                                                            | 10 UNDER                                                                                                                         | ± 0.2       | DRAWN BY<br>AMIZUMURA      | DATE<br>2005/1/26 | TITLE<br>1.0 WIRE TO BOARD CONN.<br>WAFER ASS'Y (1-ROW R/A)<br>EMBTP PKG |                        |                           |  |  |
|                                                                                                                     |                                                            | 10 OVER 30 UNDER                                                                                                                 | ± 0.25      | CHECKED BY<br>MYAGI        | DATE<br>2005/1/26 |                                                                          |                        |                           |  |  |
|                                                                                                                     |                                                            | 30 OVER                                                                                                                          | ± 0.3       | APPROVED BY<br>ANODA       | DATE<br>2005/1/26 | MOLEX INCORPORATED                                                       |                        |                           |  |  |
|                                                                                                                     |                                                            | ANGULAR ±1 °                                                                                                                     |             | MATERIAL NO.               |                   | DOCUMENT NO.                                                             |                        | SHEET NO.                 |  |  |
|                                                                                                                     | DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS |                                                                                                                                  | SEE SHEET 3 |                            | SD-501568-006     |                                                                          | 1 OF 3                 |                           |  |  |
|                                                                                                                     | REV                                                        | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |             |                            |                   |                                                                          |                        |                           |  |  |



|      |    |      |      |                |
|------|----|------|------|----------------|
| 33.5 | 32 | 14.2 | 17.3 | 15             |
|      |    |      | 16.3 | 14             |
|      |    |      | 15.3 | 13             |
|      |    |      | 14.3 | 12             |
|      |    |      | 13.3 | 11             |
|      |    |      | 12.3 | 10             |
| 25.5 | 24 | 11.5 | 11.3 | 9              |
|      |    |      | 10.3 | 8              |
|      |    |      | 9.3  | 7              |
|      |    |      | 8.3  | 6              |
| D    | C  | (B)  | (A)  | 極数<br>CIRCUITS |

CONNECTOR SERIES No. 501568-\*\*\*9

|                                                                                                                     |             |                                                            |       |                            |                                                                                                                                  |                                                                          |                        |                           |  |  |
|---------------------------------------------------------------------------------------------------------------------|-------------|------------------------------------------------------------|-------|----------------------------|----------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|------------------------|---------------------------|--|--|
| REVISED<br>EC NO: J2010-0339<br>DRWN: TNAKAWA01 2009/09/01<br>CHKD: MATSUMOTO 2009/09/01<br>APPR: HIRATA 2009/09/01 | DESCRIPTION | GENERAL TOLERANCES<br>(UNLESS SPECIFIED)                   |       | DIMENSION STYLE<br>MM ONLY |                                                                                                                                  | SCALE<br>---                                                             | DESIGN UNITS<br>METRIC | THIRD ANGLE<br>PROJECTION |  |  |
|                                                                                                                     |             | 10 UNDER                                                   | ±0.2  | DRAWN BY<br>AMIZUMURA      | DATE<br>2005/1/26                                                                                                                | TITLE<br>1.0 WIRE TO BOARD CONN.<br>WAFER ASS'Y (1-ROW R/A)<br>EMBTP PKG |                        |                           |  |  |
|                                                                                                                     |             | 10 OVER 30 UNDER                                           | ±0.25 | CHECKED BY<br>MYAGI        | DATE<br>2005/1/26                                                                                                                |                                                                          |                        |                           |  |  |
|                                                                                                                     |             | 30 OVER                                                    | ±0.3  | APPROVED BY<br>ANODA       | DATE<br>2005/1/26                                                                                                                | MOLEX INCORPORATED                                                       |                        |                           |  |  |
|                                                                                                                     |             | ANGULAR ±3 °                                               |       | MATERIAL NO.               |                                                                                                                                  |                                                                          |                        |                           |  |  |
|                                                                                                                     |             | DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS |       | SEE SHEET 3                |                                                                                                                                  | SD-501568-006                                                            |                        | 2 OF 3                    |  |  |
|                                                                                                                     | REV         |                                                            |       | SIZE<br>A3                 | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                                                                          |                        |                           |  |  |

|   |    |   |   |   |   |   |   |   |   |   |   |
|---|----|---|---|---|---|---|---|---|---|---|---|
|   | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | 1 |   |
| F |    |   |   |   |   |   |   |   |   |   | F |
| E |    |   |   |   |   |   |   |   |   |   | E |
| D |    |   |   |   |   |   |   |   |   |   | D |
| C |    |   |   |   |   |   |   |   |   |   | C |
| B |    |   |   |   |   |   |   |   |   |   | B |
| A |    |   |   |   |   |   |   |   |   |   | A |

|                                                                                                                       |                    |                                                                                                                                  |  |                                      |  |                                                                          |                        |                           |        |            |
|-----------------------------------------------------------------------------------------------------------------------|--------------------|----------------------------------------------------------------------------------------------------------------------------------|--|--------------------------------------|--|--------------------------------------------------------------------------|------------------------|---------------------------|--------|------------|
| 紫<br>VIOLET                                                                                                           |                    | 橙<br>ORANGE                                                                                                                      |  | 茶<br>BROWN                           |  | 緑<br>GREEN                                                               |                        | 色<br>COLOR                |        |            |
| 501568-1597                                                                                                           |                    | 501568-1587                                                                                                                      |  | 501568-1577                          |  | 501568-1567                                                              |                        | 15                        |        |            |
| 501568-1497                                                                                                           |                    | 501568-1487                                                                                                                      |  | 501568-1477                          |  | 501568-1467                                                              |                        | 14                        |        |            |
| 501568-1397                                                                                                           |                    | 501568-1387                                                                                                                      |  | 501568-1377                          |  | 501568-1367                                                              |                        | 13                        |        |            |
| 501568-1297                                                                                                           |                    | 501568-1287                                                                                                                      |  | 501568-1277                          |  | 501568-1267                                                              |                        | 12                        |        |            |
| 501568-1197                                                                                                           |                    | 501568-1187                                                                                                                      |  | 501568-1177                          |  | 501568-1167                                                              |                        | 11                        |        |            |
| 501568-1097                                                                                                           |                    | 501568-1087                                                                                                                      |  | 501568-1077                          |  | 501568-1067                                                              |                        | 10                        |        |            |
| 501568-0997                                                                                                           |                    | 501568-0987                                                                                                                      |  | 501568-0977                          |  | 501568-0967                                                              |                        | 9                         |        |            |
| 501568-0897                                                                                                           |                    | 501568-0887                                                                                                                      |  | 501568-0877                          |  | 501568-0867                                                              |                        | 8                         |        |            |
| 501568-0797                                                                                                           |                    | 501568-0787                                                                                                                      |  | 501568-0777                          |  | 501568-0767                                                              |                        | 7                         |        |            |
| 501568-0697                                                                                                           |                    | 501568-0687                                                                                                                      |  | 501568-0677                          |  | 501568-0667                                                              |                        | 6                         |        |            |
| EMBOSSSED PACKAGE                                                                                                     |                    | EMBOSSSED PACKAGE                                                                                                                |  | EMBOSSSED PACKAGE                    |  | EMBOSSSED PACKAGE                                                        |                        | 極数                        |        |            |
| オーダー番号 ORDER NO.                                                                                                      |                    | オーダー番号 ORDER NO.                                                                                                                 |  | オーダー番号 ORDER NO.                     |  | オーダー番号 ORDER NO.                                                         |                        | CIRCUTIS                  |        |            |
| CONNECTOR SERIES No. 501568-***9                                                                                      |                    |                                                                                                                                  |  |                                      |  |                                                                          |                        |                           |        |            |
| 青<br>BLUE                                                                                                             |                    | 黄<br>YELLOW                                                                                                                      |  | 赤<br>RED                             |  | 黒<br>BLACK                                                               |                        | 自然色<br>NATURAL            |        | 色<br>COLOR |
| 501568-1547                                                                                                           |                    | 501568-1537                                                                                                                      |  | 501568-1527                          |  | 501568-1507                                                              |                        | 15                        |        |            |
| 501568-1447                                                                                                           |                    | 501568-1437                                                                                                                      |  | 501568-1427                          |  | 501568-1407                                                              |                        | 14                        |        |            |
| 501568-1347                                                                                                           |                    | 501568-1337                                                                                                                      |  | 501568-1327                          |  | 501568-1307                                                              |                        | 13                        |        |            |
| 501568-1247                                                                                                           |                    | 501568-1237                                                                                                                      |  | 501568-1227                          |  | 501568-1207                                                              |                        | 12                        |        |            |
| 501568-1147                                                                                                           |                    | 501568-1137                                                                                                                      |  | 501568-1127                          |  | 501568-1107                                                              |                        | 11                        |        |            |
| 501568-1047                                                                                                           |                    | 501568-1037                                                                                                                      |  | 501568-1027                          |  | 501568-1007                                                              |                        | 10                        |        |            |
| 501568-0947                                                                                                           |                    | 501568-0937                                                                                                                      |  | 501568-0927                          |  | 501568-0917                                                              |                        | 9                         |        |            |
| 501568-0847                                                                                                           |                    | 501568-0837                                                                                                                      |  | 501568-0827                          |  | 501568-0817                                                              |                        | 8                         |        |            |
| 501568-0747                                                                                                           |                    | 501568-0737                                                                                                                      |  | 501568-0727                          |  | 501568-0707                                                              |                        | 7                         |        |            |
| 501568-0647                                                                                                           |                    | 501568-0637                                                                                                                      |  | 501568-0627                          |  | 501568-0617                                                              |                        | 6                         |        |            |
| EMBOSSSED PACKAGE                                                                                                     |                    | EMBOSSSED PACKAGE                                                                                                                |  | EMBOSSSED PACKAGE                    |  | EMBOSSSED PACKAGE                                                        |                        | EMBOSSSED PACKAGE         |        | 極数         |
| オーダー番号 ORDER NO.                                                                                                      |                    | オーダー番号 ORDER NO.                                                                                                                 |  | オーダー番号 ORDER NO.                     |  | オーダー番号 ORDER NO.                                                         |                        | オーダー番号 ORDER NO.          |        | CIRCUTIS   |
| CONNECTOR SERIES No. 501568-***9                                                                                      |                    |                                                                                                                                  |  |                                      |  |                                                                          |                        |                           |        |            |
| REVISED<br>EC NO: J2010-0339<br>DRAWN: TAKAGAWA01 2009/09/04<br>CHKD:HMATSUMOTO 2009/09/04<br>APPR:HHIRATA 2009/09/04 | DESCRIPTION<br>REV | GENERAL TOLERANCES<br>(UNLESS SPECIFIED)                                                                                         |  | DIMENSION STYLE<br>MM ONLY           |  | SCALE<br>---                                                             | DESIGN UNITS<br>METRIC | THIRD ANGLE<br>PROJECTION |        |            |
|                                                                                                                       |                    | 10 UNDER ±---                                                                                                                    |  | DRAWN BY DATE<br>AMIZUMURA 2005/1/26 |  | TITLE<br>1.0 WIRE TO BOARD CONN.<br>WAFER ASS'Y (1-ROW R/A)<br>EMBTB PKG |                        |                           |        |            |
|                                                                                                                       |                    | 10 OVER 30 UNDER ±---                                                                                                            |  | CHECKED BY DATE<br>MYAGI 2005/1/26   |  |                                                                          |                        |                           |        |            |
|                                                                                                                       |                    | 30 OVER ±---                                                                                                                     |  | APPROVED BY DATE<br>ANODA 2005/1/26  |  | MOLEX INCORPORATED                                                       |                        |                           |        |            |
|                                                                                                                       |                    | ANGULAR ±--- °                                                                                                                   |  | MATERIAL NO.                         |  |                                                                          |                        |                           |        |            |
| DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS                                                            |                    | SEE TABLE                                                                                                                        |  | SD-501568-006                        |  |                                                                          |                        |                           | 3 OF 3 |            |
| SIZE<br>A3                                                                                                            |                    | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |  |                                      |  |                                                                          |                        |                           |        |            |

|                                         |   |   |   |   |   |   |   |   |              |  |
|-----------------------------------------|---|---|---|---|---|---|---|---|--------------|--|
| tb_frame_A3_J_ME_S<br>Rev. E 2006/04/15 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | EN-02JA(021) |  |
|-----------------------------------------|---|---|---|---|---|---|---|---|--------------|--|