

10 9 8 7 6 5 4 3 2 1

F


E

D

C

B

A



MATERIAL NUMBER	DESCRIPTION	GAUGE	LENGTH(M)	TOL.
745760009	1x PCIe CABLE ASSEMBLY	28	0.30M	±0.025
745760008	1X PCIe CABLE ASSEMBLY	28	0.18M	±0.025
745760000	1X PCIe CABLE ASSEMBLY	28	0.5M	±0.025
745760001	1X PCIe CABLE ASSEMBLY	28	1M	±0.050
745760002	1X PCIe CABLE ASSEMBLY	28	2M	±0.100
745760003	1X PCIe CABLE ASSEMBLY	28	3M	±0.100
745760004	1X PCIe CABLE ASSEMBLY	28	4M	±0.100
745760005	1X PCIe CABLE ASSEMBLY	26	5M	±0.150
745760006	1X PCIe CABLE ASSEMBLY	26	6M	±0.150
745760007	1X PCIe CABLE ASSEMBLY	24	7M	±0.150

- NOTES:
1. INNER MOLDED WITH 887800008, OUTER MOLED WITH BLACK 887800019
 2. THIS PRODUCT MEETS THE RESTRICTION OF HAZARDOUS SUBSTANCES IN ELECTRICAL AND ELECTRONIC EQUIPMENT (RoHS) DIRECTIVE (2002/95/EC).
 3. WW/YY DATE CODE:
WW-WEEK NUMBER
YY-LAST TWO NUMBER OF THE YEAR
 4. THE SHARP OF PRODUCTION FOR REFER TO.
 5. THE MOLD SHARP JUST FOR REFER TO.

ADD 745760008/9 EC NO: CPG2012-1684 DRWN:ZYU 2012/05/31 CHKD:SALLY CUI 2012/05/31 APPR:CLAN01 2012/05/31 REV	DESCRIPTION	QUALITY SYMBOLS FA=0 FB=0 FC=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION						
				mm	INCH	DRAWN BY K.PHILLIPS	DATE 2005/12/21	TITLE 1X PCIE CABLE ASSEMBLY							
			4 PLACES	± ---	± ---	CHECKED BY T.HALL	DATE 2005/12/21								
			3 PLACES	± ---	± .020	APPROVED BY D.DOYE 2005/12/21					moLEX				
			2 PLACES	± 0.5	± ---										
			1 PLACE	± ---	± ---										
0 PLACE	± ---	± ---	MATERIAL NO.		DOCUMENT NO.		SHEET NO.								
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE CHART		SD-74576-000		1 OF 2								
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															

9 8 7 6 5 4 3 2 1

F



E

D

C

B

A



SIGNAL DESC	PIN#		PIN#	SIGNAL DESC
PERn0	A 1	← ---	B 8	PETn0
PERp0	A 2	← ---	B 9	PRTp0
RSVD	A 3	NC	A 3	RSVD
SB_RTN	A 4	--- ---	A 4	SB_RTN
CREFCLK-	A 5	← --- →	A 5	CREFCLK-
CREFCLK+	A 6	← --- →	A 6	CREFCLK+
PWR_RTN	A 7	NC	A 7	PWR_RTN
CPERST#	A 8	--- ---	A 8	CPERST#
GND	A 9	--- ---	B 1	GND
GND	B 1	--- ---	A 9	GND
RSVD	B 2	NC	B 2	RSVD
CWAKE#	B 3	--- ---	B 3	CWAKE#
CPRSNT#	B 4	--- ---	B 4	CPRSNT#
GND	B 5	--- ---	B 5	GND
PWR	B 6	NC	B 6	PWR
CPWRON	B 7	--- ---	B 7	CPWRON
PETn0	B 8	--- →	A 1	PERn0
PETp0	B 9	--- →	A 2	PERp0

AWG	24	26	TOLERANCE
D8	6.5	5.80	±0.4
D10	29.25	26.10	MIN
D9	35.6	32.45	MIN
D3	34.00	34.00	BASIC
D11	75.95	72.80	MIN

ADD 745760008/9

EC NO: CPG2012-1684

DRWN:ZYU 2012/05/31

CHKD:SALLY CUI 2012/05/31

APPR:CLAN01 2012/05/31

REV

DESCRIPTION

QUALITY SYMBOLS

$F_A=0$

$F_G=0$

$F_P=0$

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	±---	±---
3 PLACES	±---	±.020
2 PLACES	±0.5	±---
1 PLACE	±---	±---
0 PLACE	±---	±---

ANGULAR ± 1 °

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE

MM ONLY

DRAWN BY	DATE
K.PHILLIPS	2005/12/21
CHECKED BY	DATE
T.HALL	2005/12/21
APPROVED BY	DATE
D.DOYE	2005/12/21

MATERIAL NO.

SEE CHART

SIZE

A3

SCALE

DESIGN UNITS

METRIC

THIRD ANGLE PROJECTION

1X PCIE CABLE ASSEMBLY

molex

SD-74576-000

SHEET NO.

2 OF 2

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

074576-0005