

All categories

Search term



Your shopping cart

Products

MyHARTING

Downloads / Catalogue order

Repairservice

Han E HMC female contact Au AWG 26-22

[Spotted an error?](#) | [Print page](#) | [Back](#)

Image is for illustration purposes only.
Please refer to product description.

Accessories

[Features](#)[Material properties](#)[Norms and specifications](#)[Connection data](#)[Dimensions and weight](#)[Supplementals](#)

Part number: 09 33 200 6217

Description: Han E HMC female contact Au AWG 26-22

Type sheet: [PDF](#)

[Login to MyHARTING](#)
for pricing and stock check

Quantity: [Shopping cart](#)[Email inquiry](#)

Need assistance?



Customer service

Your HARTING customer
service representative:

866-278-0306

[CustomerService-USA@HA ...](mailto:CustomerService-USA@HA...)

Catalogue

Industrial Connectors Han® -
Page 506

[Browse](#)[Download](#)

Features

Gender: female

RoHS conformity: Yes

Type of contact: Crimp contact

Series: Han E® HMC

[Top](#)

Connection data

Contact resistance: <= 1 mOhm

Stripping length: 7.5 mm

Wire cross section, min.: 0.14 mm²

Wire cross section, max.: 0.37 mm²

Wire gauge AWG, min.: AWG 26

Wire gauge AWG, max.: AWG 22

[Top](#)

Material properties

Material, contact: copper alloy

Surface, contacts: HMC gold plated contacts

[Top](#)

Dimensions and weight

Net Weight: 1.43 g

[Top](#)

Norms and specifications

Specification: IEC 60664-1
IEC 61984

[Top](#)

Supplementals

Stripping length, min: 7.5 mm

[Top](#)

Downloads

Title

Download

Type sheet



PDF

Type sheet



DXF

Type sheet



CGM

CAD data 3D



IGES

CAD data 3D



STEP

CAD data 3D



VRML

CAD data 3D



JT

Industrial Connectors Han® - Page 506



PDF

Accessories

Image	Part number	Description	Tech. info	Quantity
	09 99 000 0829	CONTACT LUBRICANT		

Recently viewed - [Delete](#)

 Han E HMC female contact Au AWG 26-22 Show product details	 Han D M crimp contact 0,75 mm² Au/HMC Show product details
 Han 16B-HMC-gs-R-M32 Show product details	 Han E HMC female contact Au AWG 12 Show product details
 Han 10B-HMC-g-R Show product details	 Han 16B-HMC-asg1-LB-M32 Show product details
 Han 24B-HMC-asg2-LB-M32 Show product details	 Han-Yellock Label (500/roll) Show product details
 Han-Eco 6B-HBM Show product details	 Han-Eco 10A-HBM Show product details

Recently searched - [Delete](#)

All categories: [09302100803](#) (1)
All categories: [19302160252](#) (1)
All categories: [19302240292](#) (1)
All categories: [11000009601](#) (1)
All categories: [19410060301](#) (1)
All categories: [han eco](#) (188)
All categories: [19410012700](#) (1)
All categories: [yellock](#) (164)



HARTING contact: HARTING Inc. of N.America | Bowes Road1370 | 60123-5538 Elgin | USA
HARTING support: 866-278-0306 | **E-mail address** (For questions regarding products, orders and user accounts)
Website support: | **E-mail address** (For technical problems regarding the website)

