






spec ref				dr	Chen-Hong Tan	2006/09/09	projection 	mm 	size	A3	scale	2:1	
tolerance std ASME Y14.5 -	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Yong-Keat Lim	2011/10/04			ecn no	ELX-S-006144-1			
				chr	-	-			rel level			Released	
				appr	Chen-Hong Tan	2011/10/07			product family		AirMax Accessories		
surface 3.2 ✓ ASME Y14.5	linear	0.X	±0.3		title 10.8mm R/A GUIDE PIN 2/3 PAIR				dwg no	10045509		rev	B
		0.XX	±0.10										
		0.XXX	±0.050										
angular		0°	±2°	www.fci.com		cat. no.		-	Product - Customer Drw		sheet 1 of 2		

A

B


C

D

PART NUMBER	DIM A°
10045509-101LF	0°
10045509-102LF	45°
10045509-103LF	90°
10045509-104LF	135°
10045509-105LF	180°
10045509-106LF	225°
10045509-107LF	270°
10045509-108LF	315°

NOTES:

- ① MATERIAL: ZINC ALLOY.
- ② FINISH: ZINC YELLOW CHROMATE.
- ③ PRELIMINARY APPLICATION SPECIFICATION: GS-20-045.
- ④ REFER TO CUSTOMER DRAWING 10035911 FOR INFORMATION REGARDING PCB LAYOUT OF POWER AND GUIDE MODULES RELATIVE TO SIGNAL MODULES.
- ⑤ RIGHT ANGLE PIN MODULE HAS THE SAME PCB FOOTPRINT AS THE RIGHT ANGLE GUIDE SOCKET.
- 6 THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- 7 PACKAGING MEETS GS-14-920 LEAD FREE LABELING SPECIFICATION.



A

B

C

D



Copyright FCI.

spec ref				dr	Chen-Hong Tan	2006/09/09	projection 	mm 	size	A3	scale	1:1
tolerance std ASME Y14.5 -	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Yong-Keat Lim	2011/10/04			ecn no	ELX-S-006144-1		
				chr	-	-			rel level			Released
				appr	Chen-Hong Tan	2011/10/07	product family		AirMax Accessories			
surface 3.2 	linear	0.X	±0.3		title 10.8mm R/A GUIDE PIN 2/3 PAIR			dwg no	10045509			rev B
		0.XX	±0.10									
		0.XXX	±0.050									
ASME Y14.5	angular	0°	±2°	www.fci.com	cat. no.		-	Product - Customer Drw			sheet 2 of 2	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[FCI:](#)

[10045509-101LF](#) [10045509-102LF](#) [10045509-103LF](#) [10045509-104LF](#) [10045509-105LF](#) [10045509-106LF](#)
[10045509-107LF](#) [10045509-108LF](#)