

HEADERS





✓ Active



PRODUCT DRAWING



3D PDF

TE CONNECTIVITY (TE)

36 WAY HEADER WIRE TO BD.FOR E

AMP | Econoseal

344108-1

TE Internal Number: 344108-1

Always EU RoHS/ELV Compliant

Pitch 5 mm [.197 in]

Number of Circuits 36

Sealed Yes

Mounting Orientation Horizontal/90°

Hybrid Header No

Product Drawings

36 WAY HEADER (MKII) FOR ECONOSEAL 3 (WIRE TO BOARD)

PDF (TIFF AVAILABLE)

English

36 WAY HEADER (MKII) FOR ECONOSEAL 3 (WIRE TO BOARD)

PDF (TIFF AVAILABLE)

English

CAD Files

Customer View Model

2D_DXF.ZIP English

Customer View Model

3D_IGS.ZIP **English**

Customer View Model

3D_STP.ZIP English

3D PDF PDF English

Product Specifications

Product Specification Packaging Instruction

PDF **English**

Product Environmental Compliance

TE Material Declaration MD_344108-1_07102013318_dmtec

PDF **English**

Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Sealed	Yes
	Hybrid Header	No
	Shielded	No
Configuration Features	Number of Circuits	36
	Number of Rows	3
	Number of Sections	1
	Number of Signal Positions	36
Electrical Characteristics	Voltage Rating (Max) (VDC)	12
Body Features	Color	Black
Contact Features	Interface Plating	Gold (Au)
Termination Features	Termination Method	Through Hole - Solder
Mechanical Attachment	Mounting Orientation	Horizontal/90°
	PCB Mount Retention Type	Boardlocks
	Panel Mount Retention	Without
	PCB Mount Alignment	With
	Locking Interface	With
Housing Features	Pitch	5 mm [.197 in]
Dimensions	Profile Height from PCB	27.15 mm [1.069 in]
	Width	48.5 mm [1.909 in]
	PCB Thickness (Recommended)	1.6 mm [.062 in]
	Length	70.8 mm [2.787 in]
Industry Standards	Degree of Protection	other
,	UL Flammability Rating	None
Packaging Features	Packaging Type	Tray
	Packaging Quantity	117

CUSTOMERS ALSO BOUGHT

