




[



|                              |  |                          |  |    |  |           |             |
|------------------------------|--|--------------------------|--|----|--|-----------|-------------|
| 4                            |  | 3                        |  | 2  |  | 1         |             |
| THIS DRAWING IS UNPUBLISHED. |  | RELEASED FOR PUBLICATION |  | 20 |  | LOC       |             |
| © COPYRIGHT 20               |  | ALL RIGHTS RESERVED.     |  | ES |  | DIST      |             |
|                              |  |                          |  |    |  | REVISIONS |             |
|                              |  |                          |  | P  |  | LTR       | DESCRIPTION |
|                              |  |                          |  |    |  |           | DATE        |
|                              |  |                          |  |    |  |           | DWN         |
|                              |  |                          |  |    |  |           | APVD        |

2271183-X

PLASTIC BAG

CARTON

NOTE:  
1. PACKAGING QUANTITY: SEE TABLE.

|               |                 |                  |
|---------------|-----------------|------------------|
| PARTS PER BAG | BAGS PER CARTON | PARTS PER CARTON |
| 500 PCS       | 8               | 4000 PCS         |

|                                        |  |                                        |  |                  |  |                               |  |
|----------------------------------------|--|----------------------------------------|--|------------------|--|-------------------------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. |  | DWN                                    |  | 18DEC2013        |  | TE Connectivity               |  |
|                                        |  | CHK                                    |  | SHI MING         |  |                               |  |
|                                        |  |                                        |  | 18DEC2013        |  |                               |  |
| DIMENSIONS:                            |  | TOLERANCES UNLESS OTHERWISE SPECIFIED: |  | APVD             |  | NAME                          |  |
| mm                                     |  |                                        |  | XU XIANG         |  | 2 PINS WIRE TO WIRE CONNECTOR |  |
|                                        |  | 0 PLC ±                                |  | 18DEC2013        |  | RECEPTACLE                    |  |
|                                        |  | 1 PLC ±10.0                            |  | XU XIANG         |  |                               |  |
|                                        |  | 2 PLC ±5.0                             |  | PRODUCT SPEC     |  |                               |  |
|                                        |  | 3 PLC ±                                |  | APPLICATION SPEC |  |                               |  |
|                                        |  | 4 PLC ±                                |  |                  |  | SIZE                          |  |
|                                        |  | ANGLES ±5°                             |  |                  |  | CAGE CODE                     |  |
| MATERIAL                               |  | FINISH                                 |  | WEIGHT           |  | DRAWING NO                    |  |
| -                                      |  | -                                      |  | -                |  | A300779C=2271183              |  |
|                                        |  |                                        |  | CUSTOMER DRAWING |  | RESTRICTED TO                 |  |
|                                        |  |                                        |  |                  |  | -                             |  |

|       |     |       |   |    |   |     |   |
|-------|-----|-------|---|----|---|-----|---|
| SCALE | 4:1 | SHEET | 3 | OF | 3 | REV | B |
|-------|-----|-------|---|----|---|-----|---|

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2271183-1](#)