

## DIN rail perforated - NS 35/15 PERF 1000MM - 1207658

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



DIN rail, material: steel galvanized and passivated with a thick layer, perforated, height 15 mm, width 35 mm, length: 1000 mm

RoHS

### Key Commercial Data

|                        |                                                                                                         |
|------------------------|---------------------------------------------------------------------------------------------------------|
| Packing unit           | 1 STK                                                                                                   |
| Minimum order quantity | 10 STK                                                                                                  |
| GTIN                   | <br>4 046356 366564 |
| GTIN                   | 4046356366564                                                                                           |
| Custom tariff number   | 72166190                                                                                                |
| Country of origin      | Germany                                                                                                 |

### Technical data

#### Dimensions

|        |         |
|--------|---------|
| Height | 15 mm   |
| Length | 1000 mm |
| Width  | 35 mm   |

#### General

|               |                                           |
|---------------|-------------------------------------------|
| Material      | Steel                                     |
| Coating       | Galvanized, passivated with a thick layer |
| Color         | silver                                    |
| Test standard | In acc. with EN 60715: 2001               |

### Standards and Regulations

|               |                             |
|---------------|-----------------------------|
| Test standard | In acc. with EN 60715: 2001 |
|---------------|-----------------------------|

# DIN rail perforated - NS 35/15 PERF 1000MM - 1207658


## Technical data

### Standards and Regulations

|                                  |          |
|----------------------------------|----------|
| Connection in acc. with standard | IEC / EN |
|----------------------------------|----------|

## Drawings

Dimensional drawing



## Classifications

### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 23150301 |
| eCl@ss 4.1 | 23150301 |
| eCl@ss 5.0 | 27141143 |
| eCl@ss 5.1 | 27141143 |
| eCl@ss 6.0 | 27141143 |
| eCl@ss 7.0 | 27141143 |
| eCl@ss 8.0 | 27141143 |
| eCl@ss 9.0 | 27400602 |

### ETIM

|          |          |
|----------|----------|
| ETIM 2.0 | EC001285 |
| ETIM 3.0 | EC001285 |
| ETIM 4.0 | EC000212 |
| ETIM 5.0 | EC001285 |
| ETIM 6.0 | EC001285 |

### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30212109 |
| UNSPSC 7.0901 | 39121708 |
| UNSPSC 11     | 39121708 |

## DIN rail perforated - NS 35/15 PERF 1000MM - 1207658

### Classifications

#### UNSPSC

|              |          |
|--------------|----------|
| UNSPSC 12.01 | 39121708 |
| UNSPSC 13.2  | 39121708 |