

Front cutter - CUTFOX-FBS - 1212124

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Cutting tool, for separating individual jumper bars from FBS ... plug-in bridges and EB ... insertion bridges

Why buy this product

- ✓ Inductively hardened blades for long-term stable cutting performance
- ✓ VDE-tested cutting tools made from special high-grade tool steel

RoHS

Key Commercial Data

Packing unit	1 STK
GTIN	 4 046356 454247
GTIN	4046356454247
Weight per Piece (excluding packing)	300.000 g
Custom tariff number	82032000
Country of origin	Germany

Technical data

Dimensions

Length (b)	260 mm
Cable diameter	0.2 mm ... 3.5 mm

Classifications

eCl@ss

eCl@ss 4.0	21040302
eCl@ss 4.1	21040302

Front cutter - CUTFOX-FBS - 1212124

Classifications

eCl@ss

eCl@ss 5.0	21040302
eCl@ss 5.1	21040302
eCl@ss 6.0	21049011
eCl@ss 7.0	21049011
eCl@ss 8.0	21043712
eCl@ss 9.0	21043712

ETIM

ETIM 2.0	EC000142
ETIM 3.0	EC000142
ETIM 4.0	EC000142
ETIM 5.0	EC000165
ETIM 6.0	EC000165

UNSPSC

UNSPSC 6.01	23171604
UNSPSC 7.0901	23171604
UNSPSC 11	23171604
UNSPSC 12.01	23171604
UNSPSC 13.2	27111511

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC		EAC-Zulassung
-----	---	---------------

