

Pointed pliers - MICROFOX-PC ESD - 1212483

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



ESD electronic needle-nose pliers, 45° angle, smooth grip, with opening spring, non-reflective coating and phosphate-treated, two-component grip

Why buy this product

- ✓ Opening spring for uniform, smooth opening
- ✓ Ergonomically designed two-component handles for fatigue-proof and non-slip use
- ✓ Screwed precision-joint for permanent stability and optimum results
- ✓ Mirror-polished and phosphate-treated metal surfaces for optimum rust protection and no glare when working
- ✓ Made from special high-grade tool steel
- ✓ The special conductive plastic handles ensure slow and safe removal of electrostatic energy according to standards and directives such as DIN EN 61340-5



Key Commercial Data

Packing unit	1 STK
GTIN	 4 046356 527156
GTIN	4046356527156
Weight per Piece (excluding packing)	80.000 g
Custom tariff number	82032000
Country of origin	Germany

Technical data

Dimensions

Length (b)	125 mm
------------	--------

General

Pointed pliers - MICROFOX-PC ESD - 1212483

Technical data

General

Weight	70 g
--------	------

Classifications

eCl@ss

eCl@ss 4.0	21040301
eCl@ss 4.1	21040301
eCl@ss 5.0	21040301
eCl@ss 5.1	21040301
eCl@ss 6.0	21043706
eCl@ss 7.0	21043706
eCl@ss 8.0	21043817
eCl@ss 9.0	21043816

ETIM

ETIM 2.0	EC001186
ETIM 3.0	EC001186
ETIM 4.0	EC000833
ETIM 5.0	EC000833
ETIM 6.0	EC000833

UNSPSC

UNSPSC 6.01	30211811
UNSPSC 7.0901	39121410
UNSPSC 11	39121410
UNSPSC 12.01	39121410
UNSPSC 13.2	27112126

Approvals

Approvals

Approvals

EAC

Ex Approvals

Pointed pliers - MICROFOX-PC ESD - 1212483

Approvals

Approval details

EAC		EAC-Zulassung
-----	---	---------------