




D



RECOMMENDED P.C. BOARD LAYOUT
SHELL SIZE 1 (9 POSITION)



RECOMMENDED P.C. BOARD LAYOUT
SHELL SIZE 2 (15 POSITION)



RECOMMENDED P.C. BOARD LAYOUT
SHELL SIZE 3 (25 POSITION)


D

C


C

B


B



RECOMMENDED P.C. BOARD LAYOUT
SHELL SIZE 4 (37 POSITION)



RECOMMENDED P.C. BOARD LAYOUT
SHELL SIZE 5 (50 POSITION)



A

A

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ± .1
1 PLC ± .1
2 PLC ± .1
3 PLC ± .1
4 PLC ± .1
ANGLES ± .1

MATERIAL

-

DWN
P. YEAGER 30DEC97

CHK
G. OVER 30DEC97

APVD
G. OVER 30DEC97

WEIGHT
-

CUSTOMER DRAWING

TE Connectivity

AMPLIMITE PLUG ASSY, LOW PROFILE
SIZE 20 POSTED P.C. BOARD CONTACTS,
.030 DIA LONG POST, SERIES 109.

SIZE
A1

CAGE CODE
00779

DRAWING NO
1218125

RESTRICTED TO
-

SCALE
4:1

SHEET
2

OF
2

REV
F1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1218125-4](#)