




THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR


DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1



7-2823056-4

7-2823056-6

7-2823056-8

4 POSITIONS


6 POSITIONS

8 POSITIONS

2823056-4

2823056-6


2823056-8



24mm
wide tape

24mm
wide tape

24mm
wide tape



8-2823056-0

8-2823056-2

8-2823056-4

8-2823056-6

8-2823056-8

10 POSITIONS

12 POSITIONS

14 POSITIONS

16 POSITIONS

18 POSITIONS


1-2823056-0

1-2823056-2

1-2823056-4

1-2823056-6

1-2823056-8



44mm wide tape

44mm wide tape

44mm wide tape


44mm wide tape

44mm wide tape

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.
1 PLC ±.
2 PLC ±.
3 PLC ±.
4 PLC ±.
ANGLES ±.
FINISH -

MATERIAL

-

DWN 25SEP2014

Nagashree.V

CHK 26SEP2014

Prashanth.S

APVD 26SEP2014

Jayanth.K

PRODUCT SPEC

108-32087

APPLICATION SPEC

114-13318

WEIGHT -

Customer Drawing



TE Connectivity

NAME
MICRO-MATCH VALUE LINE
FEMALE-ON-BOARD TOP-ENTRY,
SMD CONNECTOR WITH LATCHES.

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C-2823056


SCALE 4:1

SHEET 2 OF 3

REV A

THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION
COPYRIGHT -	ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	APVD
-	-		-	SEE SHEET 1	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Nagashree.V 25SEP2015	TE Connectivity			
DIMENSIONS: mm		CHK Prashanth.S 26SEP2014				
	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±	APVD JAYANTH 26SEP2014	NAME MICRO-MATCH VALUE LINE FEMALE-ON-BOARD TOP-ENTRY, SMD CONNECTOR WITH LATCHES.			
		PRODUCT SPEC 108-32087				
		APPLICATION SPEC 114-13318				
MATERIAL -	FINISH -	WEIGHT -	SIZE A3	CAGE CODE 00779	DRAWING NO C-2823056	RESTRICTED TO -
Customer Drawing				SCALE 4:1	SHEET 3 OF 3	REV A

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-2823056-0](#)