

#### Part Number: 130170-0015

Aero-Motive® Light Industrial Duty BF Balancer with Ratchet Lock, Weight Range 4.1-5.9kg (9.0-13.0 lb), 1.80m (6.0') Travel



Series image - Reference only

Status: Active Series: <u>130170</u> Category: Tool Supports Overview: <u>Aero-Motive® Balancers</u> Old Part Number: BF13

## **Product Environmental Compliance**

**EU RoHS**:RoHS Compliance Not Required China RoHS: REACH SVHC: Not Reviewed Low-Halogen Status: Not Reviewed

### Part Detail

#### General

Status	Active						
Category	ol Supports						
Series	<u>0170</u>						
Cable Length	2.0m (6.56')						
Duty	ht						
Overview	o-Motive® Balancers						
Product Name Aero-Motive®							
Туре	ancers						
UPC	78858837						
Physical							
Cable Diamete	er 2.38mm (.094")						
Cable Moveme	ent Zero-Gravity						
Drum Lock	Automatic Safety						
Material - Housing ABS							
Mounting Styl	e Hanging						
Packaging Typ	pe Carton						
Travel Distand	<b>ce</b> 2.0m (6.60')						
Weight Range	4.1-5.9ka (9.0-13.0 lh)						


Old Part Number BF13 Reference - Drawing Numbers

Sales Drawing SD-130170-001

# **Application Tooling**

Tooling specifications and manuals are found by selecting the products below.

Crimp Height Specifications are then contained in the Application Tooling Specification document.



10	9	8	7	6	5	4	3	2	1	
	Material Number:	Enginee Numbe	U	Description:				Color	:	F
	1301700021	BF6	BF	6 BALANCE	ER [3-6LB/	/1.4-2.7KG],	6.6FT	PUTT	Y	
	1301700023	BF9	BF	BF9 BALANCER [6-9LB/2.7-4.1KG],6.6FT				PUTT	Y	
	1301700015	BF1	3 BF	13 BALANC	CER [9-131	_B/4.1-5.9K	G],6.6FT	PUTT	Y	E
	1301700017	BF18	8 BF	18 BALANC	CER [13-18	BLB/5.9-8.2	<g],6.6ft< td=""><td>PUTT</td><td>Y</td><td></td></g],6.6ft<>	PUTT	Y	
	1301700019	BF24	4 BF:	24 BALANC	CER [18-24	4LB/8.2-10.9	9KG],6.6FT	PUTT	Y	
	1301700032	BFL	6 BF	6 BALANCE	ER WITH F	RATCHET L	.OCK	PUTT	Y	D
	1301700033	BFL	9 BF	9 BALANCE	ER WITH F	RATCHET L	.OCK	PUTT	Y	
	1301700025	BFL	13 BF13 BALANCER WITH RATCHET LOCK				PUTTY		с	
	1301700027	BFL <sup>2</sup>	BFL18 BF18 BA		BF18 BALANCER WITH RATCHET LOCK				Y	
	1301700030	BFL	24 BF:	24 BALANC	CER WITH	RATCHET	LOCK	PUTT	Y	
				9/08 9/09 9/20	QUALITY GENEI	RAL TOLERANCES ESS SPECIFIED)		SCALE DESIGN UNITS	○ ☐ THIRD ANGLE PROJECTION	B -
				RELEASE TO SALES EC NO: WNA2010-0114 DRWN: RHOTCA 9/9/09 CH'KD: DT 2009/09/08 APPR: DTITUS 2009/09/30	→ Single	mmINCHDRAW±NA±NARH±NA±NACHECK±NA±NADT±NA±NAAPPRCNGULAR ±1°DTITMATER	IN BY DATE TITLI   2009/09/08 2009/09/08 11111   CED BY DATE 2009/09/08   DVED BY DATE MC   US 2009/09/30 DOC   SEE TABLE THIS DRAWING CONTAIN	BF" AND FAMIL BALAN	0 "BFLR Y OF ICERS ORPORATED 001 2 OF 2 ROPRIETARY TO MOLEX	A
10	9	8	7	6	5	4	3	2	1	$\mathbf{i}$

3	7	7	6	5	4	3	2	1	
nginee Numb	<b>U</b>			Color	•	F			
BF6		BF6	BALANCE	PUTT	Y				
BF9		BFS	) BALANCE	ER [6-9LB/2	2.7-4.1KG],	6.6FT	PUTT	Y	
BF1	3	BF1	3 BALANC	ER [9-13LI	B/4.1-5.9K0	G],6.6FT	PUTT	Y	E
BF1	8	BF1	8 BALANC	ER [13-18:	LB/5.9-8.2k	(G],6.6FT	PUTT	Y	
BF2	4	BF2	24 BALANC	ER [18-24]	LB/8.2-10.9	9KG],6.6FT	PUTT	Y	
BFL	6	BF6	BALANCE	ER WITH R	ATCHET L	OCK	PUTT	Y	D
BFL	9	BFS	) BALANCE	ER WITH R	ATCHET L	OCK	PUTT	Y	
BFL	13	BF1	3 BALANC	ER WITH I	RATCHET	LOCK	PUTT	Y	С
BFL	18	BF1	8 BALANC	ER WITH I	RATCHET	LOCK	PUTT	Y	
BFL	24	BF2	24 BALANC	ER WITH I	RATCHET	LOCK	PUTT	Y	
			06/6/ 19/08 05/60	QUALITY GENERA SYMBOLS (UNLES	L TOLERANCES		SCALE DESIGN UNITS		B GLE ON
			RELEASE TO SALESRELEASE TO SALESEC NO: WNA2010-0114DRWN: RHOTCA09/09CH'KD: DT2009/09/30APPR: DTITUS2009/09/30	Terror Stress 3 PLACES 2 PLACES 1 PLACE ANG DRAFT WHI MUS	mmINCHDRAWN±NA±NARH±NA±NACHECKE±NA±NADT±NA±NAAPPROVGULAR ±1°DTITU	2009/09/08   ED BY DATE   2009/09/08   VED BY DATE   JS 2009/09/30   AL NO. DOC   SEE TABLE THIS DRAWING CONTAIN	BF" AND FAMIL BALAN	0 "BFLR Y OF CERS ORPORATEI 001 2 0 ROPRIETARY TO MOLE	D A F 2 EX
3	7	7	6	5	4	3	2	1	

F

Е

D

С

В

А