




1. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY):  
FOR TIN APPLICATIONS: 1393367 AND 1393366.  
FOR GOLD APPLICATIONS: 1393365 AND 1393364.  
FOR TERMINATION AND REELING OPTIONS  
SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.
2. COMPATIBLE WIRE SIZES FOR MAT SEAL DESIGN 1.19 TO 2.06 O.D.  
(22-18 AWG, 0.35-0.75 mm<sup>2</sup>)
3. TPA IS SHIPPED IN PRE-LOADED POSITION. SOME TPA'S MAY BECOME FULLY SEATED DURING SHIPPING. USE TE CONNECTIVITY (TE) INSTRUCTION SHEET 408-10128 TO REPOSITION TPA TO IT'S PRE-LOADED POSITION.
4. TE ASSEMBLY PART NUMBER AND TRACEABILITY CODE (YY = TWO DIGIT YEAR, JJJ = JULIAN DAY, HH = TWO DIGIT MILITARY HOUR) ARE PRINTED IN THIS LOCATION.
5. APPLICABLE HEADER INTERFACE DRAWING 1438199 IS AVAILABLE UPON REQUEST. A COPY OF THIS DRAWING CAN BE OBTAINED FROM THE TE PRODUCT MANAGER, VIA YOUR TE SALES REPRESENTATIVE OR CUSTOMER SERVICE.
6. WIRE DRESS COVER PART NO. 1326941-1 MATES WITH THIS CONNECTOR ASSEMBLY.
7. ASSEMBLIES ARE BULK PACKAGED.
8. OPTIONAL CPA IS SHIPPED IN IT'S PRE-LOADED POSITION.



A detailed technical line drawing of a 12-pin D-sub connector. The connector features a standard D-shaped shield with 12 pins arranged in two rows of six. A locking latch mechanism is visible on the side, designed to secure the connector into a mating port. The drawing shows the internal structure and the external housing.



MINIMUM FEED THRU CONDITION  
WITH 1mm CLEARANCE ALL AROUND

KEYING OPTION "B" SHOWN  
SEE NOTE 5 FOR APPLICABLE HEADER  
INTERFACE INFORMATION

AMP 4805 REV 31MAR2000

LOC	DIST	REVISIONS					
AA	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-	-	SEE SHEET 1	-	-	-

						7U5T-14A464-EA-000	1326942-2	
6	5	4	3	2	1	FORD PART NUMBER	TYCO ELECTRONICS ASSEMBLY PART NUMBER	
TERMINAL POSITION								
CAVITIES WITH A NUMBER INDICATES CLOSED TERMINAL HOLE LOCATION								
BLANK CAVITIES INDICATES OPEN TERMINAL HOLE LOCATION								
KEY B, NO CPA								

6								1326942-9
6			3	2	1			1326942-8
		4				AU5T-14A464-BA-001		1326942-5
						AU5T-14A464-BA-000		1326942-4
6	5	4	3	2	1	FORD PART NUMBER	TYCO ELECTRONICS ASSEMBLY PART NUMBER	
TERMINAL POSITION								
CAVITIES WITH A NUMBER INDICATES CLOSED TERMINAL HOLE LOCATION								
BLANK CAVITIES INDICATES OPEN TERMINAL HOLE LOCATION								
KEY A, WITH CPA								

6	5		3		1	7LIT-14A464-CB-003	1326942-7	
6	5	4			1	7LIT-14A464-CB-002	1326942-6	
6					1	7LIT-14A464-CB-001	1326942-3	
						7LIT-14A464-CB-000	1326942-1	
6	5	4	3	2	1	FORD PART NUMBER	TYCO ELECTRONICS ASSEMBLY PART NUMBER	
TERMINAL POSITION								
CAVITIES WITH A NUMBER INDICATES CLOSED TERMINAL HOLE LOCATION								
BLANK CAVITIES INDICATES OPEN TERMINAL HOLE LOCATION								
KEY B, WITH CPA								

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION.  
IT IS SUBJECT TO CHANGE WITHOUT NOTICE AND EXISTING ORGANIZATION  
SHOULD BE CONTACTED FOR THE LATEST EDITION.

DIMENSIONS:  
mm

MATERIAL  
SEE TABLE

TOLERANCES UNLESS  
OTHERWISE SPECIFIED:

0 PLC ±  
1 PLC ±0.3  
2 PLC ±0.10  
3 PLC ±  
4 PLC ±  
ANGLES ±°  
FINISH -

-

DWN  
A. HOLT  
28MAR2007

CHK  
D. STRAUSSER  
28MAR2007

APVD  
D. STRAUSSER  
28MAR2007

PRODUCT SPEC

APPLICATION SPEC

WEIGHT -

Customer Drawing

NAME

1 X 6 SEALED,  
CONNECTOR FOR ANGLED WIRE DRESS  
COVER

SIZE  
A

CAGE CODE  
100779

DRAWING NO  
C=1326942

RESTRICTED TO  
-

SCALE  
4:1

SHEET  
2

OF  
2

REV  
F5

Tyco Electronics  
Harrisburg, PA 17105-3608

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1326942-4](#)