

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	H3	APPLICATION SPECIFICATION NUMBER ADDED	24JUL2013	KJK	RP
	H4	BLISTER MATERIAL CHANGE FOR 16POS	05MAY2015	NV	PS

REFERENCE MATING INTERFACE PATTERN:
1,27 STAGGERED PITCH x 1,5 ROW-DISTANCE.

POLARISATION SLOT

SECTION A-A

SCALE 3:1

SOLDER DETAIL
SCALE 10:1

EXAMPLE SOLDER JOINT

SEE DETAIL X

USER DIRECTION OF FEED

ACCORDING EIA-481/DIN IEC 286

POLARIZATION-SLOT
ON THIS SIDE.

DETAIL X
SCALE 1:1

NOTES:

- 1 TAPE FOR VACUUM P&P ONLY FOR DASH NUMBERS 7- /8- /9-
- 2 FOR PACKAGING SEE SHEET 2 AND 3
- 3 WITHOUT VACUUM TAPE.
- 4 CORING-OUTS FOR MANUFACTURING PURPOSE ONLY.
SHAPE MAY VARY, BUT IS NOT FUNCTIONAL FOR THE APPLICATION.
- 5 SHOWN IS A 10 POSITION CONNECTOR.

3	PICK & PLACE TAPE	KAPTON	AMBER TRANSPARENT
2	FEMALE HOUSING	POLYAMIDE 4/6,GF	RED
1	FEMALE CONTACT	PHOSPHOR BRONZE	TIN OVER NICKEL
Item no.	Description	Material	Finish

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
mm	
	0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH
MATERIAL	SEE TABLE

DWN	I IDECO1
CHK	M. Gosselink
APVD	-
PRODUCT SPEC	108-19052
APPLICATION SPEC	114-13318
WEIGHT	-

TE

TE Connectivity

CONNECTOR,
FEMALE-ON-BOARD TOP-ENTRY,
SMD, WITH LATCHES, Micro-MaTch

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-338069	-

CUSTOMER DRAWING	SCALE 5:1	SHEET 1 OF 3	REV H4
------------------	-----------	--------------	--------

RECOMMENDED PC-BOARD
PAD-LAYOUT TOP VIEW

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR


DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1



7-338069-4

7-338069-6

7-338069-8

4 POSITIONS


6 POSITIONS

8 POSITIONS

338069-4

338069-6

338069-8



8-338069-0

8-338069-2

8-338069-4

8-338069-6

8-338069-8

10 POSITIONS

12 POSITIONS

14 POSITIONS

16 POSITIONS

18 POSITIONS


1-338069-0

1-338069-2

1-338069-4

1-338069-6

1-338069-8



44mm wide tape

44mm wide tape

44mm wide tape

44mm wide tape

44mm wide tape

24mm
wide tape

24mm
wide tape

24mm
wide tape

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
M. Gosselin

CHK
-

APVD
-


PRODUCT SPEC
108-19052

APPLICATION SPEC
114-13318

WEIGHT
-

CUSTOMER DRAWING

DIMENSIONS:
mm



TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±
FINISH -

MATERIAL
-



TE Connectivity


NAME
CONNECTOR,
FEMALE-ON-BOARD TOP-ENTRY,
SMD, WITH LATCHES, Micro-MaTch

SIZE CAGE CODE DRAWING NO RESTRICTED TO

A3 00779 C-338069


SCALE 5:1 SHEET 2 OF 3 REV H4

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	APVD
H	-	-	-	SEE SHEET 1	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



MATERIAL -

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-

1 PLC ±-

2 PLC ±-

3 PLC ±-

4 PLC ±-

ANGLES ±-

FINISH -

DWN M. Gosselin IDECO1

CHK -

APVD -

PRODUCT SPEC 108-19052

APPLICATION SPEC 114-13318

WEIGHT -

CUSTOMER DRAWING

 TE Connectivity

NAME CONNECTOR, FEMALE-ON-BOARD TOP-ENTRY, SMD, WITH LATCHES, Micro-MaTch

SIZE A3

CAGE CODE 00779

DRAWING NO C-338069

RESTRICTED TO -

SCALE 5:1 SHEET 3 OF 3 REV H4

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[1-338069-0](#)