





REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	L2	REVISED PER ECO-16-004800	10SEP2016	NK	MZ




DETAIL V
SCALE 20:1

- 1 HOUSING: NYLON, UL 94 V-0 RATED, COLOR: BLACK.
- 2 CONTACT:
BODY - BRASS, .000100 MIN TIN-LEAD OVER .000050 MIN NICKEL.
POST - BRASS, .000100 MIN TIN-LEAD OVER .000050 MIN NICKEL.
- 3 CONTACT:
BODY - BRASS, .000100 MIN TIN-LEAD OVER .000050 MIN NICKEL.
POST - BRASS, .000030 MIN GOLD OVER .000050 MIN NICKEL.
- 4 CONTACT:
BODY - BRASS, .000030 MIN GOLD OVER .000030 MIN NICKEL.
POST - BRASS, .000100 MIN TIN-LEAD OVER .000050 MIN NICKEL.
- 5 CONTACT:
BODY - BRASS, .000100 MIN TIN OVER .000050 MIN NICKEL.
POST - BRASS, .000100 MIN TIN OVER .000050 MIN NICKEL.
- 6 PERIPHERAL SEAL - ELASTOMER, COLOR: GRAY.
- 7 .009 MAXIMUM CONTACT LEAD-IN SEAM GAP PERMISSIBLE ON MATING FACE END.
- 8 OBSOLETE PARTS: OBSOLETE C'S STREAMLINING PER D.RENAUD/D.SINISI


OBSOLETE	.368	5	YES	ALL	213827-8
	.368	5	YES	1-8, 10-19	213827-7
	.368	2	NO	ALL	213827-6
	.119	4	NO	ALL	213827-5
	.368	3	YES	ALL	213827-4
OBSOLETE	.368	2	YES	1-8, 10-19	213827-2
	.368	2	YES	ALL	213827-1
	L		CONTACT FINISH	PERIPHERAL SEAL	SELECT LOADED IN POSITIONS
					PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. WELDON 21MAY2003	 TE Connectivity	
DIMENSIONS: INCHES		CHK S. HEADER 21MAY2003		
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME RECEPTACLE ASSEMBLY, POSTED, REVERSE SEX, SERIES 1, 23-19, CPC	
	0 PLC	+/-		
	1 PLC	+0.0		
	2 PLC	+0.0		
	3 PLC	+0.000		
	4 PLC	+0.0000		
	ANGLES			
	FINISH			
MATERIAL		APVD S. HEADER 21MAY2003	SIZE CAGE CODE DRAWING NO RESTRICTED TO	
		PRODUCT SPEC		
		108-10024		
		APPLICATION SPEC		
		114-10038	A100779C=213827	
		WEIGHT		
		CUSTOMER DRAWING		
SCALE 3:1 SHEET 1 OF 2 REV L2				

REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
-	-	SEE SHEET 1	-	-	-



RECOMMENDED PC BOARD LAYOUT



RECOMMENDED PC BOARD LAYOUT
.125 MAX PANEL THICKNESS

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. WELDON	ZIMAY2003	TE Connectivity	
		CHK S. HEADER	ZIMAY2003		
DIMENSIONS:		APVD S. HEADER	ZIMAY2003	NAME RECEPTACLE ASSEMBLY, POSTED, REVERSE SEX, SERIES 1, 23-19, CPC	
INCHES		PRODUCT SPEC			
		APPLICATION SPEC		SIZE A1	
		WEIGHT			
MATERIAL		CUSTOMER DRAWING		SCALE 3:1	
				SHEET 2 OF 2	
				REV. L2	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[213827-1](#)