





REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	RELEASED PER ECO-13-013886	29AUG2013	RGV	RN
A1		REVISED PER ECO-14-013158	08SEP2014	DD	RN
B		REVISED PER ECO-15-003128	27MAR2015	JM	RN


1. MATING PART: TE P/N 2138839-X.
2. DESIGNED FOR CORRUGATED TUBE NW26.
3. TPA SHOWN IN PRE-STAGED (AS SHIPPED) POSITION.
4. KEY MARKING IN APPROXIMATE AREA SHOWN.
5. ASSEMBLY P/N AND DATE CODE MARKED IN APPROXIMATE AREA SHOWN. SEE TABLE FOR P/N TO KEY RELATIONSHIP.
6. SEE TABLE FOR CAP HOUSING COLOR TO KEY RELATIONSHIP.
7. FOR PANEL MOUNT USE MOUNTING CLIP, TE P/N 2138852-X. SEE DRAWING 2138852 FOR RECOMMENDED PANEL THICKNESSES.



SECTION A-A





2138846-1 SHOWN





RECOMMENDED PANEL CUT-OUT

(4) SIZE 12: 2.82 MIN, 4.09 MAX (24) SIZE 16: 1.68 MIN, 2.77 MAX	28 POSITIONS TOTAL (4) SIZE 12 (24) SIZE 16	KEY B	BROWN	2138846-2
		KEY A	BLACK	2138846-1
WIRE DIA.	DESCRIPTION	KEY 4	HSG. COLOR 6	PART NO 5
THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. VESTAL 25JAN2012	TE Connectivity	
DIMENSIONS:		CHK R. NARANG 30JAN2012		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD D. KLEIN 30JAN2012	NAME	
	0 PLC ±"	PRODUCT SPEC	CAP ASSEMBLY, AMPSEAL 16 HYBRID LEVER	
	1 PLC ±"	108-32036		
	2 PLC ±"	APPLICATION SPEC		
	3 PLC ±"	114-32117		
MATERIAL	FINISH	WEIGHT	SIZE	CAGE CODE
-	-	-	A1	00779
-	-	CUSTOMER DRAWING	SCALE	2:1
			SHEET	1
			OF	4
			REV	B





THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG NO. 25JAN2012 DESIGNED BY R. VESTAL CHKD BY R. NARANG APPR'D BY D. KLEIN 30JAN2012		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± 5 PLC ± ANGLES ±1		NAME CAP ASSEMBLY, AMPSEAL 16 HYBRID LEVER -	
		PRODUCT SPEC 108-32036 APPLICATION SPEC 114-32117		SIZE CAGE CODE DRAWING NO A100779C=2138846	
MATERIAL -		FINISH -		RESTRICTED TO -	
CUSTOMER DRAWING		SCALE 2:1 SHEET 2 OF 4 REV B			

REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
-	-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. VESTAL	25JAN2012	TE Connectivity	
DIMENSIONS:		CHK R. NARANG	30JAN2012		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD D. KLEIN	30JAN2012	NAME CAP ASSEMBLY, AMPSEAL 16 HYBRID LEVER	
	0 PLC	±"	PRODUCT SPEC	SIZE A100779	
	1 PLC	±"	108-32036		
	2 PLC	±"	APPLICATION SPEC	CAGE CODE 2138846	
	3 PLC	±"	114-32117		
MATERIAL	FINISH	±#1	WEIGHT	CUSTOMER DRAWING	
-	-	-	-	SCALE 2:1	
-	-	-	-	SHEET 3 OF 4	
				REV B	

REVISIONS					
P.	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. VESTAL	25JAN2012	 TE Connectivity	
		CHK R. NARANG	30JAN2012		
DIMENSIONS:		APVD D. KLEIN	30JAN2012	NAME	
mm		PRODUCT SPEC		CAP ASSEMBLY, AMPSEAL 16 HYBRID LEVER	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2138846-1](#)