







PART NO.
20021321




SCALE 3.000



SECTION A-A
SCALE 4.000






WITH CAP OPTION



Amphenol
FCI

© 2016 AFCI

mat'l. code				surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection 1101		product family MINITEK127®		
ltr	ecn no	dr	date	tolerances unless otherwise specified						title		
L	ELX-N-23548	TIM	03/21/16	angles		.0±.30		mm		RECEPTACLE VT SMT		
				linear		.00±.20		scale 1:1				
				0°±2'		.000±.10						
				dr	ANDY ZHANG	09/28/12			dwg no		sheet 1 of 4	size
				eng	ANDY ZHANG	09/28/12			20021321			A3
				chr	BIAN RICK	09/28/12			type		Product Customer Drawing	
				app	BIAN RICK	09/28/12						
sheet index	revision sheet	L	L	L	L	L	L	L	L	L	L	L
	1	2	3	4								



P/N: 20021321-XX108XXLF

TABLE 3

DASH NO.	AMOUNT OF PINS	PIN FILLED
-XX108XXLF	7	PIN #4
-XX214XXLF	13	PIN #2
-XX206XXLF	5	PIN #2


P/N:

20021321-XX214XXLF / 20021321-XX206XXLF

Amphenol
FCI

© 2016 APCI


mat'l. code		surface	tolerance	projection	product family
ltr	ecn no	dr	date	ISO 1302 ✓	ISO 406 ISO 1101
L				tolerances unless otherwise specified	MINITEK127®
				angles	title
				linear	RECEPTACLE VT SMT
				0°±2'	mm
				.0±.30	scale 1:1
				.00±.20	
				.000±.10	
		dr	ANDY ZHANG	09/28/12	dwg no
		eng	ANDY ZHANG	09/28/12	sheet 2 of 4
		chr	BIAN RICK	09/28/12	size
		app	BIAN RICK	09/28/12	20021321
sheet	revision				type
index	sheet				Product Customer Drawing




RECOMMENDED PCB LAYOUT - WITHOUT POST
LAYOUT TOLERANCE= ±0.05mm




WITHOUT POST,
P/N: 20021321-0XXXXXLF




RECOMMENDED PCB LAYOUT - POST STYLE 1,
LAYOUT TOLERANCE= ±0.05mm




WITH POST STYLE 1,
P/N: 20021321-1XXXXXLF




RECOMMENDED PCB LAYOUT - POST STYLE 2,
LAYOUT TOLERANCE= ±0.05mm



WITH POST STYLE 2,
P/N: 20021321-2XXXXXLF



RECOMMENDED PCB LAYOUT - POST STYLE 3,
LAYOUT TOLERANCE= ±0.05mm



WITH POST STYLE 3,
P/N: 20021321-3XXXXXLF

Amphenol
FCI

© 2016 AFCI

mat'l. code		surface		tolerance		projection		product family	
ISO 1302		ISO 406		ISO 1101		1101		MINITEK127®	
tolerances unless otherwise specified		tolerances unless otherwise specified		tolerances unless otherwise specified		tolerances unless otherwise specified		title	
L		angles		linear		mm		RECEPTACLE VT SMT	
		0°±2'		.0±.30		scale 1:1			
				.00±.20					
				.000±.10					
		dr		ANDY ZHANG		09/28/12		dwg no	
		eng		ANDY ZHANG		09/28/12		sheet 3 of 4	
		chr		BIAN RICK		09/28/12		size	
		app		BIAN RICK		09/28/12		A3	
sheet index		revision sheet						type Product Customer Drawing	

TABLE 1

PRODUCT NO.	POSITIONS	DIM. A	DIM. B
20021321-X0X06XXLF	2 X 3	2.54	4.27
20021321-X0X08XXLF	2 X 4	3.81	5.54
20021321-X0X10XXLF	2 X 5	5.08	6.81
20021321-X0X12XXLF	2 X 6	6.35	8.08
20021321-X0X14XXLF	2 X 7	7.62	9.35
20021321-X0X16XXLF	2 X 8	8.89	10.62
20021321-X0X18XXLF	2 X 9	10.16	11.89
20021321-X0X20XXLF	2 X 10	11.43	13.16
20021321-X0X22XXLF	2 X 11	12.7	14.43
20021321-X0X24XXLF	2 X 12	13.97	15.7
20021321-X0X26XXLF	2 X 13	15.24	16.97
20021321-X0X28XXLF	2 X 14	16.51	18.24
20021321-X0X30XXLF	2 X 15	17.78	19.51
20021321-X0X32XXLF	2 X 16	19.05	20.78
20021321-X0X34XXLF	2 X 17	20.32	22.05
20021321-X0X36XXLF	2 X 18	21.59	23.32
20021321-X0X38XXLF	2 X 19	22.86	24.59
20021321-X0X40XXLF	2 X 20	24.13	25.86
20021321-X0X42XXLF	2 X 21	25.4	27.13
20021321-X0X44XXLF	2 X 22	26.67	28.4
20021321-X0X46XXLF	2 X 23	27.94	29.67
20021321-X0X48XXLF	2 X 24	29.21	30.94
20021321-X0X50XXLF	2 X 25	30.48	32.21
20021321-X0X52XXLF	2 X 26	31.75	33.48
20021321-X0X54XXLF	2 X 27	33.02	34.75
20021321-X0X56XXLF	2 X 28	34.29	36.02
20021321-X0X58XXLF	2 X 29	35.56	37.29
20021321-X0X60XXLF	2 X 30	36.83	38.56
20021321-X0X62XXLF	2 X 31	38.1	39.83
20021321-X0X64XXLF	2 X 32	39.37	41.1
20021321-X0X66XXLF	2 X 33	40.64	42.37
20021321-X0X68XXLF	2 X 34	41.91	43.64


PRODUCT NO.	POSITIONS	DIM. A	DIM. B
20021321-X0X70XXLF	2 X 35	43.18	44.91
20021321-X0X72XXLF	2 X 36	44.45	46.18
20021321-X0X74XXLF	2 X 37	45.72	47.45
20021321-X0X76XXLF	2 X 38	46.99	48.72
20021321-X0X78XXLF	2 X 39	48.26	49.99
20021321-X0X80XXLF	2 X 40	49.53	51.26
20021321-X0X82XXLF	2 X 41	50.8	52.53
20021321-X0X84XXLF	2 X 42	52.07	53.8
20021321-X0X86XXLF	2 X 43	53.34	55.07
20021321-X0X88XXLF	2 X 44	54.61	56.34
20021321-X0X90XXLF	2 X 45	55.88	57.61
20021321-X0X92XXLF	2 X 46	57.15	58.88
20021321-X0X94XXLF	2 X 47	58.42	60.15
20021321-X0X96XXLF	2 X 48	59.69	61.42
20021321-X0X98XXLF	2 X 49	60.96	62.69
20021321-X0XA0XXLF	2 X 50	62.23	63.96

NOTES:

- MATERIAL:
HOUSING: HIGH TEMPERATURE PLASTIC; UL94-V0; BLACK.
TERMINAL: PHOSPHOR BRONZE.
CAP: STAINLESS STEEL.
- FINISH:
TERMINAL: GOLD OR GXT PLATING AT CONTACT AREA (SEE TABLE);
GOLD FLASH OR 2.54um/100u" MIN MATTE TIN
AT SOLDER TAIL AREA;
1.27um/50u" MIN NI OVER ALL AS UNDERPLATIN.
- PRODUCT SPEC PER GS-12-629.
- PACKAGE SPEC PER GS-14-1420.
- THE HOUSING WILL WITHSTAND EXPOSURE TO 260~C PEAK TEMPERATURE FOR 10 SECONDS IN A CONVECTION INFRA-RED OR VAPOR PHASE REFLOW OVEN.
- PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- THE METAL CAP IS OPTION AS CUSTOMER REQUIREMENT.

PART NUMBER DESCRIPTION:

20021321 - X X X X X X X LF



Amphenol FCI

© 2016 AFCI

mat'l. code		surface	tolerance	projection	product family
ISO 1302		ISO 406	ISO 1101	MINITEK127®	
ltr	ecn no	dr	date	title	
L				RECEPTACLE VT SMT	
angles		linear	mm	scale 1:1	
0±2'		.0±.30	.00±.20		
		.000±.10			
dr		ANDY ZHANG	09/28/12	dwg no sheet 4 of 4 size	
eng		ANDY ZHANG	09/28/12	20021321 A3	
chr		BIAN RICK	09/28/12	type Product Customer Drawing	
app		BIAN RICK	09/28/12		
sheet index	revision sheet				