






Technical drawing of a table showing a side view. The table has a rectangular top and four legs. A dimension line on the left indicates a height of 34.5.




		-	-
964273-1	1.0~2.5	PRETINNED	963292-1
964286-1	0.5~1.0	PRETINNED	963293-1
964282-1	0.35~0.5	PRETINNED	963294-1
TE ORDER NO STRIP FORM	WIRE RANGE MM	FINISH	SINGLE WIRE SEAL NO
RECOMMENDED CONTACT SYSTEM: JPT -TYPE A ; SEALED			

-		-	-
969044-1	2.5~4.0	PRETINNED	963245-1
969042-1	1.0~2.5	PRETINNED	963244-1
969040-1	0.5~1.0	PRETINNED	963243-1
TE ORDER NO STRIP FORM	WIRE RANGE MM	FINISH	SINGLE WIRE SEAL NO
RECOMMENDED CONTACT SYSTEM: SPT -TYPE A ; SEALED			

2098165-1	0.3~0.5	PRETINNED	2005423-3
TE ORDER NO	WIRE RANGE MM	FINISH	CAVITY PLUG
RECOMMENDED CONTACT SYSTEM:0.8X0.64			

NOTE.

- (D1) 1. APPLICABLE COVER ASSY : TE P/N 2005243
2. APPLICABLE CAVITY PLUG : TE P/N 2005423-3, 2109258-4



SECTION A-A
SCALE 2:1

				D				
				ASSY P/N	3-2005238-4	2-2005238-3	1-2005238-2	2005238-1
C	6	PINK	PBT-GF30	SEAL COVER	1			
		GRAY				1		
		BLACK					1	
		NATURAL						1
	5	RED ORANGE	SILICONE	FAMILY SEAL	1	1	1	1
C	4	BROWN	SILICONE (LSR)	INNER SEAL	1	1	1	1
	3	NATURAL	PBT-GF30	DBL HSG	1	1	1	1
	2	BLACK	PA6-GB20/GF10	CARRIER HSG	1	1	1	1
	1	BLACK	PA66-GF35	PLUG HSG	1	1	1	1
NO		COLOR	MATERIAL	DESCRIPTION	Q'TY			

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN SJ CHOI		 TE Connectivity			
		CHK SJ CHOI					
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME			
mm				025/110/250 HYBRID 38P ISL PLUG ASSY			
		0 PLC ±		SIZE A2			
		1 PLC ±					
		2 PLC ±0.5		CAGE CODE			
		3 PLC ±		DRAWING NO			
		4 PLC ±		RESTRICTED TO			
MATERIAL		ANGLES ±3°		C=2005238			
		FINISH		-			
		WEIGHT					
		CUSTOMER DRAWING		SCALE 1:1			
				SHEET 1 OF 2			
				REV D1			

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

©

COPYRIGHT20

BY -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD

P/NO

CIRCUIT ARRANGEMENT

X INDICATES UNAVAILABLE (BLOCKED) CIRCUIT

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38
2005238-1	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
1-2005238-2	○	○	○	X	○	○	X	X	X	X	○	X	○	○	X	○	○	○	○	○	○	X	○	X	○	○	X	○	○	○	○	○	X	X	X	○		
2-2005238-3	○	○	○	X	○	○	X	X	○	X	○	X	○	○	○	○	○	○	○	○	○	○	X	○	○	X	○	○	○	○	○	○	○	X	○	○		
D 3-2005238-4	○	○	X	X	X	X	○	○	X	X	X	X	○	○	X	○	○	○	○	○	○	X	X	X	○	○	○	○	○	○	○	○	X	X	X	○		

*CODING

2005238-1	1-2005238-2	2-2005238-3	D 3-2005238-4

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

MATERIAL

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±

1 PLC ±

2 PLC ±0.5

3 PLC ±

4 PLC ±

ANGLES ±3°

FINISH

DWN

CHK

APVD
SEE SHEET 1

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

TE

TE Connectivity

NAME
025/110/250 HYBRID 38P ISL PLUG ASSY

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A2

00779

©2005238

-

SCALE 1:1

SHEET 2 OF 2

REV. D1

1471-9 (3/13)

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2005238-1](#)