


1. MATERIAL:
CONTACT AND SHIELD - PHOS BRONZE
HOUSING AND CHICKLET - LCP, UL 94V-0, COLOR - BLACK
2. FINISH:
CONTACT AREA FINISH CONFORMS TO THE REQUIREMENTS
OF TE PRODUCT SPECIFICATION 108-2303; BASED ON
TELCORDIA GR-1217-CORE FOR SYSTEM QUALITY
LEVEL III APPLICATIONS IN CONTROLLED
ENVIRONMENTS (CENTRAL OFFICE)
COMPLIANT PIN AREA- 0.5µm MIN MATTE TIN OVER 1.27µm MIN NICKEL.
SHIELD 1.27µm MIN NICKEL.
3. CONNECTOR MARKED ON EITHER SIDE OF HOUSING WITH PART NUMBER,
DATE CODE AND REVERSE IN APPROXIMATE AREA SHOWN.
4. DIMENSION APPLIES TO CENTERLINE OF THRU HOLE.
5. DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
6. CONTACT AREA LUBRICATED WITH BELLCO APPROVED LUBRICANT.
TECHNICAL REFERENCE: GR-1217-CORE, ISSUE I, NOVEMBER 1995.
7. REFERENCE APPLICATION SPEC 114-13202 FOR RECOMMENDED PLATED
THRU HOLE DIAMETER AND PLATING THICKNESSES.
8. THE GROUNDS IN EACH COLUMN ARE COMMONED.
9. FOR MID-PLANE APPLICATIONS, PIN A1 WILL MAP TO PIN
A16 OF FRONT SIDE CONNECTOR. REFERENCE APPLICATION
SPEC 114-13202.



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2065668-1](#)