






LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00		A	INITIAL RELEASE	21MAY2014	CW	SH
			A1	ECR-14-015540	10OCT2014	CW	SH
			A2	ECR-14-018430	CW	SH	SH




ISOMETRIC VIEW
SCALE 6:1

- ⚠ MATERIAL: 0.25mm THICK STAINLESS STEEL.
- ⚠ FINISH: 0.00125mm Min. NICKEL OVER ALL , 0.002mm Min.TIN DIPPED ON SOLDER TABS, NON PLATED EDGES PERMISSIBLE.
3. MATES WITH SFP MSA COMPLIANT TRANSCEIVERS.
- ⚠ PADS AND VIAS CHASSIS GROUND.
- ⚠ DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.
6. MINIMUM PC BOARD THICKNESS:
SINGLE SIDED = 1.50 mm
- ⚠ REFERENCE APPLICATION SPEC. 114-13120, HOLE A, FOR
RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
- ⚠ REFERENCE APPLICATION SPEC. 114-13120, HOLE C, FOR
RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
- ⚠ ESD PROTECTION PACKAGE.





⚠	REEL	1.80	1-2227303-2
	TRAY	1.80	2227303-3
	REEL	1.80	2227303-2
	TRAY	3.55	2227303-1
	PACKAGING	A	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN C. VALENTINE	19OCT2012	 TE Connectivity			
		CHK M. SCHMITT	19OCT2012				
DIMENSIONS:		APVD M. SCHMITT	19OCT2012	NAME SFP, 1X1 SINGLE PIECE CAGE, SOLDER PIN	RESTRICTED TO -		
mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:					
	0 PLC	±0.1	PRODUCT SPEC 108-1950 APPLICATION SPEC 114-13120 WEIGHT -	SIZE A1	CAGE CODE 00779	DRAWING NO C-2227303	REV A2
	1 PLC	±0.1					
	2 PLC	±0.1					
	3 PLC	±0.1					
	4 PLC	±					
ANGLES	±						
FINISH				SCALE 6:1		SHEET 1 OF 3	
MATERIAL				Customer Drawing			
-							




THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009.		DWN C. VALENTINE 19OCT2012	TE Connectivity	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK M. SCHMITT 19OCT2012	NAME SFP, 1X1 SINGLE PIECE CAGE, SOLDER PIN	
DIMENSIONS:		APVD W. SCHMITT 19OCT2012	SIZE CAGE CODE DRAWING NO. A100779C=2227303	
mm		PRODUCT SPEC	RESTRICTED TO	
0 PLC ±0.1		APPLICATION SPEC	SCALE 6:1 SHEET 2 OF 3 REV A2	
1 PLC ±0.1		WEIGHT		
2 PLC ±0.1		Customer Drawing		
3 PLC ±0.1				
4 PLC ±0.1				
ANGLES ±°				
FINISH				

LOC		DIST		REVISIONS				
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	




SECTION L-L



SECTION K-K
SCALE 2:1

2227303-2 /1-222303-2 REEL PACKAGING

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN C. VALENTINE	19OCT2012	 TE Connectivity	
		CHK M. SCHMITT	19OCT2012		
DIMENSIONS:		APVD M. SCHMITT	19OCT2012	NAME SFP, 1X1 SINGLE PIECE CAGE, SOLDER PIN	
mm		PRODUCT SPEC			
		108-1950		SIZE A1	
		APPLICATION SPEC			
		114-13120			
		WEIGHT -			
MATERIAL	FINISH	Customer Drawing		SCALE 6:1	SHEET 3 OF 3
				REV. A2	
TOLERANCES UNLESS OTHERWISE SPECIFIED:					
0 PLC ±0.1					
1 PLC ±0.1					
2 PLC ±0.1					
3 PLC ±0.1					
4 PLC ±0.1					
ANGLES ±°					
FINISH ±°					

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2227303-1](#)