
Item no.: 282-128/281-413
Product description: 2-conductor fuse terminal block for glass cartridge type fuses
WITH LED 24 V 1/4 X 1 1/4



Produkt kann von Bild abweichen / product may differ

Packing unit 40 pieces

RoHS compliant

Product group	1 (Rail Mounted Terminal Blocks)
Cross section [mm ²]	0.2 - 6 mm ²
Cross section [AWG]	24 - 10 AWG
Connection method	CAGE CLAMP [®] CONNECTION
Measured voltage EN	110 V
Current intensity EN	10 A
Weight	30.519 g
Color	gray
Wiring type	Side-entry
No. of connection Points	2
No. of potentials	2
Height	56.5 mm
Height	2.224 in
Width	13 mm
Width	0.512 in
Depth	62 mm
Depth	2.44 in
Strip length from	12 mm
Strip length to	13 mm

Strip length
Mounting

0.49 in
TS 35



Item no.	Admission office	Approval no.	Voltage [V]	Current [A]	Cross section [mm²]
282-128/281-413	CCA	NL5470	220		6
282-128/281-413	CSA	154112-1505033	24	10	24-10
282-128/281-413	KEMA	98.2759.05	220		6
282-128/281-413	PRS	TE/1718/880590/08	220		6
282-128/281-413	UR	E45172	24/110	10	24-10

Sorting criteria: admission office - approval number

© WAGO Kontakttechnik GmbH & Co. KG

Specifications are subject to changes and errors may be expected