

IB IL 24 SEG-ELF-PAC

Order No.: 2861409



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2861409>

Inline segment terminal block, complete with accessories (connector and labeling field), 24 V DC, electronic fuse

Commercial data

GTIN (EAN)	 4 017918 894344
sales group	K417
Pack	1 pcs.
Customs tariff	85389091
Catalog page information	Page 177 (AX-2011)

Product notes

WEEE/RoHS-compliant since:
06/01/2006



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

Interfaces

Connection method	Inline potential distributor
Interface	Supply voltage

Power supply

Typical current consumption	30 mA
-----------------------------	-------

I/O voltage	24 V DC
Peripherals voltage range	19.2 V DC ... 30 V DC
Max. current consumption	2.5 A
Fuse	2.5 A (electronic)

General data

Type of protection	Overload protection
Weight	44 g
Number of connectors	1
Width	12.2 mm
Height	119.8 mm
Depth	71.5 mm

Inline potential routing

Communications power U_L	7.5 V DC (via voltage jumper)
Current consumption from U_L	max. 30 mA
Current consumption from U_M	max. 2.5 A (nominal value)
Segment supply voltage U_S	24 V DC
Power supply at U_S	max. 2.5 A (nominal value)

Certificates / Approvals



Certification	CUL, GOST, UL
Certification Ex:	CUL-EX LIS, UL-EX LIS

Accessories


Item	Designation	Description
Marking		
0809492	ESL 62X10	Insert strip for laser printer, lettering field: 62 x 10 mm
2727501	IB IL FIELD 2	Labeling field, width: 12.2 mm

Plug/Adapter


2727462	IB IL SCN-PWR IN	Connector, for Inline power and segment terminal blocks
2727637	IB IL SCN-PWR IN-CP	Connector, colored, for Inline power and segment terminal blocks

Diagrams/Drawings


Connection diagram



Block diagram



Dimensioned drawing



Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;