

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Protective hose in stainless steel

Image shows WP-STEEL S 10 version



Key Commercial Data

| Packing unit | 1 M |
|------------------------|-----------------|
| Minimum order quantity | 10 M |
| GTIN | 4 046356 736947 |
| GTIN | 4046356736947 |
| Custom tariff number | 83071000 |
| Country of origin | Germany |

Technical data

Dimensions

| Inner diameter (f) | 31.00 mm |
|--------------------|----------|
| Outside diameter | 36.00 mm |

Ambient conditions

| Ambient temperature (operation) | -200 °C 600 °C |
|---------------------------------|----------------|

General

| Color | silver |
|------------|---------------------------------|
| Design | Spirals |
| Components | Halogen-free |
| Material | Stainless steel 1.4301/AISI 304 |



Technical data

General

| Bending radius, static | 85.00 mm |
|------------------------|----------|
| | |

Classifications

eCl@ss

| eCl@ss 4.0 | 27141131 |
|------------|----------|
| eCl@ss 4.1 | 27141131 |
| eCl@ss 5.0 | 27141131 |
| eCl@ss 5.1 | 27141120 |
| eCl@ss 6.0 | 27141120 |
| eCl@ss 7.0 | 27141120 |
| eCl@ss 8.0 | 27430301 |
| eCl@ss 9.0 | 27430301 |

ETIM

| ETIM 3.0 | EC000897 |
|----------|----------|
| ETIM 4.0 | EC001179 |
| ETIM 5.0 | EC001179 |
| ETIM 6.0 | EC001179 |

UNSPSC

| UNSPSC 6.01 | 30211812 |
|---------------|----------|
| UNSPSC 7.0901 | 39121410 |
| UNSPSC 11 | 39121411 |
| UNSPSC 12.01 | 39121411 |
| UNSPSC 13.2 | 40141734 |

Accessories

Accessories

Corrugated pipe screw connection

Screw connection - WP-G BRASS IP40 PG29 - 3241042



Cable gland made from brass with Pg thread, IP40 protection



Accessories

Screw connection - WP-G BRASS IP40 M32 - 3241049



Cable gland made from brass with metric thread, IP40 protection

Screw connection - WP-GT BRASS PG29 - 3241028



Cable gland made from brass with Pg thread, rotatable, IP40 protection

Screw connection - WP-GT BRASS M32 - 3241035



Cable gland made from brass with metric thread, rotatable, IP40 protection

Mounting material

Hose clamp - WP-BASE HF 37 - 3240972



Hose clamps

Protective hose fixing bracket - WP-BASE A PG29 - 3241081



Fixing bracket for protective sleeves, fixed with two screws



Accessories

Protective cap

Cable protection end sleeve - WP-SC BRASS 36 - 3241070



End sleeves as cable protection, made of brass

Phoenix Contact 2017 © - all rights reserved http://www.phoenixcontact.com