



[All Series](#) > [Series 45](#) > Part No. 45-1131.1160.000.401

Part No. 45-1131.1160.000.401, Pushbutton

[Request Information](#)

[Printable Page](#)

[Download PDF](#)

[Email This Page](#)



**3D CAD
DRAWING**




3D



Front View


45-1131.1160.000.401



2D Right Side View



2D Top View



2D Sales Drawing



[Specifications](#) | [Bill of Materials](#)

Specifications

Actuator

[Pushbutton](#)

Lens Colour

Blue

Function	2 Positions, momentary (O<I)
Housing Material	Plastic
Shape of Handle or Frontring	raised/ level to bezel
Lock System	None
Key	None
Key Type	None
Switching Angle	None
Contacts	1NO
Terminal	Spring-loaded terminal
Voltage Illumination	None
Mounting Type	Front mounting
Mounting Style	Holder
Environmental Rating	IP66, IP67, IP69K
Industry Standards/Certifications	UL, CSA, VDE, CCC, CE, RoHS
Switching Function	On-Off
Illumination	None
Contact Material	Silver
Termination Style	Spring type
Mechanical Life	Maintain 500'000 switching cycles Momentary 10'000'000 switching cycles
AC Voltage	500 V
DC Voltage	500 V
Switching Current	10 A

Bill of Materials

Actuator	45-2131.1160.000
----------	------------------

Holder	45-2300.1000.000
Switch Element 1	45-311.1Z40