

Hydroproof 2 PC 114 T5 Eb

0045578



Range features

 Body made from extremely resistant glass-reinforced polyester (SMC). Protection against chemicals (Please contact your local sales office for full listing). User-friendly and long lasting materials. Stainless steel closure clips ensure permanent pressure between diffuser and housing to guarantee IP rating.









PRODUCT OVERVIEW

| Ordering number | 0045578 |
|-----------------|----------------------------------|
| EAN code | 5410288455785 |
| Certifications | D-mark, ENEC |
| Mount | Ceiling surface |
| Housing | Glass fibre reinforced polyester |
| Voltage (V) | 230 |
| Lamps | 1 x 14W T5 G5 |
| Colour | Grey |
| IP rating | 67 |
| IK rating | 8 |



Hydroproof 2 PC 114 T5 Eb

0045578

DATA TABLE

| General d | lata |
|-----------|------|
|-----------|------|

| Ordering number | 0045578 |
|---------------------------|---|
| EAN code | 5410288455785 |
| Certifications | D-mark, ENEC |
| Mount | Ceiling surface |
| Long description | Body made from extremely resistant glass-reinforced polyester (SMC). Protection against chemicals (Please contact your local sales office for full listing). User-friendly and long lasting materials. Stainless steel closure clips ensure permanent pressure between diffuser and housing to guarantee IP rating. |
| Product name | Hydroproof 2 PC 114 T5 Eb |
| Control gear availability | Included |
| Control gear mounting | Integral |
| Control gear type | Electronic |
| Environment | Interior |
| General application | Car wash, Chemical industries, Mechanical industries, Technical rooms |
| Housing | Glass fibre reinforced polyester |
| Special environment | Clean room, Waterproof |
| Sales pack quantity | 1 |

Optical data

Electrical data

| Voltage (V) | 230 |
|-----------------------|---------------|
| Lamps | 1 x 14W T5 G5 |
| Leading trailing edge | No |
| Number of heads | 1 |
| Total number of lamps | 1 |



Hydroproof 2 PC 114 T5 Eb

0045578

| Physical data | |
|-----------------|-----------|
| Weight (kg) | 1.70 |
| Colour | Grey |
| Lamp included | No |
| Height (mm) | 108 |
| Width (mm) | 102 |
| Length (mm) | 702 |
| IP rating | 67 |
| IK rating | 8 |
| Diffuser finish | Prismatic |

Diffuser material Polycarbonate

Emergency Without 77.00 x 11.00 x 12.00

Single package dimensions (L x W x H)

Outer package dimensions (L x W x H)

77.00 x 11.00 x 12.00

© Havells Sylvania | Date Printed: 22 Aug 2014 | Data Last Updated: 04 Jun 2014




Hydroproof 2 PC 114 T5 Eb

0045578

TECHNICAL DRAWINGS

Dimensions (mm) Weight (Kg)

| Model T5 | L | W | Н | F | Clips | Kg |
|--------------|---|---|---|---|--|---|
| 1x14/24W | 702 | 102 | 108 | 500 | 6 | 1.9 |
| 1x28W | 1312 | 102 | 108 | 800 | 8 | 2.8 |
| 1x35/49W | 1612 | 102 | 108 | 1100 | 10 | 3.7 |
| 2x14/24W | 702 | 172 | 108 | 500 | 6 | 1.9 |
| 1x54W /2x28W | 1312 | 172 | 108 | 800 | 8 | 2.8 |
| 1x80W / | 1612 | 172 | 108 | 1100 | 10 | 3.7 |
| ֡ | 1x28W 1x35/49W 2x14/24W 1x54W /2x28W | 1x14/24W 702 1x28W 1312 1x35/49W 1612 2x14/24W 702 1x54W/2x28W 1312 | 1x14/24W 702 102 1x28W 1312 102 1x35/49W 1612 102 2x14/24W 702 172 1x54W/2x28W 1312 172 | 1x14/24W 702 102 108 1x28W 1312 102 108 1x35/49W 1612 102 108 2x14/24W 702 172 108 1x54W/2x28W 1312 172 108 | 1x14/24W 702 102 108 500 1x28W 1312 102 108 800 1x35/49W 1612 102 108 1100 2x14/24W 702 172 108 500 1x54W/2x28W 1312 172 108 800 | 1x14/24W 702 102 108 500 6 1x28W 1312 102 108 800 8 1x35/49W 1612 102 108 1100 10 2x14/24W 702 172 108 500 6 1x54W/2x28W 1312 172 108 800 8 |



ENERGY LABEL

