

## **RECTANGULAR POWER CONNECTORS**











Always EU RoHS/ELV Compliant

✓ Active



PRODUCT DRAWING



3D PDF

**Product Drawings** 

MTA-156 HEADER ASSEMBLY, POLARIZED LOCK, RIGHT ANGLE FRONT BEND, .045 SQUARE POST, TIN-LEAD PLATED, WITH RETENTION PEGS

PDF **English** 

**CAD** Files

Customer View Model

2D\_DXF.ZIP **English** 

3D PDF

PDF **English** 

Customer View Model

3D\_IGS.ZIP English

Customer View Model

3D\_STP.ZIP **English** 

Catalog Pages/Data Sheets

MTA, CST-100 II, SL-156 And AMP Economy Power (EP) Connectors

PDF **English** 

**Product Specifications** 

Product Specification System, Connector/Header, MTA 156

PDF **English** 

Product Environmental Compliance

TE Material Declaration MD\_4-644617-4\_09022011023

PDF **English**  Detailed product features are not currently available online.

Product Compliance Statement of Compliance

VIEW ALL PRODUCT COMPLIANCE

Products - 59 Results

RELATIONSHIP

Relation Type

Mating Products
Used to identify Mating Parts

See All Mating Products



PRODUCT - MATING PRODUCTS

Connectors - W-T-B Headers & Receptacles MTA | MTA156

14P MTA156 CONN ASSY 20AWG YEL - 1-640600-4 TE INTERNAL NUMBER: 1-640600-4

✓ Active

Not EU RoHS or ELV Compliant

Centerline 3.96 mm

Number of Positions 14

Number of Rows 1

Contact Mating Area Plating

Material **Tin-Lead** 

Contact Mating Area Plating Material Finish **Bright** 

RELATIONSHIP

Mating Products
Used to identify Mating Parts

See All Mating Products



PRODUCT - MATING PRODUCTS

Connectors - W-T-B Headers & Receptacles MTA | MTA156

14P MTA156 CONN ASSY 24AWG LF - 4-640607-4

TE INTERNAL NUMBER: 4-640607-4

✓ Active

Always EU RoHS/ELV Compliant

Centerline 3.96 mm

Number of Positions 14

Number of Rows 1

Contact Mating Area Plating

Material **Tin** 

Contact Mating Area Plating Thickness **2.03 – 5.08 μm** 

RELATIONSHIP



PRODUCT - MATING PRODUCTS

Connectors - W-T-B Headers & Receptacles MTA | MTA156

14 CIR MTS .156 ASSY ON TAPE L - 4-640480-4 TE INTERNAL NUMBER: 4-640480-4

## Always EU RoHS/ELV Compliant

Centerline 3.96 mm

Number of Positions 14

Number of Rows 1

Contact Mating Area Plating

Material **Tin** 

Contact Mating Area Plating

 ${\sf Material\ Finish\ Matte}$