


THIS DRAWING IS A CONTROLLED DOCUMENT

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS, INC. IT IS NOT TO BE DISCLOSED TO ANY OTHER PERSON OR ENTITY WITHOUT THE WRITTEN AUTHORIZATION OF TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA

Restricted to: General Release

USED ON



Left Side

Connector(s): MPO SECURE (No Pins)

Mode: MM

Housing Color: Blue

Geom. Spec: N/A

Right Side

Connector(s): MPO SECURE (No Pins)

Mode: MM

Housing Color: Blue

Geom. Spec: N/A

Notes:

- 1 IL tested at 1300nm.
- 2 Product and Processing must meet requirements of Tyco Electronics Standard 230-702
- 3 A copy of test data will be placed inside or with the unit package.
- 4 Label 2 will not be present on any cable assembly less than 5 meters long.
- 5 The cable meets or exceeds the requirements of GR-409-CORE for both RISER and PLENUM applications.
- 6 The cable meets or exceeds the UL requirements for both RISER and PLENUM applications.

LOC
CE
DIST
16

	A	Rev Per EC#	RELEASE	D/13/2006	-	MK			
P	LTR	REVISION RECORD	DATE	DN	APVD				


DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
meters	
9 P.L.C.	± .
1 P.L.C.	± .
2 P.L.C.	± .
3 P.L.C.	± .
4 P.L.C.	± .

DIN	Cable Assy Configurator	MATERIAL	HEAT TREAT
OK	Michael Kepko		
APVD	Michael Kepko		
NAME	FO C/A - 24 fiber, 50/125, OFNR-OFNP, MPO SECURE (No Pins) to MPO SECURE (No Pins)		
SCALE	SIZE	DRAWING NO	SHEET
NTS	A2	C- 6754283	1 of 5
			REV
			A

Customer Print


AMP Tyco Electronics, Inc.
Harrisburg, PA 17105-3608

THIS DRAWING IS A CONTROLLED DOCUMENT.



Pairs Flipped

A-A Fiber Color	Connector Position #	B-B Fiber Color
Blue	1	Orange
Orange	2	Blue
Green	3	Brown
Brown	4	Green
Slate	5	White
White	6	Slate
Red	7	Black
Black	8	Red
Yellow	9	Violet
Violet	10	Yellow
Rose	11	Aqua
Aqua	12	Rose



Lightray Connector Fiber Path

Leg 1	1	Leg 1
Leg 2	2	Leg 2

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION. IT MAY NOT BE DISCLOSED TO ANY OTHERS WITHOUT THE WRITTEN AUTHORIZATION OF TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA.

LOC
CE
DIST
16

CAC Customer Layout Rev: D

	A	Rev Per EC#	RELEASE	D/13/2006	-	MK	
P	LTR	REVISION RECORD		DATE	DIN	APVD	

DIMENSIONS: meters	TOLERANCES UNLESS OTHERWISE SPECIFIED:
	0 P.L.C. ± .
	1 P.L.C. ± .
	2 P.L.C. ± .
	3 P.L.C. ± .
	4 P.L.C. ± .

Customer Print

DIN Cable Assy Configurator		MATERIAL	HEAT TREAT	
CHK	Michael Kepko	AMP Tyco Electronics, Inc. Harrisburg, PA 17105-3608		
APVD	Michael Kepko			
NAME FO C/A - 24 fiber, 50/125, OFNR-OFNP, MPO SECURE (No Pins) to MPO SECURE (No Pins)				
SCALE NTS	SIZE A2	DRAWING NO C- 6754283	SHEET 2 of 5	REV A

THIS DRAWING IS A CONTROLLED DOCUMENT

DWG NO

LOC
CE
DIST
16

CAC Customer Layout Rev: D

Restricted to: General Release

Part #	L (meters)	L (feet)	MPO SECURE (No Pins), Blue		MPO SECURE (No Pins), Blue	
			IL (dB)	RL (dB)	IL (dB)	RL (dB)
0-6754283-1	3.048 - 3.353	10.00 - 11.00	0.75	-	0.75	-
0-6754283-2	6.096 - 6.706	20.00 - 22.00	0.76	-	0.76	-
0-6754283-3	9.144 - 9.754	30.00 - 32.00	0.76	-	0.76	-
0-6754283-4	12.192 - 12.802	40.00 - 42.00	0.77	-	0.77	-
0-6754283-5	15.240 - 15.850	50.00 - 52.00	0.77	-	0.77	-
0-6754283-6	18.288 - 18.898	60.00 - 62.00	0.78	-	0.78	-
0-6754283-7	21.336 - 21.946	70.00 - 72.00	0.78	-	0.78	-
0-6754283-8	24.384 - 24.994	80.00 - 82.00	0.79	-	0.79	-
0-6754283-9	27.432 - 28.042	90.00 - 92.00	0.79	-	0.79	-
1-6754283-0	30.480 - 31.394	100.00 - 103.00	0.8	-	0.8	-
1-6754283-1	33.528 - 34.442	110.00 - 113.00	0.8	-	0.8	-
1-6754283-2	36.576 - 37.490	120.00 - 123.00	0.8	-	0.8	-
1-6754283-3	39.624 - 40.538	130.00 - 133.00	0.81	-	0.81	-
1-6754283-4	42.672 - 43.586	140.00 - 143.00	0.81	-	0.81	-
1-6754283-5	45.720 - 46.634	150.00 - 153.00	0.82	-	0.82	-
1-6754283-6	48.768 - 49.682	160.00 - 163.00	0.82	-	0.82	-
1-6754283-7	51.816 - 52.730	170.00 - 173.00	0.83	-	0.83	-
1-6754283-8	54.864 - 55.778	180.00 - 183.00	0.83	-	0.83	-
1-6754283-9	57.912 - 58.826	190.00 - 193.00	0.84	-	0.84	-
2-6754283-0	60.960 - 62.179	200.00 - 204.00	0.84	-	0.84	-
2-6754283-1	64.008 - 65.227	210.00 - 214.00	0.85	-	0.85	-
2-6754283-2	67.056 - 68.275	220.00 - 224.00	0.85	-	0.85	-
2-6754283-3	70.104 - 71.323	230.00 - 234.00	0.86	-	0.86	-
2-6754283-4	73.152 - 74.371	240.00 - 244.00	0.86	-	0.86	-
2-6754283-5	76.200 - 77.419	250.00 - 254.00	0.86	-	0.86	-
2-6754283-6	79.248 - 80.467	260.00 - 264.00	0.87	-	0.87	-
2-6754283-7	82.296 - 83.515	270.00 - 274.00	0.87	-	0.87	-
2-6754283-8	85.344 - 86.563	280.00 - 284.00	0.88	-	0.88	-
2-6754283-9	88.392 - 89.611	290.00 - 294.00	0.88	-	0.88	-
3-6754283-0	91.440 - 93.269	300.00 - 306.00	0.89	-	0.89	-
3-6754283-1	94.488 - 96.378	310.00 - 316.20	0.89	-	0.89	-
3-6754283-2	97.536 - 99.487	320.00 - 326.40	0.9	-	0.9	-
3-6754283-3	100.584 - 102.596	330.00 - 336.60	0.9	-	0.9	-
3-6754283-4	103.632 - 105.705	340.00 - 346.80	0.91	-	0.91	-
3-6754283-5	106.680 - 108.814	350.00 - 357.00	0.91	-	0.91	-
3-6754283-6	109.728 - 111.923	360.00 - 367.20	0.91	-	0.91	-
3-6754283-7	112.776 - 115.032	370.00 - 377.40	0.92	-	0.92	-
3-6754283-8	115.824 - 118.140	380.00 - 387.60	0.92	-	0.92	-
3-6754283-9	118.872 - 121.249	390.00 - 397.80	0.93	-	0.93	-
4-6754283-0	121.920 - 124.358	400.00 - 408.00	0.93	-	0.93	-
4-6754283-1	124.968 - 127.467	410.00 - 418.20	0.94	-	0.94	-
4-6754283-2	128.016 - 130.576	420.00 - 428.40	0.94	-	0.94	-
4-6754283-3	131.064 - 133.685	430.00 - 438.60	0.95	-	0.95	-
4-6754283-4	134.112 - 136.794	440.00 - 448.80	0.95	-	0.95	-

Qty	U of M	Description	Item No.
4	piece	Boot, MPO - Blue	23
4	piece	Dust Cover	22
0.167	piece	Label, 1 & 2	21
1	piece	Caution Label	20
4	piece	Mini boot, 12 fiber	19
1	piece	Heat Shrink Tubing	18
1	piece	Pulling Sock	17
4	piece	Crimp Ring	16
4	piece	Pin Holder w/out Pins	15
4	piece	Spirap 5.5"	14
4	piece	Spring Retainer	13
4	piece	Construction tape	12
AR	meter	24 Fiber, 50/125, 7.8mm, CLT, Orange, OFNR/OFNP	11
2	piece	Heat Shrink Tubing	10
1	piece	Braided Sleeve	9
3	piece	Trace Label	8
4	piece	Connector Housing	7
4.06	meters	Oval Tube, Orange	6
0.2	RL	Electrical Tape	5
0.5	piece	Foam Cap	4
4	piece	Spring	3
2	piece	VACUUM HOSE, SPIRAFLEX 1 FOOT	2
4	piece	Ferrule, MT, MM, 12 Fiber	1

	A	Rev Per EC#	RELEASE	0/13/2006	- M
P	LTR	REVISION RECORD		DATE	DIN AP

DIMENSIONS; meters		TOLERANCES UNLESS OTHERWISE SPECIFIED	
	0 PLC	±	..
	1 PLC	±	..
	2 PLC	±	..
	3 PLC	±	..
	4 PLC	±	..

Customer Print

DFN Cable Assy Configurator OK Michael Kepko APD Michael Kepko		MATERIAL -  Tyco Electronics, Inc. Harrisburg, PA 17105-3608	HEAT TREAT -
NAME FO C/A - 24 fiber, 50/125, OFNR-OFNP, MPO SECURE (No Pins) to MPO SECURE (No Pins)		SCALE NTS SIZE A2 DRAWING NO. C- 6754283	SHEET 3 of 5 REV A

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION. IT IS NOT TO BE DISCLOSED TO ANY OTHERS WITHOUT THE WRITTEN AUTHORIZATION OF TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA.

THIS DRAWING IS A CONTROLLED DOCUMENT.
PAGE NO

LOC
CE
DIST
16

Restricted to: General Release

Part #	L (meters)	L (feet)	MPO SECURE (No Pins), Blue		MPO SECURE (No Pins), Blue	
			IL (dB)	RL (dB)	IL (dB)	RL (dB)
4-6754283-5	137.160 - 139.903	450.00 - 459.00	0.96	-	0.96	-
4-6754283-6	140.208 - 143.012	460.00 - 469.20	0.96	-	0.96	-
4-6754283-7	143.256 - 146.121	470.00 - 479.40	0.96	-	0.96	-
4-6754283-8	146.304 - 149.230	480.00 - 489.60	0.97	-	0.97	-
4-6754283-9	149.352 - 152.339	490.00 - 499.80	0.97	-	0.97	-
5-6754283-0	152.400 - 155.448	500.00 - 510.00	0.98	-	0.98	-
5-6754283-1	160.020 - 163.220	525.00 - 535.50	0.99	-	0.99	-
5-6754283-2	167.640 - 170.993	550.00 - 561.00	1	-	1	-
5-6754283-3	175.260 - 178.765	575.00 - 586.50	1.01	-	1.01	-
5-6754283-4	182.880 - 186.538	600.00 - 612.00	1.02	-	1.02	-
5-6754283-5	190.500 - 194.310	625.00 - 637.50	1.04	-	1.04	-
5-6754283-6	198.120 - 202.082	650.00 - 663.00	1.05	-	1.05	-
5-6754283-7	205.740 - 209.855	675.00 - 688.50	1.06	-	1.06	-
5-6754283-8	213.360 - 217.627	700.00 - 714.00	1.07	-	1.07	-
5-6754283-9	220.980 - 225.400	725.00 - 739.50	1.08	-	1.08	-
6-6754283-0	228.600 - 233.172	750.00 - 765.00	1.09	-	1.09	-
6-6754283-1	236.220 - 240.944	775.00 - 790.50	1.1	-	1.1	-
6-6754283-2	243.840 - 248.717	800.00 - 816.00	1.12	-	1.12	-
6-6754283-3	251.460 - 256.489	825.00 - 841.50	1.13	-	1.13	-
6-6754283-4	259.080 - 264.262	850.00 - 867.00	1.14	-	1.14	-
6-6754283-5	266.700 - 272.034	875.00 - 892.50	1.15	-	1.15	-
6-6754283-6	274.320 - 279.806	900.00 - 918.00	1.16	-	1.16	-
6-6754283-7	281.940 - 287.579	925.00 - 943.50	1.17	-	1.17	-
6-6754283-8	289.560 - 295.351	950.00 - 969.00	1.18	-	1.18	-
6-6754283-9	297.180 - 303.124	975.00 - 994.50	1.2	-	1.2	-
7-6754283-0	304.800 - 310.896	1000.00 - 1020.00	1.21	-	1.21	-

	A	Rev Per EC#	RELEASE	0/13/2006	-	MK	
P	LTR	REVISION RECORD		DATE	DIN	APVD	

DIMENSIONS:
meters

TOLERANCES UNLESS
OTHERWISE SPECIFIED:
0 P.L.C. ± .
1 P.L.C. ± .
2 P.L.C. ± .
3 P.L.C. ± .
4 P.L.C. ± .

Customer Print


DIN	Cable Assy Configurator		MATERIAL	HEAT TREAT	
CHK	Michael Kepko		AMP Tyco Electronics, Inc. Harrisburg, PA 17105-3608		
APVD	Michael Kepko				
NAME: FO C/A - 24 fiber, 50/125, OFNR-OFNP, MPO SECURE (No Pins) to MPO SECURE (No Pins)					
SCALE	SIZE	DRAWING NO	SHEET	REV	
NTS	A2	C- 6754283	4 of 5	A	

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION AND ITS WORLDWIDE SUBSIDIARIES AND AFFILIATES. IT MAY NOT BE DISCLOSED TO ANYONE, OTHER THAN TYCO ELECTRONICS PERSONNEL, WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA

CAC Customer Layout Rev: D

This label is used on all lengths on this drawing.

This label is used on all lengths on this drawing.



Cable Assembly REF-

Pulling Sock Top End

	A	Rev Per EC# RELEASE	D/13/2006	-	M
P	LTR	REVISION RECORD	DATE	MIN	AP

DIMENSIONS;
meters



Customer Print

QFN Cable Assy Configurator		MATERIAL -		HEAT TREAT -	
CHK Michael Kepko		 Tyco Electronics, Inc. Harrisburg, PA 17105-3608			
APVD Michael Kepko					
NAME FO C/A - 24 fiber, 50/125, OFNR-OFNP, MPO SECURE (No Pins) to MPO SECURE (No Pins)					
SCALE NTS	SIZE A2	DRAWING NO. C: 6754283		SHEET 5 of 5	REV A

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[4-6754283-1](#)