







10 9 8 7 6 5 4 3 2 1




カプトンテープ付き
WITH KAPTON TAPE



NOTES

1. 嵌合相手: 502380-****
MATE WITH: 502380-****
2. 端子テール部 及び ネイルの平坦度: 0.1MAX.
TAIL AND NAIL COPLANARITY TO BE 0.1 MAX.
3. 極数/2=偶数に適用.
APPLY FOR CKT. SIZE / 2 = EVEN.
4. 端子テール部 及び ネイルに錫めっきを使用しているため、
外観に摺動痕が付く場合が御座います。
THE WOUND OF FRICTION MIGHT ADHERE TO EXTERNALS
BECAUSE THE TIN PLATING IS USED FOR THA TAIL AND NAIL.
5. 本製品のプラスチック部に黒点等が確認される場合や
色合いが異なる場合がありますが、製品性能に影響はありません。
THERE IS NO INFLUENCE IN THE PRODUCT PERFORMANCE THOUGH
THE BLACK SPOT ETC. MIGHT BE CONFIRMED TO THE PLASTIC PART
OF THIS PRODUCT AND THE SHADE MIGHT BE DIFFERENT.
6. ELV及びRoHS適合品
ELV AND RoHS COMPLIANT



嵌合図
MATED CONNECTORS


3.4	7.5	11	12.1	502382-07**	7
3.4	6.25	9.75	10.85	502382-06**	6
3.4	5	8.5	9.6	502382-05**	5
3.4	3.75	7.25	8.35	502382-04**	4
2.7	2.5	6	7.1	502382-03**	3
2.3	1.25	4.75	5.85	502382-02**	2
D	C	B	A	EMBOSSD TAPE PACKAGE オーダー番号 ORDER No.	極数 CKT. NO.

番号 NO.	部品 PART	材質 MATERIAL
①	ハウジング HOUSING	耐熱性樹脂 UL94V-0 色:SHEET 3 参照 HEATPROOF RESIN UL94V-0 COLOR: SEE SHEET 3
②	ターミナル TERMINAL	銅合金 COPPER ALLOY 錫めっき: 1.0 micro-meter MIN. TIN (TAIL AREA) ニッケルめっき(下地): 1.0 micro-meter MIN. NICKEL (UNDER PLATING)
③	ネイル NAIL	銅合金 COPPER ALLOY 錫めっき: 1.0 micro-meter MIN. TIN ニッケルめっき(下地): 1.0 micro-meter MIN. NICKEL (UNDER PLATING)

REVISED EC NO: J2013-1131 TDRWN:SSAT002 CHKD:KASAKAWA APPR:Y01TO 2013/04/08 2013/04/08 2013/04/08	DESCRIPTION REV	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		10 UNDER	±0.2	DRAWN BY T.MIYAZAKI	DATE 2006/08/28	TITLE 1.25 W/B CONN. SINGLE S/T REC. ASS'Y 2-7CKT.				
		10 OVER 30 UNDER	±0.25	CHECKED BY K.ASAKAWA	DATE 2006/08/28					
		30 OVER	±0.3	APPROVED BY Y01ITO	DATE 2006/08/28	molex SD-502382-001				
		ANGULAR ±3 °		MATERIAL NO.						
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		1 OF 3				
		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						




2 CKT.




5 CKT.




3 CKT.



6 CKT.




4 CKT.




7 CKT.

極数の種類


KIND OF CKT. NO. (FRONT VIEW)




吸着範囲
VACUME AREA



SECTION Y-Y



基板パターンレイアウト (参考)
RECOMMENDED P.C.B. PATTERN LAYOUT (REF.)



REVISED EC NO.: J2013-1131 DRWN:SSAT002 CHKD:KASAKAWA APPR:Y01TO 2013/04/08 2013/04/08 2013/04/08	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION					
		10 UNDER	± 0.2	T.MIYAZAKI	2006/08/28	TITLE 1.25 W/B CONN. SINGLE S/T REC. ASS'Y 2-7CKT.							
		10 OVER 30 UNDER	± 0.25	K.ASAKAWA	2006/08/28								
		30 OVER	± 0.3	APPROVED BY Y0. ITO	2006/08/28	molex							
		ANGULAR ±3 °		MATERIAL NO.							DOCUMENT NO.		SHEET NO.
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-502382-001						2 OF 3		
	REV			SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								

	10	9	8	7	6	5	4	3	2	1	
F											F
E											E
D											D
C											C
B											B
A											A
WITH CAPTON TAPE											
HSG COLOR : GREEN		HSG COLOR : BLUE		HSG COLOR : RED		HSG COLOR : BLACK		HSG COLOR : NATURAL			
502382-0736	502382-**16	502382-0734	502382-**14	502382-0732	502382-**12	502382-0731	502382-**11	502382-0772	502382-**08	7	
502382-0636		502382-0634		502382-0632		502382-0631		502382-0672		6	
502382-0536		502382-0534		502382-0532		502382-0531		502382-0572		5	
502382-0436		502382-0434		502382-0432		502382-0431		502382-0472		4	
502382-0336		502382-0334		502382-0332		502382-0331		502382-0372		3	
502382-0236		502382-0234		502382-0232		502382-0231		502382-0272		2	
EMBOSSED TAPE PACKAGE	コネクタシリーズ	EMBOSSED TAPE PACKAGE	コネクタシリーズ	EMBOSSED TAPE PACKAGE	コネクタシリーズ	EMBOSSED TAPE PACKAGE	コネクタシリーズ	EMBOSSED TAPE PACKAGE	コネクタシリーズ	極数	
オーダー番号ORDER No.	CONNECTOR SERIES	オーダー番号ORDER No.	CONNECTOR SERIES	オーダー番号ORDER No.	CONNECTOR SERIES	オーダー番号ORDER No.	CONNECTOR SERIES	オーダー番号ORDER No.	CONNECTOR SERIES	極数	CT. NO.
WITHOUT CAPTON TAPE											
HSG COLOR : NATURAL											
502382-0770	502382-**09	502382-0670	502382-**09	502382-0570	502382-**09	502382-0470	502382-**09	502382-0370	502382-**09	7	
502382-0670		502382-0570		502382-0470		502382-0370		502382-0270		6	
502382-0570		502382-0470		502382-0370		502382-0270		502382-0170		5	
502382-0470		502382-0370		502382-0270		502382-0170		502382-0070		4	
502382-0370		502382-0270		502382-0170		502382-0070		502382-0000		3	
502382-0270		502382-0170		502382-0070		502382-0000		502382-0000		2	
EMBOSSED TAPE PACKAGE	コネクタシリーズ	EMBOSSED TAPE PACKAGE	コネクタシリーズ	EMBOSSED TAPE PACKAGE	コネクタシリーズ	EMBOSSED TAPE PACKAGE	コネクタシリーズ	EMBOSSED TAPE PACKAGE	コネクタシリーズ	極数	
オーダー番号ORDER No.	CONNECTOR SERIES	オーダー番号ORDER No.	CONNECTOR SERIES	オーダー番号ORDER No.	CONNECTOR SERIES	オーダー番号ORDER No.	CONNECTOR SERIES	オーダー番号ORDER No.	CONNECTOR SERIES	極数	CT. NO.
GENERAL TOLERANCES (UNLESS SPECIFIED)											
DIMENSION STYLE MM ONLY											
SCALE --- METRIC											
THIRD ANGLE PROJECTION											
1.25 W/B CONN. SINGLE S/T REC. ASS'Y 2-7CKT.											
molex											
SD-502382-001											
3 OF 3											
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

502382-0372