

1907363


THIS DRAWING IS A CONTROLLED DOCUMENT.

LOC
CE
DIST
16

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS, INC. AND ITS AFFILIATES. IT MAY NOT BE DISCLOSED TO ANY OTHER PERSON OR ENTITY WITHOUT THE WRITTEN AUTHORIZATION OF TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA.

Restricted to: General Release

USED ON



Connector(s): SC/APC
Mode: SM
Housing Color: Green
Geom. Spec: N/A

Number of Fibers: 2
Mode: SM
Jacket Diameter: 2.0 mm
Jacket Color: Yellow
FiberType: SM

Connector(s): SC/APC
Mode: SM
Housing Color: Green
Geom. Spec: N/A

A ——— B
B ——— A

SC/APC and FC/APC 1.6-2.0mm
Color: Green/Green

SC/APC and FC/APC 1.6-2.0mm
Color: Green/Green

Notes:

- 1 Includes dust caps (not shown on print).
- 2 Product and Processing must meet requirements of Tyco Electronics Standard 230-702

Rev	Per	EC#	Release	DATE	DIN	APVD
A				5/11/2006	-	
P	LTR		REVISION RECORD			

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:
meters	
0 PLC	± .
1 PLC	± .
2 PLC	± .
3 PLC	± .
4 PLC	± .

Customer Print

DIN	Cable Assy Configurator	MATERIAL	HEAT TREAT
OK	Cable Assy Configurator		
APVD	Refer to Engineering Change		
NAME	FO C/A - 2 fiber, 2mm, SM, OFNR (Riser) jacket, SC/APC to SC/APC		
SCALE	NTS	SIZE	A2
DRAWING NO	C- 1907363	SHEET	1 of 3
REV	A		

AMP Tyco Electronics, Inc.
Harrisburg, PA 17105-3608

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION. IT MAY NOT BE DISCLOSED TO ANY OTHERS WITHOUT THE WRITTEN AUTHORIZATION OF TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA.


THIS DRAWING IS A CONTROLLED DOCUMENT.
PAGE NO

LOC
CE
DIST
16

CAC Customer Layout Rev: D

Part #	L (meters)	SC/APC, Green		SC/APC, Green	
		IL (dB)	RL (dB)	IL (dB)	RL (dB)
0-1907363-1	0.950 - 1.050	0.5	65	0.5	65
0-1907363-2	1.950 - 2.050	0.5	65	0.5	65
0-1907363-3	2.950 - 3.050	0.5	65	0.5	65
0-1907363-4	3.920 - 4.080	0.5	65	0.5	65
0-1907363-5	4.920 - 5.080	0.5	65	0.5	65
0-1907363-6	5.920 - 6.080	0.5	65	0.5	65
0-1907363-7	6.920 - 7.080	0.5	65	0.5	65
0-1907363-8	7.920 - 8.080	0.5	65	0.5	65
0-1907363-9	8.850 - 9.150	0.5	65	0.5	65
1-1907363-0	9.850 - 10.150	0.5	65	0.5	65
1-1907363-1	10.850 - 11.150	0.5	65	0.5	65
1-1907363-2	11.850 - 12.150	0.5	65	0.5	65
1-1907363-3	12.850 - 13.150	0.5	65	0.5	65
1-1907363-4	13.850 - 14.150	0.5	65	0.5	65
1-1907363-5	14.850 - 15.150	0.51	65	0.51	65
1-1907363-6	15.840 - 16.160	0.51	65	0.51	65
1-1907363-7	16.830 - 17.170	0.51	65	0.51	65
1-1907363-8	17.820 - 18.180	0.51	65	0.51	65
1-1907363-9	18.810 - 19.190	0.51	65	0.51	65
2-1907363-0	19.800 - 20.200	0.51	65	0.51	65
2-1907363-1	20.790 - 21.210	0.51	65	0.51	65
2-1907363-2	21.780 - 22.220	0.51	65	0.51	65
2-1907363-3	22.770 - 23.230	0.51	65	0.51	65
2-1907363-4	23.760 - 24.240	0.51	65	0.51	65
2-1907363-5	24.750 - 25.250	0.51	65	0.51	65
2-1907363-6	25.740 - 26.260	0.51	65	0.51	65
2-1907363-7	26.730 - 27.270	0.51	65	0.51	65
2-1907363-8	27.720 - 28.280	0.51	65	0.51	65
2-1907363-9	28.710 - 29.290	0.52	65	0.52	65
3-1907363-0	29.700 - 30.300	0.52	65	0.52	65
3-1907363-1	30.690 - 31.310	0.52	65	0.52	65
3-1907363-2	31.680 - 32.320	0.52	65	0.52	65
3-1907363-3	32.670 - 33.330	0.52	65	0.52	65
3-1907363-4	33.660 - 34.340	0.52	65	0.52	65
3-1907363-5	34.650 - 35.350	0.52	65	0.52	65
3-1907363-6	35.640 - 36.360	0.52	65	0.52	65
3-1907363-7	36.630 - 37.370	0.52	65	0.52	65
3-1907363-8	37.620 - 38.380	0.52	65	0.52	65
3-1907363-9	38.610 - 39.390	0.52	65	0.52	65
4-1907363-0	39.600 - 40.400	0.52	65	0.52	65
5-1907363-0	49.500 - 50.500	0.53	65	0.53	65

A	Rev Per EC#	Release	5/11/2006	-	
P	LTR	REVISION RECORD	DATE	DIN	APVD



TOLERANCES UNLESS OTHERWISE SPECIFIED:	
0 P.L.C.	± .
1 P.L.C.	± .
2 P.L.C.	± .
3 P.L.C.	± .
4 P.L.C.	± .

Customer Print

DIN Cable Assy Configurator		MATERIAL -	HEAT TREAT -	
CHK Cable Assy Configurator		AMP Tyco Electronics, Inc. Harrisburg, PA 17105-3608		
APVD Refer to Engineering Change				
NAME FO C/A - 2 fiber, 2mm, SM, OFNR (Riser) jacket, SC/APC to SC/APC				
SCALE NTS	SIZE A2	DRAWING NO C- 1907363	SHEET 2 of 3	REV A

8

7

6

5

4

3

2

1

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION. IT IS NOT TO BE DISCLOSED TO ANY OTHERS WITHOUT THE WRITTEN AUTHORIZATION OF TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA.

LOC
CE
DIST
16

THIS DRAWING IS A CONTROLLED DOCUMENT.
PAGE NO

Label 1

Per specification 107-1645-1



Trace # - Bar Code

Trace # - Human Readable


Part Number

Country of Origin

This label is used on all lengths on this drawing.

Label 2

Per specification 107-1645-1



Trace # - Bar Code

Trace # - Human Readable

Part Number

Country of Origin

This label is used on all lengths on this drawing.

	A	Rev Per EC#	Release	5/11/2006	-				
P	LTR	REVISION RECORD		DATE	DIN	APVD			

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:	
meters			
Ø	PLC	±	-
1	PLC	±	-
2	PLC	±	-
3	PLC	±	-
4	PLC	±	-

Customer Print

DIN Cable Assy Configurator		MATERIAL -	HEAT TREAT -	
OK Cable Assy Configurator		AMP Tyco Electronics, Inc. Harrisburg, PA 17105-3608		
APVD Refer to Engineering Change				
NAME FO C/A - 2 fiber, 2mm, SM, OFNR (Riser) jacket, SC/APC to SC/APC				
SCALE NTS	SIZE A2	DRAWING NO C- 1907363		SHEET 3 of 3
				REV A

8

7

6

5

4

3

2

1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2-1907363-1](#)