





PRODUCT NUMBER
SEE SHEET 2





spec ref		-		dr	Andrew Yong	2010/10/25	projection		MM		size	A3	scale	12:1
tolerance std	ISO 406 ISO 1101	TOLERANCES UNLESS OTHERWISE SPECIFIED		eng	Guo-Min Sun	2014/08/26					ecn no	ELX-N-18628-1		
				chr	-	-								
				appr	Rick Bian	2014/08/26	product family		-	rel level Released				
surface	- 	linear	0.X	±-		title	MINITEK II R/R SMT STR HDR WITH LOCATOR			dwg no	10065491		rev	M
			0.XX	±0.25										
			0.XXX	±-										
		ISO 1302	angular	0°	±3°	www.fci.com	cat. no.	-	Product - Customer Drw			sheet 1 of 3		

D

12. THE HOUSING WILL WITHSTAND EXPOSURE TO 255°C PEAK TEMPERATURE FOR 10 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.

16. $\text{DIM } C = \text{DIM } B + 4.0$



spec ref -				dr Andrew Yong2010/10/25		projection 		MM 		size A3		scale 5:1					
tolerance std ISO 406 ISO 1101 TOLERANCES UNLESS OTHERWISE SPECIFIED				eng Guo-Min Sun2014/08/26				ecn no ELX-N-18628-1									
				chr -				rel level Released									
				appr Rick Bian2014/08/26		product family -											
surface ☒ ISO 1302		linear		0.X ± -				title MINITEK II R/R SMT STR HDR WITH LOCATOR				dwg no 10065491				rev M	
				0.XX ±0.25													
				0.XXX ± -													
		angular0° ±3°		www.fci.com													

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[FCI / Amphenol:](#)

[10065491-001TRLF](#) [10065491-007TRLF](#) [10065491-004TRLF](#) [10065491-003LF](#) [10065491-005TRLF](#)