

Stamped contacts Crimp male contacts diameter 1,6 mm for wire gauge AWG 20 - 16 silver plated

Part No. VN 01 016 0002 (1)

Series Contacts
Subseries Contact Stamped contacts




COMMON CHARACTERISTICS		
Contact diameter		1,6 mm
Insulation diameter		1,8 - 2,8 mm
anschlussquerschnitt_von		0,5
anschlussquerschnitt_bis		1,5
anschlussquerschnitt_awg_von		20
anschlussquerschnitt_awg_bis		16
Packaging / supplied as		Single contact
No. of pieces		100
Sex of Contact		Pin
Type of contact		Stamped/rolled crimp contact
ELECTRICAL CHARACTERISTICS		
Contact resistance	DIN EN 60512-2-1, Test 2a / IEC 60512-2-1, Test 2a	< 5 mΩ

Stamped contacts Crimp male contacts diameter 1,6 mm for wire gauge AWG 20 - 16 silver plated

Part No. VN 01 016 0002 (1)

Series Contacts
Subseries Contact Stamped contacts



Maßzeichnung Dimensions in mm (Inch)

Stamped contacts Crimp male contacts diameter 1,6 mm for wire gauge AWG 20 - 16 silver plated

Part No. VN 01 016 0002 (1)

Series Contacts
Subseries Contact Stamped contacts

