



FB-F0-25581-000

SHT 1.1




WIRE COLOR				WEIGHT GRAMS
+ve	OUTPUT	-ve	SCREEN	
RED	WHITE	BLACK	GREEN	29.1

DIMENSIONS IN MILLIMETERS [INCHES]

KNOWLES ELECTRONICS
ITASCA, ILLINOIS U.S.A.


Revision	C.O. #	Implementation Date	RELEASE LEVEL	REVISION
			Active	D
D	C40100632	4-21-11		

SCALE: 1:1		DR. BY	DATE
DO NOT SCALE DRAWING		SDZ	5-22-07
TITLE: BOOM MICROPHONE		CK. BY	DATE
OUTLINE DRAWING		GJP	6-05-07
FB-F0-25581-000		APP. BY	DATE
SHT 1.1		GJP	6-05-07



FREQUENCY	SENSITIVITY			DEVICE CONFORMITY	
	MIN	NOM	MAX	RANGE OF DEVIATION FROM 1KHz	
100	---	-60.0	---	-11.0	+4.0
1000	-56.0	-53.0	-50.0	0.0	0.0
3500-5500	---	-48.5	---	+1.5	+7.5

- NOTES:
- MICROPHONE TO BE FUNCTIONAL WITH 10 VDC SUPPLY.
 - SENSITIVITY VALUES INDICATED ON THIS SPECIFICATION ARE VALID AT 50% HUMIDITY.
 - TEST CONDITIONS:
HEAD OF BOOM EXPOSED TO 94 dBSPL SWEPT SOUND FIELD AT 6mm FROM VOICE APERTURE.
ARTIFICIAL VOICE:
B & K 4227 MOUTH SIMULATOR.
 - FOR MICROPHONE CAPSULE SPEC. SEE EK-23024-000 SHEET 2.1



KNOWLES ELECTRONICS
ITASCA, ILLINOIS U.S.A.

Revision	C.O. #	Implementation Date	RELEASE LEVEL		REVISION
			Active		D
D	C40100632	4-21-11			
WHEN TEST LIMITS ARE USED TO ESTABLISH INCOMING INSPECTION ACCEPTANCE/REJECTION CRITERIA, CORRELATION OF TEST EQUIPMENT WITH KNOWLES IS ALSO REQUIRED FOR ELIMINATION OF EQUIPMENT AND TEST METHOD VARIATION			DR. BY	DATE	
			SDZ	5-22-07	
TITLE: BOOM MICROPHONE FB-F0-25581-000			CK. BY	DATE	
			GJP	6-05-07	
PERFORMANCE SPECIFICATION			APP. BY	DATE	
			GJP	6-05-07	
			SHT 2.1		

AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

➤ Customer Service :

Email service@ameya360.com

➤ Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com