

Rackmount Power Outlet Strips



Design Features **Features**

- Standard 19" EIA rack mountable
- Utilizes 1U (1.75") panel height
- Have convenient lighted power switches on front surface which also indicate if power is on or off
- Popular black color
- UL Recognized
- 15 amp surge suppressed models meet UL 1363 and UL 1449 specifications for 330 volt suppressed voltage rating
- 20 amp non-surge suppressed models meet UL1363 specifications

15 amp models

- Are surge suppressed for use with your sensitive equipment
- Have outlets located either on the front surface or on the rear surface for maximum versatility
- Transient energy rating of 450 joules.
- Have 12 foot long power cords with standard 3-prong AC plug to allow the POS strip to be mounted anywhere in the cabinet rack, in any size cabinet rack, and to connect to any standard wall outlet

20 amp models

- Will accept your higher power rated equipment
- Have outlets located on the front surface for easy accessibility
- Have 12 foot long power cords to allow the POS strips to be mounted anywhere in the cabinet rack, and in any size cabinet rack

- Have either one or two power cords feeding either one or two separate circuits to allow for maximum capacity in one POS strip
- Have either standard 3-prong AC plugs or safety conscious locking AC plugs

Catalog Number		Surge Suppressed	Amp Capacity	Power Cords			Outlets		
				Number	Length	Plug	Number	Location	
POS-194-S		Yes	15	1	12'	Non-locking	8	Rear	
POS-195-S		Yes	15	1	12'	Non-locking	8	Front	
POS-201		No	20	1	12'	Non-locking	8	Front	
POS-202		No	20	1	12'	Locking	8	Front	

PART
NAME

RACKMOUNT POWER OUTLET STRIP (20 AMP)


PART
No.

POS-201

12/3 SJT POWER CORD
12 FOOT LONG
COLOR - BLACK

STRAIN RELIEF
CORD SET TYPE
COLOR - BLACK

NON-LOCKING PLUG (NEMA 5-20P)
20 AMP
COLOR - BLACK



ON / OFF SWITCH (ILLUMINATED)
20 AMP 125-250 VOLT
BUTTON COLOR - RED
ILLUMINATED IN 'ON' POSITION

CIRCUIT BREAKER THERMAL
TYPE 20 AMP 125 VOLT
WITH RESET, COLOR - BLACK

GROUNDING TYPE 20 AMP, 125 VOLT
DUPLEX RECEPTACLE
COLOR - BLACK

MATERIAL:

BODY _____ 20 GA. STEEL
FRONT PANEL _____ 18 GA. STEEL

FINISH:

BODY & FRONT PANEL _____ SMOOTH BLACK

NOTES:

- 1.) INTERNAL WIRE CAPACITY - 12 AWG SOLID
- 2.) INTERNAL GROUND CAPACITY - 12 AWG STRANDED
- 3.) ALL COMPONENTS ARE U.L. APPROVED
- 4.) MEETS U.L. 1363 SPECIFICATIONS
- 5.) U.L. LISTED IN U.S.A. AND CANADA, U.L. FILE #E203236