



SPECIFICATIONS	
HOUSING MATERIAL/COLOR	EXTRUDED ALUMINUM/BLACK
END CAPS/COLOR	NYLON/BLACK
TERMINAL BLOCK MATERIAL/COLOR	NYLON/BLACK
PROTECTION CLASS	IP 20
OPERATING TEMPERATURE	-30°C to +70°C (-22°F to +158°F)
MAXIMUM CURRENT CONSUMPTION FROM BUS	≤ 12 mA



WIRING DIAGRAM



TERMINAL BLOCK PLUG



- 1 = RED (V+)
- 2 = WHITE (CAN_H)
- 3 = BARE (SHLD)
- 4 = BLUE (CAN_L)
- 5 = BLACK (V-)



SOURCE DRAWING - FOR REFERENCE ONLY

RELATED DOCUMENTS 1. 2. 3. 4.	3RD ANGLE PROJECTION	THIS DRAWING IS PROPERTY OF TURCK INC. USE OF THIS DOCUMENT WITHOUT WRITTEN PERMISSION IS PROHIBITED.		<div>TURCK INC</div> <div>High Technology Sensors and Automation Controls</div>		3000 CAMPUS DRIVE MINNEAPOLIS, MN 55441 1-800-544-7769 (763) 553-7300 (763) 553-0708 fax turck.com		
	MATERIAL	ALL DIMENSIONS DISPLAYED ON THIS DRAWING ARE FOR REFERENCE ONLY	DRFT	MS	DATE	09/11/07	DESCRIPTION JRBS-57VM-4	
			DSGN		SCALE	1=1.5		
FINISH	CONTACT TURCK FOR MORE INFORMATION	UNIT OF MEASUREMENT MILLIMETER [INCH]				IDENTIFICATION NO. U3-10596		REV B
		DO NOT SCALE THIS DRAWING				FILE: U3-10596		SHEET 1 OF 1