#### [ Solid Doors | Louvered Doors | Plexi Doors ]



| Part Number                                  | Color | Paint<br>Texture               | Panel Height |       | Use With Rack<br>Part Number | Weight |
|--|-------|--------------------------------|--------------|-------|------------------------------|--------|
|  |       |                                | Inches       | Units |                              | (lbs.) |
| RSDF19035BK1<br>RSDF19035CG1<br>RSDF19035GY2 | Beige | Textured<br>Textured<br>Smooth | 35           | 20    | REFK1903524                  | 13     |
| RSDF19042BK1<br>RSDF19042CG1<br>RSDF19042GY2 | Beige | Textured<br>Textured<br>Smooth | 42           | 24    | REFK1904224                  | 18     |
| RSDF19049BK1<br>RSDF19049CG1<br>RSDF19049GY2 | Beige | Textured<br>Textured<br>Smooth | 49           | 28    | REFK1904924                  | 26     |

| RSDF19056BK1<br>RSDF19056CG1<br>RSDF19056GY2 | Beige | Textured<br>Textured<br>Smooth | 56 | 32 | REFK1905624 | 30 |
|--|-------|--------------------------------|----|----|-------------|----|
| RSDF19063BK1<br>RSDF19063CG1<br>RSDF19063GY2 | Beige | Textured<br>Textured<br>Smooth | 63 | 36 | REFK1906324 | 33 |
| RSDF19070BK1<br>RSDF19070CG1<br>RSDF19070GY2 | Beige | Textured<br>Textured<br>Smooth | 70 | 40 | REFK1907024 | 37 |
| RSDF19077BK1<br>RSDF19077CG1<br>RSDF19077GY2 | Beige | Textured<br>Textured<br>Smooth | 77 | 44 | REFK1907724 | 41 |



#### Louvered Door Features:

- Flush mount...
- Opens right hand only with louvers facing down...
- Features lockable latch and spring loaded hinge pins for instant installation or removal (see below)...
- Allows full access to space between panel rails when open (17.8")...
- Constructed from 16 gauge steel, folded all four sides to reduce bowing...
- Inside of door includes full height, welded 6" wide door stiffener..
- Finish matches "REFK" series rack in baked powder paint.

| Part Number | Color | Paint<br>Texture | Panel Height<br>Inches Units   | Use With Rack<br>Part Number | Ship<br>Weight<br>(lbs.) |
|-------------|-------|------------------|--|------------------------------|--------------------------|
|             |       |                  | ,, , ,, , ,, , ,, , ,, , ,, | ,                            |                          |

| RSDL19035BK1<br>RSDL19035CG1<br>RSDL19035GY2 | - | Textured<br>Textured<br>Smooth | 35 | 20 | REFK1903524 | 13 |
|--|---|--------------------------------|----|----|-------------|----|
| RSDL19042BK1<br>RSDL19042CG1<br>RSDL19042GY2 | - | Textured<br>Textured<br>Smooth | 42 | 24 | REFK1904224 | 18 |
| RSDL19049BK1<br>RSDL19049CG1<br>RSDL19049GY2 |   | Textured<br>Textured<br>Smooth | 49 | 28 | REFK1904924 | 26 |
| RSDL19056BK1<br>RSDL19056CG1<br>RSDL19056GY2 | U | Textured<br>Textured<br>Smooth | 56 | 32 | REFK1905624 | 30 |
| RSDL19063BK1<br>RSDL19063CG1<br>RSDL19063GY2 | - | Textured<br>Textured<br>Smooth | 63 | 36 | REFK1906324 | 33 |
| RSDL19070BK1<br>RSDL19070CG1<br>RSDL19070GY2 | 0 | Textured<br>Textured<br>Smooth | 70 | 40 | REFK1907024 | 37 |
| RSDL19077BK1<br>RSDL19077CG1<br>RSDL19077GY2 |   | Textured<br>Textured<br>Smooth | 77 | 44 | REFK1907724 | 41 |



### **Plexi Door Features:**

- Flush mount...
- Black aluminum frame and smoked gray plexi
- Reversible right or left opening (by inverting door)...
- Features lockable latch, magnetic catch and spring loaded hinge pins for instant installation or removal (see below)...
- Allows full access to space between panel rails when open (17.8")...
- Painted surfaces, textured powder paint.

| Part Number   | Color | Paint<br>Texture | Panel Height |       | Use With Rack<br>Part Number | Ship<br>Weight<br>(lbs.) |
|---------------|-------|------------------|--------------|-------|------------------------------|--------------------------|
|               |       |                  | Inches       | Units |                              | (105.)                   |
| REDFP19035BK1 | Black | Textured         | 35           | 20    | REFK1903524                  | 13                       |
| REDFP19042BK1 | Black | Textured         | 42           | 24    | REFK1904224                  | 18                       |
| REDFP19049BK1 | Black | Textured         | 49           | 28    | REFK1904924                  | 26                       |
| REDFP19056BK1 | Black | Textured         | 56           | 32    | REFK1905624                  | 30                       |
| REDFP19063BK1 | Black | Textured         | 63           | 36    | REFK1906324                  | 33                       |
| REDFP19070BK1 | Black | Textured         | 70           | 40    | REFK1907024                  | 37                       |
| REDFP19077BK1 | Black | Textured         | 77           | 44    | REFK1907724                  | 41                       |

## Spring Loaded Door Hinge Pin Feature



Allows for quick installation or removal of doors

# Mail Link To Our Catalog Department

Provide full mailing address here for your FREE CATALOG via snail mail...

Exactly what you are looking for???

Link to our stocking distributors - most have "on-line" pricing, stock check and ordering!!!



Order from your favorite distributor





Copyright; © 1998-2002 Hammond Mfg Co Inc URL: http://www.hammondmfg.com/