Type SPSX Solid Polymer Aluminum SMT Capacitors

Notice and Disclaimer: All product drawings, descriptions, specifications, statements, information and data (collectively, the "Information") in this datasheet or other publication are subject to change. The customer is responsible for checking, confirming and verifying the extent to which the Information contained in this datasheet or other publication is applicable to an order at the time the order is placed. All Information given herein is believed to be accurate and reliable, but it is presented without any guarantee, warranty, representation or responsibility of any kind, expressed or implied. Statements of suitability for certain applications are based on the knowledge that the Cornell Dubilier company providing such statements ("Cornell Dubilier") has of operating conditions that such Cornell Dubilier company regards as typical for such applications, but are not intended to constitute any guarantee, warranty or representation regarding any such matter – and Cornell Dubilier specifically and expressly disclaims any guarantee, warranty or representation concerning the suitability for a specific customer application, use, storage, transportation, or operating environment. The Information is intended for use only by customers who have the requisited period and capability to determine the correct products for their application. Any technical advice in fr in this laformation or erre otherwise provided by Cornell Dubilier with reference to the use of any fornell Dubilier reducts is given gratis (unless otherwise specified by Cornell Dubilier), and Cornell Dubilier sumes no agation or liability for the advice given or results obtained. Although Cornell Dubilier strives to a the most stringent quality and safety standards regarding the design and manufacturing its products, light of the current state of the art, isolated component failures may still occur. Accordingly, cultomer applications which require a high degree of reliability or safety should employ suitable designs, other safeguards (such as installation of protective circuitry or redundancies or other appropriate protective measures) in order to ensure that the failure of an electrical component does not result in arisk of person ury or property damage. Although all product-related warnings, cautions and notes must supposerved, the customer should not assume that all safety measures are indicated in such warnings note for that other safety measures may not be as ài required.